Coin Collecting • Renumbering Programs • Teaching with APL

Personal Computing Computing

Tracking Costs in a Service Business

> A Word Processing Program

Analyzing Real Estate Investments

The Anadex 80 Column Printer.

First check the specs. Then check the price.

Our new 80-column dot matrix line printer – the DP-8000 – combines high performance and operating convenience with a low price that's worth checking into.

Check Performance

The DP-8000 features a precision engineered, heavy duty printing mechanism that can print the complete 96 ASCII character set, bidirectionally, at 84 LPM.

Check the Interface

Included at no extra cost, are two input connectors (see photo) that provide three basic ASCII compatible interfaces:

EIA Std.
RS232C, for interfacing at up to 9600
Baud with most minicomputers and modems; the 20/60 ma current drive mode re-

quired by Teletype® ASR33-35 printers; and the parallel-bit, serial character synchronous Centronics compatible interface.



The DP-8000 includes 12 lines of internal FIFO buffer storage and can accept data continuously or in bursts. Optionally, increased buffer storage of 2048 characters can be supplied for CRT dump and similar applications.

Check Printer Quality

A 9 × 7 character font provides virtually half-dot resolution for clean crisp print quality on the original plus three copies.

Precise paper positioning is ensured by a sprocket-feed paper advance, user-programmable Top of Form control, and up to 8 vertical tab positions.

Check Convenience

For operating ease, the DP-8000 accepts paper through the rear or bottom of the unit, provides programmable Skip

Over Perforation control, and Out of Paper indication and logic signal. And movable sprockets allow the use of forms or paper from under 3 inches to $9\frac{1}{2}$ inches wide.

Check the low Price


The best news is the price. A complete DP-8000 is unitpriced at under \$1000, with substantial discounts in larger quantities.

Once you've checked out the performance and price, we think you'll agree that the DP-8000 is definitely worth checking into. Contact us today for complete details and a demonstration.



ANADEX, INC. • 9825 DeSoto Avenue • Chatsworth, CA 91311, U.S.A. • Tel: 213/998-8010 • TWX 910-494-2761

ANADEX, LTD. • Dorna House, Guildford Road • West End, Woking, Surrey GU24 9PW, England • Tel: Chobham (09905) 6333 • Telex: 858762 ANADEX G



Solve your personal energy crisis. Let VisiCalc™Power do the work.

With a calculator, pencil and paper you can spend hours planning, projecting, writing, estimating, calculating, revising, erasing and recalculating as you work toward a decision.

Or with VisiCalc and your Apple* II you can explore many more options with a fraction of the time and effort you've spent

VisiCalc is a new breed of problem-solving software. Unlike prepackaged software that forces you into a computerized straight jacket, VisiCalc adapts itself to any numerical problem you have. You enter numbers, alphabetic titles and formulas on

your keyboard. VisiCalc organizes and displays this information on the screen. You don't have to spend your time programming.

Your energy is better spent using the results than get-

Say you're a business manager and want to project your annual sales. Using the calculator, pencil and paper method, you'd lay out 12 months across a sheet and fill in lines and columns of figures on products, outlets, salespeople, etc. You'd calculate by hand the subtotals and summary figures. Then you'd start revising, erasing and recalculating. With VisiCalc, you simply fill in the same figures on an electronic "sheet of paper" and let the computer do

Once your first projection is complete, you're ready to use VisiCalc's unique, powerful recalculation feature. It lets you ask "What if?", examining new options and planning for contingencies. "What if" sales drop 20 percent in March? Just type in the sales figure. VisiCalc instantly updates all other figures affected by March sales.

CIRCLE 3

the work.

Or say you're an engineer working on a design problem and are wondering "What if that oscillation were damped by another 10 percent?" Or you're working on your family's expenses and wonder "What will happen to our entertainment budget if the heating bill goes up 15 percent this winter?" VisiCalc responds instantly to show you all the consequences of any change.

Once you see VisiCalc in action, you'll think of many more uses for its power. Ask your dealer for a demonstration and discover how VisiCalc can help you in your professional work and personal life.

You might find that VisiCalc alone is reason enough to own a personal computer.

VisiCalc is available now for Apple II computers with versions for other personal computers coming soon. The Apple II version costs just \$99.50 and requires a 32k disk system.

For the name and address of your nearest VisiCalc dealer, call (408) 745-7841 or write to Personal Software, Inc., Dept. P, 592 Weddell Dr., Sunnyvale, CA 94086. If your favorite dealer doesn't already carry Personal

Software products, ask him to

give us a call.




VisiCalc was developed exclusively for Personal Software by Software Arts, Inc., Cambridge, Mass.

TM-VisiCalc is a trademark of Personal Software, Inc.

YOURCOMPANY

Pictured from left to right starting in first row: Del, Sturgis, Ligida, Alan, Sandy, Cassandra, Gail, Frank, Dosse, Dale, Mike, Barry. Carol and Brian are not pictured.



TBS is a company of fourteen people; people who have literally risked their careers and financial security to be involved in the most exciting industry of the Eighty's. TBS is not a large company, nor is it affiliated with any large organization. We have grown in one year from two to fourteen people, a direct result of your aid, support and purchases of our products. In the past five months, TBS has spent in excess of \$100,000.00 designing software and new products for your use; products we feel are the best in the industry! Now, we need your help. We need your orders to support future developments and to help the microcomputer field grow to its fullest

potential. Contact your local computer store or Associate Radio Shack store for a copy of SYSTEMS EXTENSIONS (\$3.00) for a full list of our products and 17 interesting and informative articles


designed to help you more fully utilize your computer. We now offer the following software for the TRS-80: • LIBRARY 100, a basic computer library consisting of 100 programs for business, education, graphics, home use and games — \$49.50; • TBS BUSINESS MAIL SYSTEM for dual disk and printer, can handle up to 150,000 names — \$125.00; • CHECKBOOK II, cassette and disk based personal finance - \$18.50; • BASIC TOOLKIT, a

machine language programmer's aid -\$19.80; SYSTEM DOCTOR, a computer diagnostic program -\$28.50; · ANALYSIS PAD, a columnar calculator — \$32.50; •INFORMATION SYSTEM. an "in-mem" data base manager — \$24.50; ● **EXERCISER**, for establishing physical fitness regimens -\$12.50; • TERMINAL CONTROL, for RS-232 telecommunications — \$19.80; CHECK REGISTER ACCOUNTING SYSTEM, for dual disk and printer, complete accounting — \$49.50. We also have **DISK HEAD CLEANERS** for

TRS-80 and APPLE - \$12.95, and **GRAN MASTER DISKETTES**, the best on the market - \$38.00 for 10.

The above products are available now at computer stores nationwide or directly through TBS. For more information, contact us through the number below.

Through our products and our service, we at TBS look forward to a long happy relationship with you, the computer owner.



Personal Computing For Your Home and Business 9



Page 30



Page 50



Page 40

DEPARTMENTS

FEEDBACK	7
RANDOM ACCESS	11
FUTURE COMPUTING	18
COMPUTER BRIDGE	70
COMPUTER CHESS	73
COMPUTER GAMES	81
BOOKSHELF	86
PRODUCT CLOSE-UP .	89
WHAT'S COMING UP .	90
AD INDEX	.110

DIGGING IN

Coin Collecting
Basic Renumbering Program renumbering is a powerful utility that adds flexibility to your programming efforts. This program, written for a Heath H-8 computer, can be implemented on other systems as well. by Charles K. Ballinger
The Computer Glass Box
A Novel Program
IN THE MONEY
Viewing Real Estate Investments
Tracking Costs in a Service Business
ON THE LIGHTER SIDE
Baseball For All Seasons
Minotaur's Malevolent Maze

Cover Design by David Bastille

Publication Number USPS 370-770

© Copyright 1979, Benwill Publishing Corp., a Morgan-Grampian Co.



gets you up and running the very first night...with your own TV for a video display. \$99.95 ELF II includes RCA 1802 8-bit microprocessor addressable to 64k

bytes with DMA, interrupt, 16 registers, ALU, 256 byte RAM, full hex keyboard,

two digit hex output display, stable crystal clock for timing purposes, RCA 1861

video IC to display your programs on any video monitor or TV screen and 5-slot plug-in expansion bus (less connectors) to expand ELF II into a giant!

Master ELF II's \$99.95 capabilities, then expand with GIANT BOARD KLUGE BOARD. 4k RAM BOARDS. TINY BASIC. ASCII KEYBOARD. LIGHT PP.N. ELFBUG. MONITOR. COLOR GRAPHICS & MUSIC SYSTEM. TEXT EDITOR. ASSEMBLER. DISASSEMBLER. VIDEO DISPLAY BOARD

BREAKTHROUGH!

Netronics proudly announced the release of

the first 1802 FULL BASIC, written by L.

Sandlin, with a hardware floating point RPN

math package (requires 8k RAM plus ASCII and video display boards), \$79.95 plus \$2 p&h. Also available for RCA VIP and other 1802 systems

Regardless of how minimal your computer background is now, you can learn to program an ELF II in almost no time at all. Our Short Course On Microprocessor & Computer Programming - written in non-technical language - guides you

through each of the RCA COSMAC 1802's capabilities, so you'll understand everything ELF II can do ... and how to get ELF II to do it! Don't worry if you've

been stumped by computer books before. The Short Course represents a major advance in literary clarity in the computer field. You don't have to be a computer

engineer in order to understand it. Keyed to ELF II, it's loaded with "hands on"

illustrations. When you're finished with the Short Course, neither ELF II nor the

In fact, not only will you now be able to use a personal computer creatively

you'll also be able to read magazines such as BYTE. INTERFACE AGE. POPULAR ELECTRONICS and PERSONAL COMPUTING and fully understand the

articles. And, you'll understand how to expand ELF II to give you the exact

If you work with large computers, ELF II and the Short Course will help you

\$99.95 ELF II includes all the hardware and software you need to start writing and running programs at home, displaying video graphics on your TV screen and

designing circuits using a microprocessor-the very first night-even if you've

ELF II connects directly to the video input of your TV set, without any additional hardware, Or, with an \$8.95 RF modulator (see coupon below), you can

ELF II has been designed to play all the video games you want, including a fascinating new target/missile gun game that was developed specifically for ELF II. But games are only the icing on the cake. The real value of ELF II is that it gives you a chance to write machine language programs—and machine language is the fundamental language of all computers. Of course, machine language is

only a starting point. You can also program ELF II with assembly language and tiny BASIC. But ELF II's machine language capability gives you a chance to

and, another great reason for getting your ELF now

ELF II Explodes Into A Giant!

(send for details)!

Master This Computer In A Flash!

RCA 1802 will hold any mysteries for you.

Get Started For Just \$99.95, Complete!

connect ELF II to your TV's antenna terminals instead.

capabilities you need!

understand what they're doing.

never used a computer before.

Write and run programs-the very first night-even if you've never used a computer before!

You're up and running with video graphics for just \$99.95 then use low cost add-ons to create your own personal system that rivals home computers sold for 5-times ELF II's low price!

pre-recorded tape cassettes.
ELF II Gives You The Power To Make Things Happen!

Expanded, ELF II can give you more power to make things happen in the real world than heavily advertised home computers that sell for a lot more money. Thanks to an ongoing committment to develop the RCA 1802 for home computer use, the ELF II products-being introduced by Netronics-keep you right on the outer fringe of today's small computer technology. It's a perfect computer for engineering, business, industrial, scientific and personal applications.

Plug in the GIANT BOARD to record and play back programs, edit and debug programs, communicate with remote devices and make things happen in the outside world. Add **Kluge** (prototyping) **Board** and you can use ELF II to solve special problems such as operating a complex alarm system or controlling a printing press. Add 4k RAM Boards to write longer programs, store more information and solve more sophisticated problems.

ELF II add-ons already include the ELF II Light Pen and the amazing ELF-BUG Monitor – two extremely recent breakthroughs that have not yet been duplicated by any other manufacturer.

The ELF-BUG Monitor lets you debug programs with lightening speed because the key to debugging is to know what's inside the registers of the microprocessor. And, with the ELF-BUG Monitor, instead of single stepping through your programs, you can now display the entire contents of the registers on your TV screen. You find out immediately what's going on and can make any necessary

The incredible ELF II Light Pen lets you write or draw anything you want on a TV screen with just a wave of the "magic wand." Netronics has also introduced the ELF II Color Graphics & Music System-more breakthroughs that ELF II owners were the first to enjoy!

ELF II Tiny BASIC

Ultimately, ELF II understands only machine language—the fundamental coding required by all computers. But, to simplify your relationship with ELF II, we've introduced an ELF II Tiny BASIC that makes communicating with ELF II a

Now Available! Text Editor, Assembler, Disassembler And A New Video Display Board!

The Text Editor gives you word processing ability and the ability to edit programs or text while it is displayed on your video monitor. Lines and characters may be quickly inserted, deleted or changed. Add a printer and ELF II can type letters for you-error free-plus print names and addresses from your mailing list!

ELF II's Assembler translates assembly language programs into hexidecimal machine code for ELF II use. The Assembler features mnemonic abbreviations rather than numerics so that the instructions on your programs are easier to read-this is a big help in catching errors.

ELF II's Disassembler takes machine code programs and produces assembly language source listings. This helps you understand the programs you are working with...and improve them when required. The new ELF II Video Display Board lets you generate a sharp, professional

32 or 64 character by 16 line upper and lower case display on your TV screen or video monitor—dramatically improving your unexpanded \$99.95 ELF II. When you get into longer programs, the Video Display Board is a real blessing!

Now Available!

☐ A-D/D-A Board Kit includes 1 channel (expandable to 4) D-A, A-D converters, \$39.95 plus \$2 postage & handling.

☐ PILOT Language—A new text-oriented language that allows you to write educational programs on ELF II with speed and ease! Write programs for games...unscrambling sentences...spelling drills..."fill in the missing word" tests, etc.! PILOT is a must for any ELF II owner with children. PILOT Language on cassette tape, only \$19.95 postpaid!

☐ Game Package on cassette tape (requires 4k RAM), \$9.95 plus \$2 postage & handling.

develop a working knowledge of computers that you can't get from running only - Clip Here and Attach to Your Order Below! Netronics R&D Ltd., Dept PC 10 333 Litchfield Road, New Milford, CT 06776 PHONE ORDERS ACCEPTED! Call (203) 354-9375

Yes! I want my own computer! Please rush me—

Robert Rober

☐ Deluxe Metal Cabinet with plexiglas dust cover for ELF II. (Conn. res. add tax) \$29.95 plus \$2.50 p&h

programs and produces assembly language source list-ings to help you understand and improve your programs \$19.95 on cassette tape

SAVE \$9.90—Text Editor, Assembler & Disassembler purchased together, only \$49.95! (Require Video Display Board plus 4k memory)

ELF I Light Pen, assembled & tested. \$7.95 plus \$1.08 plus

\$17.00 plus \$1 pkh

1.3 k State RAM kit. Addressable to any 4k page to
64k \$89.95 plus \$3 pkh

64k \$89.95 plus \$3 pkh

1.3 Gotd plated 86-pin connectors (one required for each
plug in board). \$5.70 each postpaid.

Expansion Power Supply (required when adding 4k
RAM). \$34.95 plus \$2 pkh.

RAMI \$34.95 plus \$2 p&h

☐ Professional ASCII Keyboard kit with 128 ASCII
upper/lower case set 96 printable characters, onboard
regulator, parily, logic selection and choice of 4 hand-shaking signals to mate with almost any computer
\$64.95 plus \$2 p&h

Deluxe metal cabinet for ASCII Keyboard, \$19.95

ALSO AVAILABLE FOR ELF II

CIGIANT BOARDTM kit with cassette I/O RS 232

CITY I/O 8 bit P I/O decoders for 14 separate I/O
Instructions and a system monitor reditor \$39.95 plus
\$7.9 kit

CI Muye (Prototype) Board accepts up to 36 IC s
\$17.00 plus \$1.0 kit

A k Static RAM kit. Addressable to any 4k page to
64k \$89.95 plus \$3.0 kit

Old plate 86-pin connectors (one required for each

To other address to rect to the recovery of the rect to the plus of the rect to the rect

☐ ELF-BUGTM Deluxe System Monitor on cassette □ ELF-BUGTM Debuxe System Monitor on cassette lape Allows singlaving the contents of all registers on your to at any point in your program. Also displays 24 bytes of memory with full addresses. blinking cursor and auto scrolling A must for the serious programmer! \$14.95 postspad

□ Text Editor on cassette tape gives you the ability to insert delete or edit lines and words from your programs while they are displayed on your video monitor. (Add printer and you can use ELE It to type error: Tree letters plus insert names and addresses from your mailing list.) \$1.95 prostruct.

printer and you can use ELF. If to type error-free letters bus insert names and addresses from your maining list.)

solet-scienal 32 or 64 character by 16 line upper and 319,9 sootspaid.

Stripps sootspaid 32 or 64 character by 16 line upper and 319,9 sootspaid.

Stripps sootspaid 349,9 set 16 line upper and 319,9 sootspaid.

Assembler on cassette tape translates assembly flat inside ASCII Keyboard cabinet) \$89,95 lpuls \$5,06h.

ELF. II 1 my BASIC on cassette tape. Commands include SAVE_LOAD ± × ÷ ().

Disassembler on cassette tape takes machine code.

State Zip DEALER INQUIRIES INVITED ____

pSh :

ELF II Color Graphics & Music System Board kit.
\$49,95 plus \$2 pSh

ELF II connects directly to the video input of your tv set without additional hardware. To connect ELF II to your antenna terminals instead, order RF Modulator.
\$8,95 norshare. Coming Soon: A-D. D-A Converter, Controller Board Address

Personal Computing

OCTOBER 1979	VOI. III, NO. 10
Publisher/Editor	Harold G. Buchbinder
Managing Editor	Don Wood
Associate Editor	Harry Shershow
Assistant Editor	Marjorie Morse
Art Staff	David Bastille
	Stephen Fischer
	Sue Genser
	Josh Randall
	Donni Richman
	Susan Ross
	Richard Sarno
Production Coordinator	Sarah Jewler
Production	Marlene Stibal
Advertising Production	Jonna Yager
Composition .	Cheryl Dunphy
	Julianna Crosier
	Susan Hull
	Linda E. Ketchum
	Claudia Majetich
	Kathie Willis
Circulation Manager	Dave Harriman
Circulation	Sue Duchin
	Regina Harrington
Bookstore Sales	Martha Hawkins
General Administration	Esther Shershow
	Sena Shaffer
	Sarah Binder
	Don Schaaf

Advertising Sales. Northeast: Arlene Joseph, 1050 Commonwealth Ave., Boston, MA 02215; (617) 232-5470 • Mid-West: Pat Bosecke, P.O. Box 56089, Harwood Heights, IL 60656; (312) 631-7319 • Northern California: Ralph Petersen, 1380 Oak Creek Drive, #212, Palo Alto, CA 94304; (415) 328-4392 • California: Joanna Spiro, Mike Reynolds, Benwill Publishing 924 Westwood Blvd., Los Angeles, CA 90024; (213) 478-3017 • Japan: Hiro H. Irie, International Business Corp., 11-8, Narita-Higashi 1-chome, Suginami-ku, Tokyo 166; Phone (03) 311-1746.

Maureen Riordan

Publisher. Published monthly by Benwill Publishing Corp.: Harold G. Buchbinder, Chief Executive Officer; George Palken, President; Domenic A. Mucchetti, Treas. Executive, Editorial and Subscription Offices: 1050 Commonwealth Ave., Boston, MA 02215. Controlled Circulation postage paid at Long Prairie MN. Membership in Audit Bureau of Circulation pending

Subscription rates.U.S.: 1 year (12 issues) \$14; 2 years (24 issues) \$26; 3 years (36 issues) \$38. Canada & Mexico: add \$4/year for surface mail, \$8/year for airmail. Other countries: add \$8/year for suface mail, \$36/year for airmail. Send subscription orders and address changes to: Circulation, Personal Computing, 1050 Commonwealth Ave., Boston, MA 02215. In Japan/Asia: Hiro H. Irie, International Business Corp., 11-8, Narita-Higashi 1-chome, Suginami-ku, Tokyo 166, Japan; Phone (03) 311-1746. In Europe: Personal Computing c/o LP Enterprises, 313 Kinston Road Ilford, Essex, Eng. IG1 1PJ tel: 01 553-1001. Back Issues.U.S.: \$3. Canada & Mexico: \$4. All other countries: \$6.

Copyright © Benwill Publishing Corp., 1979

Build your own microcomputer as you learn computer technology at home.

New from NRI! The Most Complete and Up-to-date Home Study Course Ever Offered

As the microprocessor revolutionizes the computer world and microcomputers appear almost everywhere, NRI brings you a new, convenient, and effective way to keep up with this expanding technology. It's NRI's Computer Technology Course, created and designed exclusively for learning at home in your spare time.

Featuring NRI's Exclusive Dual Language Microcomputer


NRI goes beyond book learning to give you practical, "hands-on" experience in designing circuitry, interfacing components, programming, and troubleshooting. As you learn, you actually assemble NRI's designed-for-learning microcomputer, incorporating the latest advances in the state of the art. It looks and operates like the finest of its kind, actually does more than many commercial units. But NRI engineers have designed components and planned assembly so it demonstrates important principles, gives you working experience in detecting and correcting problems. And it's yours to keep, put to work in your own home or business.

You also build and keep your own test instruments, including a transistorized voltohm meter and CMOS digital frequency counter. And NRI's Discovery Lab® broadens your horizons with specialized experiments and theory demonstrations.

The Proven Way to Learn at Home

You don't have to worry with travel, classes, or time lost from work when you learn the NRI way. As they have for more than 60





years of teaching technical subjects, NRI brings the material to you. You study in your spare time, at your convenience, using "bite-size" lessons that program material into logical segments for easier assimilation. You perform experiments and build equipment using kits we supply. And your personal NRI instructor is always available for consultation should you have questions or problems. Over a million students have already shown the effectiveness of NRI training.

Choice of Courses

Several courses are available, depending

upon your needs and background. NRI's Master Course in Computer Technology starts with the fundamentals, explores basic electronics and digital theory, the total computer world, and the microcomputer. The Advanced Course, for students already versed in electronics and general computers, concentrates on the microprocessor and microcomputer. In both courses, you build all instruments and your own computer.

Send for Free Catalog... No Salesman Will Call

Get the details on these exciting new courses in NRI's free, 100-page catalog. Shows all kits and equipment, lesson outlines, and full information, including facts on other electronics courses. Mail the coupon today and we'll rush your catalog. No salesman will ever call. Keep up with the latest technology as you learn on your own computer. If coupon has been removed, write to NRI Schools, Computer Department, 3939 Wisconsin Ave., Washington, D.C. 20016.

NRI

NRI Schools

McGraw-Hill Continuing Education Center 3939 Wisconsin Avenue Washington, D.C. 20016

NO SALESMAN WILL CALL

Please check for one free catalog only.

- ☐ Computer Electronics Including
- Microcomputers

 □ TV/Audio/Video Systems Servicing
 □ Complete Communications Electronics with CB FCC Licenses Aircraft,
- Mobile, Marine Electronics

 ☐ CB Specialists Course

 ☐ Amateur Radio Basic and Advanced

BOR

All career courses approved under GI Bil □ Check for details.

- ☐ Digital Electronics Electronic Technology • Basic Electronics
- ☐ Small Engine Repair ☐ Electrical Appliance Servicing
- ☐ Automotive Mechanics
 ☐ Auto Air Conditioning
- □ Auto Air Conditioning
 □ Air Conditioning, Refrigeration, & Heating Including Solar Technology

Name (Please Print) Age
Street

City/State/Zip
Accredited by the Accrediting Commission of the National Home Study Council

173-109

RADIO SHACK COMPUTER OWNERS TRS-80 MODEL I AND MODEL II

MONTHLY NEWSLETTER

- PRACTICAL APPLICATIONS
- BUSINESS
- GAMBLING GAMES
- EDUCATION
- PERSONAL FINANCE
- BEGINNER'S CORNER
- NEW PRODUCTS
- SOFTWARE EXCHANGE
- MARKET PLACE
- QUESTIONS AND ANSWERS
- PROGRAM PRINTOUTS AND MORE

PROGRAMS AND ARTICLES PUBLISHED IN OUR FIRST 12 ISSUES **INCLUDE THE FOLLOWING:**

- A COMPLETE INCOME TAX PROGRAM (LONG AND SHORT FORM)
- INVENTORY CONTROL
- STOCK MARKET ANALYSIS
- WORD PROCESSING PROGRAM (FOR DISK OR CASSETTE)
- LOWER CASE MODIFICATION FOR YOUR VIDEO MONITOR OR PRINTER
- PAYROLL (FEDERAL TAX WITHHOLDING PROGRAM)
 EXTEND 16-DIGIT ACCURACY TO TRS-80 FUNCTIONS (SUCH AS SQUARE ROOTS AND TRIGONOMETRIC FUNCTIONS)
- NEW DISK DRIVES FOR YOUR TRS-80
- PRINTER OPTIONS AVAILABLE FOR YOUR TRS-80
- A HORSE SELECTION SYSTEM***ARITHMETIC TEACHER
- COMPLETE MAILING LIST PROGRAMS (BOTH FOR DISK OR CASSETTE SEQUENTIAL AND RANDOM ACCESS) RANDOM SAMPLING***BAR GRAPH
- CHECKBOOK MAINTENANCE PROGRAM
- LEVEL II UPDATES***LEVEL II INDEX
- CREDIT CARD INFORMATION STORAGE FILE
- BEGINNER'S GUIDE TO MACHINE LANGUAGE AND ASSEMBLY LANGUAGE
- LINE RENUMBERING
- AND CASSETTE TIPS, PROGRAM HINTS, LATEST PRODUCTS COMING SOON (GENERAL LEDGER, ACCOUNTS PAYABLE AND RECEIVABLE, FORTRAN-80, FINANCIAL APPLICATIONS PACKAGE, PROGRAMS FOR HOMEOWNERS, MERGE TWO PROGRAMS, STATISTICAL AND MATHEMATICAL PROGRAMS (BOTH ELEMENTARY AND ADVANCED) . . . AND



WORD PROCESSING PROGRAM (Cassette or Disk)

For writing letters, text, mailing lists, etc., with each new subscriptions or renewal.

LEVEL II RAM TEST -

Checks random access memory to ensure that all memory locations are working properly.

SEND FOR OUR 36 PAGE SOFTWARE CATALOG (INCLUDING LISTINGS OF HUNDREDS OF TRS-80 PROGRAMS AVAILABLE ON CASSETTE AND DISKETTE). \$2.00 OR FREE WITH EACH SUBSCRIPTION OR SAMPLE ISSUE.

New City, New York 10956

ONE YEAR SUBSCRIPTION \$24 TWO YEAR SUBSCRIPTION \$48

SAMPLE OF LATEST ISSUE \$ 4

START MY SUBSCRIPTION WITH ISSUE ___ (#1 - July 1978 • #7 - January 1979 • #12 - June 1979)

NEW SUBSCRIPTION _____ RENEWAL _____

CREDIT CARD NUMBER SIGNATURE

NAME _ ADDRESS .

*** ADD \$6/YEAR (CANADA, MEXICO) - ADD \$12/YEAR AIR MAIL - OUTSIDE OF U.S.A., CANADA & MEXICO *** CIRCLE 6



(914) 425-1535



FEEDBACK

Copyright Questions Yield Few Answers

Dear Editor:

original?

I have just purchased a TRS-80 Level II computer, entered my subscription for Personal Computing for one year, and have had my first success in seeing one of my own personal programs run after an hour of de-bugging.

I have a question about the copyright of the programs published. If I modify a published program to suit my needs, how much modification is necessary so that I can claim "my program" as


For example, your July '79 issue had a program called "Foto Finder" by Loyd Bulmer. The program as such

was not exactly what I was looking for but had a lot of features I could use. I was looking for a file program that would manage my video tape library. With some modifications (and a lot of de-bugging) I came up with a video finder. Now I can show off my new computer and my video recorder at the same time. I have my television programs filed according to kind (movie, series, documentary), type (comedy, horror, science fiction), class (Nova, National Geographic, Wild Kingdom), and cassette number. I have all these programs on three file tapes since I have over 100 video cassettes. Again my question is: in modifying the "Foto Finder" program to suit my needs for my Video Management program, is my program my program or do I still have to technically give credit to Mr. Bulmer?

I have also taken a copyrighted mail listing program and modified it to manage my wine cellar. Included in the program was a wine tasting scoring program to evaluate the wines as I drank them.

I realize that I may have come into this hobby so late that the answers to these questions were answered long ago. I would appeciate your answering them again for me.

Robert C. Kyle Mineapolis, MN



Editor's Note: First note that I'm not a lawyer and can't give legal advice; what follows is only my own personal opinion.

The questions you pose have been bandied about quite a bit, but no one has yet come up with completely satisfactory answers to them. The area of software copyright is still quite new, the laws are vague, and there are few precedents to guide us.

Of course, we publish the programs in the hopes that you will use them; and we realize that many — if not most readers will want to modify and change programs to suit their particular needs. In the "Foto Finder" article (July PC), for example, we pointed out that the program could be modified to handle other collections such as scrapbooks or butterfly collections. In your case, you found an excellent application in organizing your video tapes. We have no objections to you making such modifications for your personal use; in fact, we encourage you to do so.

Problems arise, however, if you intend to distribute a modified program (whether for profit or not). If your modified program remains substantially the same as the published program, you'd be treading on shaky ground to distribute your program. On the other hand, if you've written an entirely new, original program based on ideas from a published program, you should be safe.

Consider the case of a copyrighted prose work. You cannot simply change a few words, rearrange a few sentences and modify a few paragraphs - even if you add some original material - and then publish the work as your own. You can, however, use the ideas or facts from a piece of prose in writing an original article. The former is plagiarism; the latter is research.

The rule for prose is that the copyright protects the form the author used — his word choice, sentence structure and paragraphs as well as the organization of his ideas. However, ideas and facts themselves are not protected by copyright.

If we extend these rules to software, we see that a copyright should protect the author's expression of the ideas embodied in the program, but clearly not the ideas themselves. Just as it's possible to write many books and articles on the subject of, say, inventory control, programmers could write (and have written) many inventory control programs without infringing on each other's rights. (Because there are few legal precedents, however, we can't know what rules will ultimately apply to software; the differences between prose material and computer programs may make the rules for software quite different from the rules for prose.)

So the best guide we can offer is common sense and your own conscience. If you feel you'd be infringing on someone's rights to publish a modified program, don't do it. But if you feel confident that the program is an original work by you, then you're probably safe in publishing it.

As I mentioned earlier, this note is only my own personal opinion. How do you — the PC readers — feel about software copyrights? At what point would you feel you were infringing on someone else's rights in modifying a program? When would you feel someone was infringing on your rights to a program you wrote? Write to let us know; we'll publish the best and most interesting letters. Our address is Feedback, Personal Computing, 1050 Commonwealth Ave., Boston, MA 02215. -D.W.

Gerrold Update

Dear Personal Computing People:

So there I was, sitting down to enjoy the August issue of one of my favorite magazines and it falls open to my own face staring back at me. I hadn't realized that the industrious Allan Maurer was going to write me up so graciously. I am surprised and flattered. Thank you.

Since that conversation, I've finally traded in my old dedicated word processor (a Savin 900 with Selectric II terminal) for a North Star Horizon (64K, dual disk drive, double density disks) and an NEC Spinwriter. (Next up: a high-res color video interface.)

It may be that my experience with home computing has been atypical. The entire system has been assembled, programmed and serviced by one company: Pat Lajko's California Digital Engineering (1537 Shenandoah, Los Angeles, CA 90035). The programming has been customized for my particular writing, outlining and note-filing needs. Lajko's Edit-Sort program and formatter (which he plans to market soon under the name "Magic Typewriter") far surpass any other word-processing system I've yet had access to, including Electric Pencil.

Lajko (and associates) also provide a near-24-hour hotline for problems I may encounter (with near-instant fixes if bugs show up). Thus, the near-paralyzing terror of the novice who fears that all that fancy machinery may not work (and no amount of kicking will help) was neatly sidestepped. Because I was able to depend on CDE for total services, I was able to get involved with a more sophisticated and ultimately more powerful system than I would otherwise have dared.

I may also be atypical in that I mastered BASIC in one concentrated week of study. I had feared a college course or two might be necessary. It was nowhere near as terrifying as I had feared programming might be. I'm now learning Pascal. It's probably time to let the world know that programming is fun! Programming, in fact, is its own reward!

More than ever now, I'm convinced that the home computer will be the most important appliance of the next decade and beyond (production and the economy permitting). Computer games will probably become a major new artform, particularly the environment simulating ones — eventually perhaps surpassing the motion picture for the ability to provide exciting adventures. Imagine what a world a skilled programmer and an imaginative science fiction writer could design working together. (I may try to take a crack at it myself.)

Maurer was understating the case when he said I'm optimistic. Actually, I'm wildly enthusiastic. More so than ever. The future is going to be a very exciting time — and it's already started happening. I was going to wax poetic here and say that the home computer is the surfboard with which to ride the wave of the future, but that would be going overboard, so I won't.

David Gerrold Hollywood, CA

Roots and Branches

Dear Editor:

I bought an APPLE II (6502) last year in the hope that it would bring order out of chaos in the collected documentation I have of several thousand ancestors. I would like to be able to store, file, sort, retrieve and cross-reference genealogical data. I would like to be able to have pedigree, individual and family group printouts as well as indexes. The Mormons have done excellent work, but they use IBM 370s. Some work out of the University of Utah has focused on minis using an excellent soundex code with pointer systems for parents and progeny, but the adaptation to micros is not clear.

I would like to hear from others of a similar interest (it also has relevance to tracing genetic disorders and there are other analogs) so that possibly a network of information could be pooled and shared.

Clifton M. Howard 58 Van Orden Road Harrington Park, NJ 07640

Editor's note: See our September cover story, "Roots and Branches", which deals specifically with your questions. Your letter arrived after our editorial deadline, preventing us from including it in the same issue. — M.M.

Billiard Rebound

To the Editor:

In your August issue you published a letter from H. T. White claiming that the computerization of the "stagnant pastime" of chess proves that it is less challenging than billiards. He claims that he has ". . . yet to see a computer that can figure out the geometric complexities of the physics of billiards or pool." Well, I have. Some years ago, before small chess computers came on the market, and perhaps even before adequate experimental chess programs on large computers were publicized, I saw a demonstration of a computerized game of pool. The "player" indicated his chosen position for the "cue" with a stylus and the computer determined how each ball would react. A CRT showed white dots moving across a "table", ricocheting off one another and bouncing off cushions. The illusion was so perfect that, except for the lack of color, it was hard to believe that I wasn't looking down, from a distance, at an actual pool table. At no time did any ball move in a way inconsistent with an actual game of pool. The computer could even vary the laws of physics and produce a "frictionless pool table" on which the balls continued to move without slowing.

Pool is a test of manual dexterity and the players' intuitive sense of distance and angles, not intelligence. Chess continues to be the superior challenge to the human mind, and its computerization is a tribute to the skill of computer designers and programmers, and not to the game's lack of difficulty. Chess computers are in their infancy and are still beaten by superior players; but their improvement will bring computers closer to the human mind.

Marc Colten Budd Lake, NJ

Got a gripe? Found a bug? Want to comment or just sound off? Send your letters to Feedback, Personal Computing Magazine, 1050 Commonwealth Avenue, Boston, MA 02215. We'll consider each letter submitted and print the best and most interesting.

A FULL NETWORK DATA MANAGEMENT SYSTEM FOR MICRO COMPUTERS

the Ultimate Software Tool:

AVAILABLE FROM

Data Base Systems, inc.

MDBS IS A VERSATILE DATA BASE MANAGEMENT SYSTEM

- PROVIDES FLEXIBILITY OF A FULL NETWORK DATA BASE SYSTEM
 EFFECTIVE REPRESENTATION OF COMPLEX DATA
- STRUCTURES
- RECORDS CAN BE ORDERED ON VARIOUS SORT KEYS COMMANDS TO ADD, DELETE, UPDATE, SEARCH AND TRAVERSE THE DATA BASE
 SORTED, FIFO, LIFO, NEXT AND PRIOR SET ORDER-
- ING PROVIDED
- PROVIDES DATA PROTECTION
- STRAIGHTFORWARD USE OF ISAM-LIKE STRUCTURES COMPARABLE TO DATA BASE SYSTEMS PREVIOUSLY AVAILABLE ONLY ON LARGER COMPUTERS

MDBS IS CODASYL **ORIENTED WITH EXTENSIONS**

- EXPLICIT REPRESENTATION OF MANY-TO-MANY SETS RECORD TYPES MAY OWN OTHER OCCURRENCES OF THE SAME RECORD TYPE
- DIFFERENT RECORD TYPES CAN PARTICIPATE IN A SINGLE SET
- MULTIPLE LEVELS OF READ/WRITE PROTECTION
 NAMES OF DATA ITEMS, RECORDS, SETS AND FILES
 ARE WHOLLY USER DEFINABLE

MDBS IS FOR THE SERIOUS APPLICATIONS PROGRAMMER

- POWERFUL COMPONENT IN INFORMATION PROCESSING
- RELIEVES TEDIUM OF FILE HANDLING DETAILS
 OEMS CAN RAPIDLY AND INEXPENSIVELY DEVELOP APPLICATION SOFTWARE
- USEFUL IN DISTRIBUTED PROCESSING ENDEAVORS

SOFTWARE DELIVERED ON MINI- OR FULL-SIZED FLOPPY DISKS USING CP/M®, NORTH STAR, OR TRS-80 COMPATIBLE FORMATS

- MDBS INTRODUCTORY OFFER \$750.00
- USERS MANUAL (alone) \$35.00
- Distributors and OEMS Contact MDBS for Special Rates
- Application Programming Contracts will be Considered.

Indiana Residents Include 4% Sales Tax.

FEATURES

- WRITTEN IN Z-80 CODE FOR MAXIMAL EXECUTION EFFICIENCY AND MINIMAL MEMORY USAGE. (8080 VERSION EXTRA).
- ROUTINES ARE CALLABLE FROM BASIC (OR OTHER HOST LANGUAGES) TO FACILITATE FAST AND EASY APPLICATION PROGRAMMING.
- ROUTINES CAN BE ORGED TO SATISFY USER REQUIRE-MENTS
- SUPPORTS DATA BASES SPREAD OVER SEVERAL DISK DRIVES (MAXIMUM OF 8). DISKS MAY BE MINI- OR FULL-SIZED FLOPPIES OR HARD DISKS.
- I/O AND HOST LANGUAGE INTERFACE ROUTINES ARE ISOLATED FOR EASY ADAPTATION. PATCHES FOR MANY COMMON OPERATING SYSTEMS/BASIC LAN-GUAGE COMBINATIONS AVAILABLE.

REQUIREMENTS

- Z-80 Based System (8080 Systems Extra, 6502 Version Forthcoming)
- 8 to 16K Bytes (Depending on Options) in Addition to the Operating System, Host Language and Users Program.

PACKAGE INCLUDES

MDBS DDL DATA DEFINITION LANGUAGE ANA-LYZER/EDITOR. The user specifies data structures to be used in a concise Data Definition Language (DDL). The MDBS Data Definition Language Analyzer/Editor allows the user to interactively create and edit DDL specifications and to initialize the data base for use based on these specifications.

200 PAGE USERS MANUAL with extensive documentation of the MDBS System.

MDBS DMS DATA MANAGEMENT ROUTINES, These are the routines callable from the host language (BASIC. PASCAL, etc.) which perform the data base operations of finding, adding, and deleting records; fetching and storing data items; and traversing the (possibly complex) data structure.


SAMPLE APPLICATION PROGRAMS written in North Star BASIC which illustrate various features of

MICRO DATA BASE SYSTEMS, INC

P.O.BOX 248 LAFAYETTE, IN 47902

(317) 742-7388

CP/M is a registered trademark of Digital Research Corp. TRS-80 is a registered trademark of Radio Shack/Tandy Corp.



PROGRAM

SCI-FI GAME SAMPLER R/T LUNAR LANDER MICRO-TEXT EDITOR

OTHELLO III AIR RAID MICRO-CHESS

BRIDGE CHALLENGER

APPLE 21 STAR WARS/SPACE MAZE

RENUMBER

DISK RENUMBER PILOT 2.0 PILOT 3.0

APPLE TALKER APPLE LIS'NER TIC-TAC-TALKER

SYSCOP ANDROID NIM-2 SNAKE EGG

DCV-1

LIFE 2

MUSIC MASTER
DISK MUSIC MASTER TRS-80 CP/M

DESCRIPTION

GALACTIC BLOCKADE RUNNER • AN EXCITING SPACE WAR GAME WITH GRAPHICS

• 3 GAMES—LUNAR LANDER—STAR MONSTER—SPACE BATTLE

• A REAL TIME LUNAR LANDER WITH GRAPHICS

• FORMAT TEXT—SAVE & LOAD TO TAPE—OUTPUT TO PRINTER

• A STRATEGY BOARD GAME—PLAY AGAINST COMPUTER OR OTHERS

A REAL TIME, ARCADE TYPE SHOOTING GAME IN MACH. LANG.

PLAY CHESS WITH YOUR COMPUTER—VARIOUS LEVELS OF DIFF.
 DON'T WAIT FOR OTHERS TO PLAY—YOUR COMPUTER'S READY

• BLACKJACK WITH HIRES GRAPHICS

SCI-FI GAMES FOR THE APPLE

RENUMBER YOUR BASIC PROGRAMS—RENUMBERS EVERYTHING

SAME AS ABOVE, BUT ON DISK

THE EDUCATIONAL LANGUAGE, IN MACH. LANG.—INC. EDITOR
THE DISK VERSION OF THE ABOVE

VOUR APPLE SPEAKS! NO NEW HARDWARE REQUIRED
SPEECH RECOGNITION THE EASY WAY—GREAT WITH THE TALKER
TIC-TAC-TOE USING SPEECH SYNTHESIS AND RECOGNITION

• MAKE BACKUP TRS-80 SYSTEM TAPES THE EASY WAY

GAME OF NIM WITH ANIMATED ROBOTS AND SOUND

A BETTING GAME WITH ANIMATED SNAKES AND SOUND
100 GEN. PER MIN. LIFE & BATTI F OF LIFE W/ANIMATION & SOUND
PUT SYSTEM TAPES ON DISK EVEN IF IN SAME MEM AS DOS

• ENTER SHEET MUSIC—THE TRS-80 THEN COMPILES & PLAYS IT

SAME AS ABOVE BUT ON DISK W/MANY SELECTIONS

• OPENS UP THE WHOLE WORLD OF CP/M SOFTWARE TO THE TRS-80

10% OFF IF YOU ORDER 3 SOFTWARE PACKAGES OR MORE—SEND FOR FREE CATALOG—GIVE TYPE OF COMPUTER

TO ORDER BY PHONE OR FOR DEALER INFO-CALL-(617) 682-8131 ADD 75c SHIPPING & HANDLING • MASS. RESIDENTS ADD 5% SALES TAX MAD HATTER SOFTWARE • 900P SALEM RD • DRACUT, MA 01826



9.95 \$ 7.95

9.95

7.95

14.95

9.95

12.95

14.95

19.95

14.95

24.95

15.95

9.95

14.95

14.95

9.95

\$ 14.95

\$ 14.95

\$ 24.95

\$150.00

\$ 19.95

\$ 19.95

5 7.95

\$ 14.95

\$ 19.95

AVAILABLE FROM THESE FINE MICRO COMPUTER DEALERS

CAPITOL COMPUTER SYSTEMS 33% EL CAMINO AVE. SACRAMENTO CA 95821

TRS-80 SOFTWARE EXCHANGE 17 BRIARCLIFF DR. MILFORD NH 03055

OP AMP TECH BOOKS 1033 N. SYCAMORE AVE LOS ANGLES CA 90038

COMPUTER CABLEVISION, INC 2617 42ND ST. NW #2 WASHINGTON DC 20007

KENNELY SYSTEMS 74 BROAD ST. LYNDONVILLE VT 05851

ADVANCED COMPUTER PRODUCTS 1310B E EDINGER SANTA ANA CA 92705

HOBBY WORLD ELECTRONICS 19355 BUSINESS CENTER DR. #6 NORTHRIDGE CA 91324

AUGUST AUTOMATION 28 MILK ST. WESTBORO MA 01581

THE CPU SHOP 39 PLEASANT ST. CHARLESTOWN MA 02129

J&J ELECTRONICS LTD 28 COLLINGTON AVE. BEXHILL-ON-SEA, E. SUSSEX, ENG.

COMPUTER VILLAGE 931 SW 87TH AVE. MIAMI FL 33174


L. C. SALES 100 HINCHEY AVE. #705 OTTAWA; ONT., CAN. KIY4L9

A Gold Medal for the Whizzard

Computers may never replace decathalon participants in future Olympics but a new computerized graphics system is helping guide team members toward possible gold medals. Such a computer system was recently donated to the United States Olympic Committee by two companies (Megatek of San Diego, CA, and Data General of Westboro, MA) to help produce better trained athletes. After processing relevant input from Megatek's graphics system, the Data General computer prints out a profile of an athlete's strengths and weaknesses, then makes suggestions for possible improvements in performance. Known as CBA (Computerized Bio-Mechanical Analysis), the program gives coaches an effective method for improving the performance of their athletes and lifting them to higher levels of achievement in future international competition.

The dynamic-body analysis begins by filming the athlete in action. Such a preliminary motionpicture method of observation and criticism is already widely used in many sports. And all have produced good results. But this is the first time that observation and criticism is being done by computer and the results, it is estimated, will be far greater. The CBA method uses high-speed film to record movements of an athlete during actual competition. This film is then developed and every frame is carefully examined by a medical scientist. Prevailing forces at joints (shoulder, upper arm, forearm, wrist, hand and knee) are recorded for subsequent calculation and evaluation by the computer.

A sonic digitizer pen then traces these key body joints and registers them on the Whizzard 7000 graphics screen. Coordi-



nates of points touched by the tracing pen appear on the CRT in the form of stick-like figures. These coordinates are coded and the information is fed into Data General's S/250 computer for processing. Factors such as velocity, acceleration, direction, angle and other forces generated by body movements are then calculated by the computer.

Announcements of both gifts were made at the NCC '79 show in New York, this past June. Both the Megatek Whizzard and the Data General computer will be used by coaches to generate bio-mechanical analyses during training sessions. The computerized guidelines are expected to be of immense help in preparing athletes for international competition, said Colonel F. Don Miller, executive director of the Olympic Committee.

Developer of the CBA program is Dr. Gideon Ariel, who also serves as director of com-

puter science bio-mechanics for the U.S. Olympic Sports Medicine Committee. "Megatek's graphics system and Data General's Eclipse are the keys to our computerized bio-mechanical analysis program," said Dr. Ariel. "Olympic coaches and athletes require such interactive and visual interface between themselves and the computer to see what errors are being made and to determine what techniques can be used to improve performance.

"With the CBA system," continues Dr. Ariel, "Olympic coaches will be able to test out recommended changes in routines before any physical effort is expended by the athlete. Saving of both time and energy will be tremendous and the Olympic Committee is already excited about the future possibilities of helping top athletes achieve their full potential."

- Harry Shershow

The Future of the Miracle Chip

The 1970s "miracle chip" computer technology, which gave us microcomputers, digital watches, pocket calculators, satellite television, memory typewriters and computer games, has only begun to transform society. More astounding advances on the consumer horizon by the year 2000 include advanced home computers which will allow kids to catch up on missed lessons or do extracurricular learning and help adults to do some of their office work at home, shop and read the daily paper, predicts Dr. Toshio Sakurai, a Pennsylvania State University physicist. Sakurai is studying the basic physics of an experimental method for making cheaper and more efficient miracle chips.

"As today's already microscopic miracle chips make way for even smaller, more powerful ones," says Dr. Sakurai, "microcomputers will be built into all kinds of instrumentation to monitor and/or control performance. This would make possible fuel savings in autos, airplanes and heating furnaces; and warnings when mechanisms, such as car brakes, are about to malfunction."

Using a "magnetic-sector, atom-probe field ion microscope," which he and his mentor, the late Dr. Erwin Mueller, invented in 1973, Dr. Sakurai and his students have learned that the potential already exists for manufacturing miracle chips up to 1000 times faster, and therefore far less expensively, than is done now.

With a grant from the Research Corporation of New York, a private foundation which finances university research, Dr. Sakurai's group is studying how to use an ionized beam of the mercury-like, semi-metal gallium to make miracle chips.

Essentially a miracle chip is a fleck of pure silicon, the main component of sand, and, next to oxygen, the most abundant element on earth. Currently as tiny as one-tenth of an inch in diameter and one-hundredth of an inch

thick, it has been coated with other substances, and an intricate electronic circuitry pattern has been etched on its surface.

Silicon is used because it can be either electronically conducting or non-conducting, depending upon the small amounts of impurities added to it. Thus, by making a pattern of impurities, as many as 2000 minute transistors can be imprinted on a tiny chip.

Together, millions of these chips comprise the "brains" of today's most sophisticated computers — with millions of electrical signals being transmitted simultaneously, almost at the speed of light.

"For miracle chip technology to become economically attractive on a massive scale," says Dr. Sakurai, "we'll have to achieve an enormous decrease in size and increase in speed — comparable to the one which permits today's hand-held calculators to do the work that required room-size computers 20 years ago."

The problem, Dr. Sakurai explains, is that the chip size is limited by how narrow the etched pattern slits can be made; and the slit size is limited by the wavelength and intensity of the etching beam.

"To make the original computer circuits," says Dr. Sakurai, "an ultraviolet (UV) light beam was used, because this was the conventional tool for photo-lithography."

However, UV light limits how small and clear the etching can be made. The miracle chip resulted from a switch to an electron beam. This method improved the clarity and speed of the etching because an electron beam has a shorter wavelength. Also, it's faster and more intense, and can be more finely focused.

By switching again, this time to an ion beam, Dr. Sakurai says, miracle chips can be made much smaller, faster, more efficient and cheaper — because an ion beam is far more intense and faster than an electron beam.

It is the size of these already microscopic insulating and con-



THEY WOULD HAVE BEEN A LOT EASIER TO DISSEMINATE

ducting parts that is at issue.
These must be made far smaller to decrease the size of the chips and to increase the speed and hence efficiency of the chips.
"We found," says Dr. Sakurai,

"We found," says Dr. Sakurai, "that a gallium beam improves focusing and therefore circuit clarity about 50 times and etching speed about 1000 times. Because the cost of making computer chips is inversely proportional to the speed, a gallium ion beam has great potential for further revolutionizing computer technology. "In the meantime, more must

be learned about the gallium ionization process and its use as an etching tool before it's possible to design and construct the type of highly complicated and expensive equipment needed to make the next computer revolution a reality."

Computers Go to Court

Prosecution of criminal cases involves costly and time-consuming procedures for local governments. But in Contra Costa County, California, where court activity has increased 40 percent in the last year, a computerized court management system has stabilized costs and made more information available more quickly to court officials.

According to Tom Falce, County Director of the Law and Justice Systems Development Project, the county has taken its first step in the development of a distributed data processing network of computers to manage the entire criminal justice system.

Minicomputer systems in each of the county's four lower courts are processing the collection of parking citation fines and preparing schedules of court resources and activities.

Contra Costa County incorporates 13 cities and is California's eighth largest county, with a population of 600,000. The area endures a heavy volume of traffic; and in recent years the rising incidence of illegal parking has been one of the local government's major concerns. In the city of Walnut Creek, for example, 50,000 parking tickets were issued last year.

The county's lower courts are responsible for collecting parking and other traffic violation fines as well as arbitrating these infractions, if challenged; mediating misdemeanors like petty theft or drunk driving; and conducting preliminary hearings for felonies like rape, murder and armed robbery.

Each of the county's lower courts employs a staff to process the collection of fines and to schedule court activities. Prior to computerization, these tasks were performed manually; but employees had trouble keeping up with an increasing workload.

To expedite the flow of information among the county's criminal justice departments, the county formed the Justice Automation Advisory Committee to investigate automation as an alternative method to manual operations.

The committee concluded that automation was the most efficient and economical solution to the problem.

An IBM 370/158 mainframe computer in the county's central data processing facility in Martinez was performing a number of county functions like processing the payroll, maintaining welfare records, and calculating property taxes. But this computer was operating in a batch mode, which produced delays between data entry and processing. The county needed a different kind of computer system — one that could capture data at the source, could be operated easily, and could provide ready answers to questions.

The staff selected Data General computer systems with 32K core memory, 10 megabyte disks, three Dasher display terminals and medium-speed printers, which were all installed in the first of the four lower courts in November 1977. Application software was written in Interactive COBOL.

The systems were operational in the pilot court in the spring of 1978 and system impelementation in the other courts began.

"The computers are managing the whole parking system here,"

Falce said, "which is really a high-volume, accounts receivable type of application." Administrative personnel at each court enter citation data into the computer, which determines if the violation is legitimate, calculates the bail or fine and later records payment and subsequent court actions.

The computer also records nonstandard or exceptional violations — those committed by persons with out-of-state registrations, multiple violations, and so forth.

The criminal calendar application schedules the activities in the courtrooms as well as the resources available and reports the actions taken by the court on the cases scheduled. This function essentially designates the who, what, when, where and why of a particular case and prepares an agenda. What, when, where and why are easily determined; but any number of individuals, in addition to attorneys, may be asked to attend a hearing, such as the probation officer or law enforcement officer.

These case details are input to the systems, the agenda is compiled and reports are generated on the system printers and distributed to the parties involved. Case data from individual courts is also examined at this time to determine if a defendant has any other offenses pending in another court in the county. "The criminal calendar is very important," Falce said. "because it is absolutely critical that all agencies are aware of the court agenda." Each of these agencies schedules its activity and resources around this agenda, so coordination and accuracy are essential.

"This is only the first step in a series of computer installations

for the whole criminal justice system. In the next six months we expect to double both system memory and disk space. And we want to add a third application to process moving traffic violations as soon as possible.

"We plan to expand even further within the next two years, adding processors to perform case tracking for the district attorney, bookings and jail management for the sheriff, case management for the probation office, case tracking for the public defender and calendar and jury management for the superior court," said Falce. "Our goal is to tie all these applications together into a distributed proces-

sing network in the county. Information will be captured at the source, in the functional work flow, and passed via the network to each agency as it gets involved with the case. The efficiencies and accuracy of this system will be a tremendous boost to the operation of the criminal justice system."

Dr. Nicholson's Magic Dental Charts

Dr. J.H. Nicholson, a dentist in Dallas, Texas, recently bought a personal computer to help out with office management functions such as payroll, billing and

supply records.

With those routine programs easily accomplished, the enterprising doctor turned to his Apple II to help him bring patients back to his office on schedule. Now he's going a step further and devising a program to help make those office visits a little less intimidating.

Dr. Nicholson previously used a manual patient reminder system, but early this year he decided to check out the effectiveness of the system and was astounded by the results. In 1978 alone, a flaw in the system dropped over 90 patients from the recall process. Until then, he had assumed these patients either ignored their six-month reminder notices or had taken their business to another dentist.

The Apple II was programmed to see that reminder notices were mailed on time, and a follow-up mailing to those 90 "lost" patients produced new appointments for over 80 percent of them.

The greatest challenge for the system lies ahead, however. Dr. Nicholson and a software specialist are now devising a high-resolution graphics system on the Apple II. They hope it will lessen the anxiety caused by the nation's most disagreeable chore — visiting the dentist.

When fully operable, the system will enable Little Johnny to see a depiction of the "ideal" mouth with molars, bicuspids,

incisors and the like lined up in perfect curvature.

The Apple will then show Little Johnny his own mouth — less than perfect but still his — adding cavities, fillings, bridgework and extractions, all colorcoded to help the dentist explain what has been done, what needs to be done, and, hopefully, why it won't hurt a bit.

Admittedly, the graphics can't numb the pain. Dr. Nicholson believes, however, that they can help the patient to relax.

"The visual picture will be

something they can relate to," he explained. "It should help put them at ease. At the very least, it is sure to get their attention.

"You mention the magic word computer," put their chart on the screen, and they're going to watch, listen and, if they have any questions, ask them."

Dr. Nicholson and his "magic dental charts" may well become a hard act for other dentists to follow.

Reprinted from Apple Magazine, Volume 1, Issue 2, by permission of Apple Computer, Inc., Cupertino, CA.

Carpools and Computers

CarShare carpooling information system is Houston's attempt to save gas through computer use.

The Metropolitan Transit Authority (METRO) of Houston and Harris County recently unveiled their newly computerized system, which was designed and developed by Contemporary Communications Corporation of Houston and uses computers from Datapoint Corporation of San Antonio.

When a phone call is received from a CarShare candidate, data concerning the person's name, work address, home and work phone numbers, work days, work time and whether the request is to share their vehicle or to ride is entered into the computer. The system accommodates those who own a vehicle and wish to both drive and share, those who only want to share a ride and those who do not own a vehicle but would like to join a carpool.

The computer provides an in-

stant search of the CarShare files. Data from all prior candidates within the files is arranged to show who lives within 3 miles and works within 1.5 miles of the requester. The file search can be extended to also indicate adjoining areas or to other candidates who live along the requester's most probable route to work.

The information is displayed on the computer's screen and simultaneously a letter of reply concerning the CarShare request is produced on an attached printer for mailing to the candidate.

Because of EPA requirements concerning employee ride sharing, large businesses in the Houston area have begun to pay special attention to CarShare. Several are interested in placing video terminals in their own offices for direct tele-communications with the METRO system, which is currently matching 75 to 80 percent of the would-be carpoolers requesting its services.

"World of Tomorrow" Theme Featured at Personal and Business Computer Show

See the computerized world of tomorrow . . . today, at the Northeast Personal & Business Computer Show, Boston Hynes Auditorium, September 28 to 30.


Hundreds of manufacturers, distributors and retailers will showcase their new 1980 micro, mini and small computer systems. Companies exhibiting include Radio Shack, Commodore, RCA, Compucolor, Texas Instruments, Heathkit and Burroughs, said show officials.

Personal computerists will be able to meet and talk with major terminal and peripheral company representatives, plus software developers, magazine editors and book publishers. The enthusiast will see computer art, graphics and animation, hear computer synthesized music, watch computerized amusements, play electronic and video games and attend free tech talks and briefings given by internationally recognized speakers.

Computerists interested in business systems will find small and medium-sized systems at the show. Attendees will hear clear, non-intimidating and non-technical explanations of how businessmen and professionals are using today's technology to increase productivity and profits, yet decrease their work load, officials said.

On view will be office automation, business software, and information systems. Many of the exhibitors will be catering to people interested in starting their own computer business, or changing their job in the computer industry.

The businessman who thinks he has everything will realize he doesn't when he sees the Zell Electronic Executive Desk. The desk sells for \$15,000 and comes complete with a color TV with UHF and VHF receiver, a closed circuit TV monitor with two or more cameras and a display terminal for the executive's mini-



Zell Executive Desk resembles combination auto instrument panel and NASA control center.

computer, which is also built into the desk. Other built-in gadgets include an audio cassette recorder and player which is part of the desk's stereo sound equipment, a video player and recorder, custom remote operated telephones with speakers, an automatic paper copier, a paper shredder, an electronic telephone index, an automatic pencil sharpener, a dictating transcriber, a printing adding machine and a calculator.

In addition, there's an electrical height adjustment which

raises the desk for standup use. The desk comes in black walnut, teak, rosewood, or elm burl—and if your favorite gadget is missing from the above list, the manufacturer will be happy to build it into your custom unit.

The show is offering an \$18,000 computer as a door prize.

For more information contact Jane Badgers and Company, 75 McCarthy Road, Newton, MA 02159; (617) 244-5305; (617) 523-5563.

Office Appliances and Communications

Within the next ten years, you'll not only be using your telephone to make business calls, but to exchange messages and retrieve data stored in computer banks as well, according to an Arthur D. Little study. And, while your conventional copying machine will still duplicate documents, it will also serve as a facsimilie communications terminal and as a printer for typewriters and computers linked to it.

Arthur D. Little, Inc., the international research and management consulting firm, which has just completed a study of the

growing influence of microprocessor technology, cites these as examples of the way office equipment of today will evolve into microprocessor-controlled multipurpose office appliances. After 1987, says Frederic G. Withington, a computer industry expert who led the business communications portion of the study, larger and more advanced companies will begin to link these "hybrid" products with one another to form total office systems.

The study forecasts that value of shipments for business communications equipment in four

countries — the United States, United Kingdom, France and West Germany — will rise from \$9.3 billion in 1977 to as much as \$23 billion in 1987. That increase, says Withington, is constrained by such factors as added costs. Few information appliances, he notes, actually reduce the cost of office operations;

rather, they improve communications and save time.

Conflicting government requirements and the need for improved common carrier systems to handle sophisticated communications equipment will also constrain market growth. Then, too, there is still a lack of software that can be understood by

the ordinary office worker as well as the trained technician.

Despite these constraints, says Withington, the future will see intense competition among companies and national interests. A flood of novel product offerings will become available. In general, he says, there will be a chaotic but richly dynamic market.

The Sacramento Micro Computer Users Group (SMUG) promotes personal computers as a hobby. Club membership (150+) includes a loosely structured group of local hobbyists who get together once a month in an informal forum to discuss and hash over some of the problems in personal computing. A monthly newsletter, "Push & Pop", contains information and ads from local commercialists. Members receive group discounts on magazine subscriptions, electronic components and hardware and software systems. Meetings are held every fourth Tuesday of every month this year (except December 18, 1979) at the SMUG Training Building on 59th Street, between Highway 50 and Folsom Boulevard. Contact SMUG, P.O. Box 161513, Sacramento, CA 95816.

The Pima Community College Computer Club (PC14) has been formed at the East Side campus, 7830 East Broadway, and meets the second Friday of each month at 7:30 p.m. Most members have already purchased systems, but those still searching for the best buy are welcome, as are non-students. Several system demonstrations have been held and more are planned. Contact Mike Blicharz at (602) 749-9157 or Saul Levy at (602) 793-0670.

The Micro-Computer Business Users Group (BUG) now publishes a monthly newsletter, offering BUG members exchange of software evaluations, criticisms, ideas and advice. There is a charge of \$10 for the newsletter for 1979.

Group meetings, generally free and informal, often include guest speakers and panel discussions. Meetings are usually held on the third Thursday of each month in midtown Manhattan from 7:00 to 9:00 p.m. Fcr more information contact Micro-Computer Business Users Group, 161 W. 75th St., New York, NY 10023. (212) 580-3589.

The Delmarva Computer Club, a general interest club, meets at Arcadia High School in Oak Hall, VA, at 7:30 p.m. on the first and third Wednesday of each month.

Beginners are able to get hand hands-on programming instruction in BASIC language. Advanced members work on community projects and software development and exchange. For further information contact Jean Trafford, Secretary, Delmarva Computer Club, P.O. Box 36, Wallops Island, VA 23337; (804) 824-3400 after 5:15 p.m.

The new Solano TRS-80 User's Club of Fairfield, CA, holds meetings every third Thursday at Owens-Illiois, 2500 Huntington Drive. For more information contact Dave or Steve Irwin at 550 Marigold Drive, Fairfield, CA 94533; (707) 422-3347.

Shoppers for computers in the Southern California area can use a new service implemented by the Southern California Computer Dealers Association.

Until now, computer customers relied on magazines and the


Yellow Pages for store locations. Now everyone from San Diego to Santa Barbara may dial a toll free number, (800) 432-7257, and reach the Consumer Computer Information Service. The answering voice (not a computer) will ask for the caller's city; then the caller will be given the names, addresses and phone numbers of the three nearest computer stores.

Washington Area Kim Enthusiasts meet each month at the McGraw-Hill Continuing Education Center in Washington, DC, to study operation, expansion and applications of KIM-1 microcomputers. Meetings are at 7:30 p.m. on the third Wednesday of every month.

For more information contact WAKE, c/o Ted Beach, 5112 Williamsburg Boulevard, Arlington, VA 22207; (703) 538-2303.

A task force of the ACM subcommittee on Elementary and Secondary Schools has assembled a set of materials on programming contests. Designed to aid high schools, colleges and individuals in planning high school programming contests, the material is geared to team contests but can be adapted to individual competitions. The packet includes suggested rules, sample problems, references and solutions. For more information, contact Dale Bryson, Mathematics Dept., Umpqua Community College, P.O. Box 967, Roseburg, OR 97479; or R. Waldo Roth, Chairman, Dept. of Computer Science, Tay-Ior University, Upland, IN 46989; (317) 998-2751 ext. 269.

TRS-80 owners LOOK at these Programs!!! (and these prices!!)



Graphic Drawing Done The TRS80 Usina "The Electric Artist" Program!

GRAPHIC-TREK
"2000"
This full graphics, real time game is full of fast, exciting action! Exploding photon torpedoes and phasers fill the screen! You must actually navigate the enterprize to dock with the giant space stations as well as to avoid klingon torpedoes! Has shields, galactic memory readout, damage reports, long range sensors, etc! Has 3 levels for beginning, average, or expect players! expert players!

INVASION WORG Time: 2099 Place: Earth's Solar System Mission: As general of earths forces, your job is to stop the Worg invasion and destroy their outposts on mars, venus, saturn, neptune, etc! Earth's Forces: Androids — Space Fighters — Lazer Cannon — Nuetrino Blasters! Worg Forces: Robots — Saucers — Disintegraters — Proton Destroyers! Multi level game lets you advance to more complicated name as you get hetter!

STAR WARS

Manuever your space fighter deep into the nucleus of the Death Star! Drop your bomb then escape via the only escape route. This graphics game is really fun! May the force be with you!

SPACE TARGET Shoot at enemy ships with your lazer gun. If they eject in a lifeboat vehicle, capture them, or if your cruel, destroy them! Full graphics, real time game!

SAUCERS

This fast action graphics game, has a time limit!
Can you be the commander to win the distinguished cross! Requires split second timing to win! Watch out! The saucers fight back!

Package One — \$12.95

CHECKERS 2.1 Finally! A checkers program that will challenge everyone! Expert as well as amateur! Uses 3-ply tree search to find best possible move. Picks randomly between equal moves to assure you of never having identical games. Computer also makes sly remarks about the game!

POKER FACE
The computer uses psychology as well as logic to try and beat you at poker. Cards are displayed using TRS-80's full graphics. Computer raises, calls, and sometimes even folds! Great practice for your Saturday night poker match!

PSYCHIC

Tell the computer a little about yourself and he'll predict things about you, you won't believe! A real mind bender! Great amusement for party's.

TANGLE MANIA Try and force your opponent into an immobile position. But watch out, their doing the same to you! This graphics game is for 2 people and has been used to end stupid arguments. (And occasionally starts them!)

WORD SCRAMBLE This game is for two or more people. One person inputs a word to the computer while the others look away. The computer scrambles word then keeps track of wrong guesses. Can you make less mistakes then your adversary?

Package Two - \$12.95

POETRY

This exciting and sometimes funny program lets you choose the subject as well as the mood of the poem you want. You give TRS-80 certain nouns or names, then mood, and he does the rest!
TRS-80 will write different poetry about one subject forever if you let him. Has a 1000 word + vocabulary of nouns, verbs, adjectives, adverbs!

ELECTRIC ARTIST Written by a working artist and a computer engineer to make drawing on the video screen easier then picking up a pencil! (Less messy too!) Manual: Draw, erase, move as well as, Auto: Draw, erase, move. Uses graphics bit's not bytes. Graphic face in ad done using this ingenius program!

GALACTIC

BATTLE

The Swineus enemy have long range phasers but cannot travel at warp speed! You can, but only have short range phasers! Can you blitzkrieg the enemy without getting destroyed! Full graphics — real time! GALACTIC

WORD MANIA

Can you guess the computers words using your human intuitive and logical abilities? You'll need to, to beat the computer! He keeps score and gets mad if he loses!

AIR COMMAND AIR COMMAND Real time, graphics Flight Simulater! Land, take-off, get out of a spin! Be careful not to stall! Watch your fuel gauge! Requires a clear headed pilot.

Package Three - \$12.95

LIFE This Z-80 machine language program uses full graphics! Over 100 generations per minute make it truly animated! You make your starting pattern, computer does the rest! Program can be stopped and changes made! Watch it grow!

REAL TIME

LANDER

gives you the feeling of being in command! Has 3 skill levels that make it

CKEED II

Multi-level game is fun and challenging! Beat the computer at this dice game using your knowledge of odds and luck! Computer keeps track of his winnings and yours. Quick fast action. This game is not easy!

THE PHARAOH Rule the ancient city of Alexandra! Buy or sell land. Keep your people from revolting! Stop the rampaging rats and locusts'. Requires a true political personality to become good! THE PHARAOH

ROBOT HUNTER A group of renegade robots have escaped and are spotted in an old ghosttown on mars! Your job as "Robot Hunter" is to destroy the pirate machines before they kill any more settlers! Exciting! Challenging! Full graphics!

Package Four - \$12.95

SUPER
HORSERACE!
Make your bets just like at the real racetrack! 8 horses race in this spectacular graphic display! Up to 9 people can play! Use's real odds but has that element of choice you see in real life! Keeps track of everyone's winnings and losings. This is one of the few computer simulations that can actually get a room of people cheering! SUPER

MAZE MOUSE

The mouse with a mind! Computer generates random mazes of whatever size you specify then searches for way out! The second time thru he'll always go fastest route! A true display of artificial intelligence! Full graphics, mazes & mouse!

AMOEBA KILLER You command a one man submarine that has been shrunken to the size of bacteria in this exciting graphic adventure! Injected into the presidents bloodstream, your mission is to destroy the deadly amoeba infection rampaging his body!

LOGICThis popular game is based on mastermind but utilizes tactics that make it more exciting and challenging! Has 2 levels of play to make it fun for everyone.

SUBMARINER
Shoot torpedoes at the enemy ships to get points. Fast action graphics, arcade type game is exciting and fun for everybody!
Package Five — \$12.95

20 HOME

20 HOME
FINANCIAL
PROGRAMS

depreciation rates, interest tables, earned interest on savings and much, much more. This program will get used again and again. A must for the conscientious, inflation minded person.

Home Computer Soft ware For Everyday **Applications**



Exceptional Software thru Research & Imagination Send Check, Money Order or Bank Card No. to: SIMUTEK ENT. P.O. 35298

Tucson, AZ 85740

Please Add 1.75 Postage & Handling



24 HOUR HOTLINE WISA (602) 882-3948



Same Day Shipment on Bank Cards & Money Orders

All Programs Require a Minimum of 16K Level 2 Packages Available on Diskette (32K System) \$5.00 Extra TRS-80 IS A REGISTERED TRADEMARK OF TANDY CORP.

2 or More Programs Get 10% Discount

FUTURE COMPUTING

On Languages

BY WILLIAM R. PARKS

Today, more than 100 computer languages are in use by programmers to communicate instructions or commands from the keyboard to a computer. Internally, Assembly and Machine level languages are used to program the operating systems of computers.

The most popular high level languages are: COBOL for business applications; FORTRAN for scientific work; BASIC for home, hobby, and small business computers; and PASCAL for teaching programming to college students. All of these languages, except Assembly and Machine language, use special English words and simple mathematical notations to express commands for actions to be taken within a computer system.

Which of the present day languages will persist in the future? What changes will take place? What, if any, new languages will evolve? Those are the most popular questions among computer scientists. We should first make a clear distinction among several broad categories of use for computer programming languages: 1) Some languages are primarily used to program a computer's operating system. 2) Other languages are used for business or scientific applications (payroll, accounting, math problems). 3) A third category of languages is used to manipulate large or small data bases; that is, retrieve records, update files, and carry out procedures for generating new information from existing files.

In the first category (for operating

systems) we see today three predominant languages: PASCAL, Assembly, and Machine languages. Those languages are frequently used to code programs which constitute the computer's main operating system. The operating system is really only a set of programs that comes with a computer. For example, when you purchase a home computer today you get an operating system, as part of the purchase price, which is permanently stored somewhere in the computer's memory. In the past, most operating

Will 'STRUCTURED ENGLISH CODE" emerge out

of the morass as the main language of the future?

systems have been written in Assembly. However, I believe that PASCAL is destined to become the predominant language for future programming operating systems. Assembly and Machine language may still be used in parts of the operating system. However, these lower level codes will become much less important than they are today.

If PASCAL does become the most important operating system language in the future, several significant things will happen: 1) The dedicated hobbyist will be able to rewrite or even create his own operating system. 2) The beginning student of programming will quickly learn how the computer's system operates. By contrast, today most operating system programs are difficult to understand even by professional programmers. Machine language and Assembly language are low level codes which are hard to use and document. Usually the original author of the low-level programs is the only one who seems to know what's going on. And he, too, soon forgets the complex coding with the passage of time. 3) One spectacular result of switching to PASCAL will be that operating systems will become more responsive to the needs of the computer user. It will be possible to have the most complex operating systems (found only in the biggest computers today) resident in small home computers at a very small fraction of the development cost. During the recent NCC show in New York, as a matter of fact, Apple computer company displayed the first personal computer to use PASCAL. That is a significant step forward.

Easy dialogue between computer and man will be the main feature of such a future language. Programs will be written with the aid of the computer. Human voice input and computer voice output will generate whole sections of program code in the English-like language of the future. The roots of that language are already here in BASIC, and some are in the characteristics of PASCAL.

The third main use of computer languages instructs a computer to retrieve information from large data bases. The languages currently used for manipulating these large data bases are often not even considered bona fide languages by programmers. The name for such a language is "OUERY". QUERY allows you to use English sentences to interrogate a computer's data base. With QUERY you can access any record or any item within a record. As this language for retrieving information evolves, it might someday be possible to speak in "street" English to extract information from large data bases. In the future, QUERY could easily become a standardized language that all children will learn in school. They will use it to speak to computers for the purpose of acquiring knowledge on any subject stored in a data base. These data bases will hold more information than the largest libraries now in the world. An interrogative language like QUERY could quickly retrieve all kinds of information (programs,

FUTURE COMPUTING

games, learning systems, news, entertainment) without requiring any knowledge of programming on the part of the user. This is already being done on a limited scale as non-programmers now prepare lists of procedures to be done with certain records and files in the database.

As described above, the languages used in each of these three main areas of programming are not necessarily the same. Distinctions among the different areas will continue into the future. However, the languages used in each area will continue to evolve in their own channels. To some extent, the above predictions of language developments are already taking place in some form. And, it is only a matter of time before all the mentioned possibilities become realities!

The second main use of computer languages is for applications in business (payroll, billing, ordering), in the home (games, education, finance), in industry (production planning, research). Big business today writes most of its application programs in COBOL. Small business computer users rely more on BASIC and extended versions of BASIC. Which language will predominate in the future? The leaning seems to be in the direction of some version of BASIC! As a matter of fact, a recent school survey has shown that BASIC has overtaken FORTRAN in the past year. BASIC is becoming more popular while FORTRAN seems to grow less popular. Will COBOL go the same route as FORTRAN? In the past, COBOL had been used so extensively by industry that it will rank as a main application language for some time.

But I still think that a future version of BASIC will ultimately win the race for popularity. Perhaps it will combine the best features of PASCAL and the BASIC that is in use today. A convenient name for this future language could be: "STRUCTURED ENGLISH CODE"! At this time, I predict that "structured English" will be the future language of computers. Furthermore, as computer memories become very large (100 megabytes) and wordlengths increase to 32 bits in home computers. we may even eliminate the word "structured" and refer to the future computer language as being ordinary ENGLISH — a subset of our native tongue!

Start Computing For Just \$129.95 With An 8085-Based Professional Computer Kit-

Explorer/85

100% compatible with all 8080A and 8085 software & development tools!

No matter what your future computing plans may be, Level "A"—at \$129.95—is your starting point. Starting at just \$129.95 for a Level "A" operating system,

Starting at just \$129.95 for a Level "A" operating system, you can now build the exact computer you want. Explorer/85 can be your beginner's system, OEM controller, or IBM-formatted 8" disk small business system...yet you're never forced to spend a penny for a component or feature you don't want and you can expand in small, affordable steps!

Now, for just \$129.95, you can own the first level of a fully expandable computer with professional capabilities—a computer which features the advanced Intel 8085 cpu, thereby giving you immediate access to all software and development tools that exist for both the 8085 and its 8080A predecessor (they are 100% software compatible)—a computer which features onboard \$-100 bus expansion—plus instant conversion to mass storage disk memory with either 5-1/4" diskettes or standard IBM-formatted 8" disks.

For just \$129.95 (plus the cost of a power supply, keyboard)

For just \$129.95 (plus the cost of a power supply, keyboard/terminal and RF modulator, if you don't have them already), Explorer/85 lets you begin computing on a significant level... applying the principles discussed in leading computer magazines... developing "state of the art" computer solutions for both the industrial and leisure environment.

Level "A" Specifications

Explorer/85's Level "A" system features the advanced Intel 8085 cpu, an 8355 ROM with 2k deluxe monitor/operating system, and an 8155 ROM-I/O—all on a single motherboard with room for RAM/ROM/PROM/EPROM and S-100 ex-

with room for RAM/ROM/PROPULE.

pansion, plus generous prototyping space.

(Level "A" makes a perfect OEM controller for industrial applications and is available in a special Hex Version which can be programmed using the Netronics Hex Keypad/

PC Board: glass epoxy, plated

through holes with solder mask

1/0: provisions for 25-pin
(DB25) connector for terminal
serial 1/O, which can also sup-Level "A" at \$129.95 is a serial I/O, which can also sup-complete operating system, port a paper tape reader perfect for beginners, hob-biests, or industrial con-troller use. poly...cassette tape recorder in plut...cassette tape recorder output...speaker output... LED output indicator on SOD

put...cassette tape recorder output...cassette tape control output...speaker output...LED output indicator on SOD (serial output) line...printer interface (less drivers)...total of four 8-bit plus one 6-bit 1/O ports Crystal Frequency: 6.144 MHz • Control Switches: reset and user (RST 7.5) interrupt...additional provisions for RST 5.5, 6.5 and TRAP interrupts onboard • Counter/Timer: programmable, 14-bit binary • System RAM: 256 bytes located at F800, ideal for smaller systems and for use as an isolated stack area in expanded systems... RAM expandable to 64k via S-100 bus or 4K on motherboard.

System Monitor (Terminal Version): 2k bytes of deluxe system monitor ROM located at F000 leaving 0000 free for user RAM/ROM. Features include tape load with labeling ...tape

system monitor ROM located at 19000 leaving 00000 free for user RAM/ROM. Features include tape load with labeling...tape dump with labeling...examine/change contents of memory ...insert data...warm start...examine and change all registers...single step with register display at each break point, a debugging/training feature...go to execution address...move blocks of memory from one location to another...full blocks of memory by the constant display blocks of memory. blocks of memory with a constant... display blocks of memory ... automatic baud rate selection... variable display line length control (1-255 characters/line)... channelized I/O monitor routine with 8-bit parallel output for high speed printer... serial console in and console out channel so that monitor can communicate with I/O ports.

System Monitor (Hex Version): Tape load with labeling... System with labeling... syming/change contents of memory in the line ... syming/change contents of memory in the labeling...

..examine and change all

Hex Keypad/Display Kit, \$69.95



registers...single step with register display at each break point...go to execution address. Level "A" in the Hex Version makes a perfect controller for industrial applications and can be programmed using the Netronics Hex Keypad/Display.



Hex Keypad/Display Specifications

Specifications (Calculator type keypad with 24 system defined and 16 user defined keys. 6 digit calculator type display which displays full address plus data as well as register and status information.

Level "B" Specifications

Level "B" Specifications
Level"B" provides the S-100 signals plus buffers/drivers to
support up to six S-100 bus boards and includes: address
decoding for onboard 4k RAM expansion select-able in
4k blocks...address decoding for onboard 8k EPROM expansion selectable in 8k blocks...address and data bus drivers for
onboard expansion...wait state generator (jumper selectable),
to allow the use of slower memories...two separate 5 volt
regulators. regulators



Level "C" Specifications Level "C" expands Explorer's motherboard with a card cage, Explorer/85 with 1

Explorer/85 with 1

Explorer/so with 1

Explorer/so with 1

C''c' card cage.

Explorer's deluxe steel cabinet.

Explorer's feeluxe steel cabinet.

Explorer's feelux steel cabinet.

Explorer's feeluxe steel cabinet.

Explorer's feeluxe steel cabinet.

Explorer's feelux steel cabinet.

board. Just add required number of S-100 connectors

Level "D" Specifications

Level 'D' provides 4k or RAM, power supply regulation, filtering decoupling components and sockets to expand your Explorer/85 memory to 4k (plus the original 256 bytes located in the 8155A). The static RAM can be located anywhere from 00000 to EFFF in 4k blocks.

Level "E" Specifications

Level "E" adds sockets for 8k of EPROM to use the popular Intel 2716 or the TI 2516. It includes all sockets, power supply regulator, heat sink, filtering and decoupling components. Sockets may also be used for soon to be available RAM IC's (allowing for up to 12k of onboard RAM).

Order A Coordinated Explorer/85 Applications Pak!

Experimenter's Pak (SAVE \$12.50)—Buy Level "A" and Hex Keypad/Display for \$199.90 and get FREE Intel 8085 user's manual plus FREE postage & handling!

budent Pak (SAVE \$24.45)—Buy Level "A," ASCII Key-board/Computer Terminal, and Power Supply for \$319.85 and get FREE RF Modulator plus FREE Intel 8085 user's manual plus FREE postage & handling!

Engineering Pak (SAVE \$41,00)—Buy Levels "A," "B,"
"C," "D," and "E" with Power Supply, ASCII Keyboard/
Computer Terminal, and six S-100 Bus Connectors for \$514.75

Computer Terminal, and six S-100 Bus Connectors for \$514.75 and get 10 FREE computer grade cassette tapes plus FREE 8085 user's manual plus FREE postage & handling!

Business Pak (SAVE \$89.95)—Buy Explorer/85 Levels "A,"
"B," and "C" (with cabinet), Power Supply, ASCII Keyboard/Computer Terminal (with cabinet), 16k RAM, 12"
Video Monitor, North Star 5-1/4" Disk Drive (includes North Star BASIC) with power supply and cabinet, all for just \$1599.40 and get 10 FREE 5-1/4" minidiskettes (\$49.95 value) plus FREE 8085 user's manual plus FREE postage & handling!

Continental U.S.A. Credit Card Buyers Outside Connecticus

CALL TOLL FREE 800-243-7428

Send Me Information

System Monitor (Hex Version): Tape load with labeling... tape dump with labeling... examine/change contents of memory... insert data...warm start... examine and change all

Netronics R&D Ltd., Dept. PC-10

333 Litchfield Road. New Millford, CT 06676
Please send the items checked below— plus \$2 p&ii.

Explorer/85 Level "A" Kit (ASCII Deluxe Steel Version), \$129.95 plus \$3 p&h.

Explorer/85 Level "A" Kit (Hex Version), \$129.95 plus \$3 p&h.

B& Microsoft BASIC on cassette. In deluxe steel can be considered to the constant of the constant o To Order From Connecticut Or For Technical Assistance, Etc. Call (203) 354-9375 plus \$2 p&it.

Deluxe Steel Cabinet for ASCII Keyboard/Terminal, \$19.95 plus \$2.50 p&h. sonalized disk operating system—just plug it in and you're up and running!), \$699.95 plus \$5 p&h. ☐ Power Supply Kit for North Star Disk Drive, \$39.95 plus \$2 p&h. Deluxe Case for North Star Disk Drive, \$39.95 plus \$2 p&h. ☐ Power Supply Kit (±8V @ 5 amps) in deluxe steel cabinet, \$39.95 plus \$2 Version), 512-y5 plus 53 pch.

□ 8k Microsoft BASIC on cassette tape, \$64.95 postpaid.

□ 8k Microsoft BASIC in ROM Kit (requires Levels "B," "D," and "E"), \$99.95 plus \$2 p&h. ☐ Experimenter's Pak (see above), Gold Plated S-100 Bus Connectors, \$4.85 each, postpaid. \$199.90 postpaid. ☐ Student Pak (see above), \$319.85 RF Modulator Kit (allows you to use your TV set as a monitor), \$8.95 ☐ Level "B" (S-100) Kit, \$49.95 plus \$2 p&h. ☐ Engineering Pak (see above), \$514.75 postpaid. ☐ Level "C" (S-100 6-card expander)
Kit, \$39.95 plus \$2 p&h.
☐ Level "D" (4k RAM) Kit, \$69.95 ☐ 16k RAM Kit (S-100 Board expands to 64k), \$199.95 plus \$2 p&h. ☐ Business Pak (see above), \$1599.40 postpate.

Total Enclosed \$
(Conn. res. add sales tax) By—
Personal Check M.O./Cashier's

Visa Master Charge postpaid. ☐ 32k RAM Kit, \$329.95 plus \$2 p&h. 48K RAM Kit, \$459.95 plus \$2 p&h. Level "E" (EPROM/ROM) Kit, 64k RAM Kit, \$589.95 plus \$2 p&h. \$5.95 plus 50¢ p&h. ☐ 16k RAM Expansion Kit (to expand any of the above up to 64k), \$139.95 Deluxe Steel Cabinet for Explorer/ 85, \$49.95 plus \$3 p&h. (Bank # ____ plus \$2 p&h each. ASCII Keyboard/Computer Terminal Kit (features a full 128 character set, upper & lower case, full cursor control, 75 ohm video output convertible to baudot output, selectable baud rate, RS232-C or 20 ma. 1/O, 32 or 64 character by 16 line formers, and can be accepted. ☐ Intel 8085 cpu User's Manual, \$7.50 Signature _ ☐ Special Computer Grade Cassette Tapes, \$1.90 each or 3 for \$5, postpaid. ☐ 12" Video Monitor (10 MHz bandwidth), \$139.95 plus \$5 p&h. Address acter by 16 line formats, and can be used with either a CRT monitor or a TV set (if you have an RF modulator), \$149.95 plus \$2.50 p&h. Disk Kit (One Drive) for Explorer/
85 (includes 3 drive S-100 controller, DOS, and extended BASIC with perBuying a home or rental property involves tricky calculations to insure you're getting a good investment. Here is a program that will allow you to find out exactly what the cost and benefits of a specific rental property are.

This program will give you an easy way to sum up any real estate purchase. The input facts that make the program accurate are readily available and can save you thousands of dollars.


You can modify the program for owner-occupied homes by removing depreciation and expenses from the program, shown by D1, H and M. The idea for this expanded program came from Kimball Beasley's article, "Income Property Evaluation" (PC, January 1979).

North Star BASIC was used with a disk system for the program which was saved on 13 blocks. There are a few valid and legitimate assumptions and limitations to the program:

- Only accelerated depreciation
- Interest rate constant
- All escrow costs are deductable
- A new loan will be taken out
- Rental increases will equal cost increases

The actual downpayment is calculated using data input in answer to questions. Monthly payments are given correctly as long as insurance and tax information is obtained. You'll get a true picture of the actual cash situation by comparing the tax break with the monthly cash flow.

The program allows a look at future years for return on investment, giving



you an overview of the investment based on a constant inflation rate. Several runs will show you the effect of various inflation rates.

The Sample Run is for an actual listing in Southern California. Here, you can easily see the value of the printout listing all the factors considered. A special note to non-rental owners: The maintenance, etc., generally includes a figure equal to 5% of the total rent to cover water heaters and so forth. Also enter management costs here. Unfortunately there is no provision for a second trust deed or a loan assumption.

Of the assumptions, the only one that will cause inaccuracy is that all loan costs are deductable the first year. However, the non-deductable costs are generally small, and they are fully recoverable when you sell or refinance. The program as written will handle properties up to \$1 million with inflation up to to \$10 million.

North Star BASIC allows easy formatting of variables. Using %\$C#13F2 causes all future variables to be printed as dollars and cents with commas. The 13 allows 13 total characters (including dollar sign, commas and decimal point). F2 gives two characters to the right of the decimal. The !%# removes the formatting from all future print statements.

If you wish, the program allows easy break out of any of the pieces of information, such as equity payoff the first year. In fact, you can easily modify the program to print out a complete amortization schedule, since the formulas are integral to it.

To get accurate information, you should check with insurance agents, banks, savings and loans, and title companies for their total actual charges, which may vary considerably. Also, you're not forced to go through the escrow company set up by the

broker. By shopping around, you can save several hundred dollars. Many title companies will do the whole escrow, saving money. By checking your local multiple listing service, you can get a fairly accurate real estate inflation factor and comparable prices to check out the value of the property you are interested in.

The 4-plex in the example actually sold for \$138,000 due to some sharp bargaining by the buyer. It is obviously important not to pay more than necessary. However, inflation being what it is, too much just means a little longer to get the profit.

Purchase price is the final, agreedupon figure. The down payment is the figure demanded by the lender (usually in the 10 to 30% range) and not the final amount paid into escrow. That figure is calculated for you by the program. The loan term from the lender will be 25 to 30 years. Closing costs are in points (percentage of money lent). You can find needed down payment, duration of loan, closing costs and interest rate by shopping lending institutions. Real estate taxes are furnished on the listing, as are the various expenses. Generally, expenses fall in the range of 5 to 15% of rents. There should also be a reduction in the rent receipts of about 5% as a vacancy factor.

The down payment printout shows a calculation of the cash down plus the points, closing costs and estimated tax and insurance impounds. The monthly mortgage payment is the principle, interest and impounds (tax and insurance) that is sent to the lender each month.

Land value input is used to figure depreciation for tax purposes. Only the structure goes down in value, so the land value must be subtracted from the purchase price. The tax bracket is the IRS figure at the adjusted gross income on your tax sheet. With our progressive income tax, a slight reduction in taxable income can mean real savings. Accelerated depreciation is used in this program because it saves more on taxes immediately. However, it can create tax problems if you sell in less than 10 years. The answer is not to sell, but to refinance or trade to pick up more property. The program figures all of the tax information, then figures out your return on investment based on increased equity, cash flow and tax savings divided by money paid into escrow.

Then you can pick additional time periods. For each of these periods, the program will show loan payback, new property value, equity growth, tax savings and return on investment.

Sample Run

FOR : LEO LION

ADDRESS HIDDEN HUNTINGTON BEACH

PURCHASE PRICE \$142000
DOWN PAYMENT (%) 25
LOAN TERM (YEARS) 30
CLOSING COSTS-POINTS (% OF COST) 2
MORTGAGE INTEREST (%) 9.875
ADDITIONAL ESCROW COSTS \$1700
REAL ESTATE TAXES PER YEAR \$1420
HEATING COSTS PER MONTH \$0
ELECTRICITY COSTS PER MONTH \$0
WATER, MAINT., ETC. PER MONTH \$67.83
INSURANCE PER MONTH \$60
INCOME PER MONTH \$963

DOWN PAYMENT (INCL. ESCROW) = \$40,040.00

CASH FLOW ANALYSIS

MONTHLY MORTGAGE PAYMENTS= \$1,103.12 MONTHLY EXPENSES = \$67.83

MONTHLY INCOME = \$963.00

APPROX. VALUE OF LAND \$26554 APPROX. TAX BRACKET (% OF INCOME) 40 NEW(1) OR USED(2) BUILDING 2

INVESTMENT TAX ADVANTAGE

DEDUCTABLE INTEREST=\$13,329.86 1ST YR.

REAL ESTATE TAXES= \$1,420.00 1ST YR

DEPRECIATION = \$7,215.38 1ST YR

EXPENSES = \$3,233.96 1ST YR

TOTAL DEDUCTABLE =\$25,199.20 1ST YR
TOTAL INCOME =\$11,556.00 1ST YR

NET DEDUCTION =\$13,643.20 1ST YR

ANNUAL PROPERTY INFLATION (%) 10

RETURN ON INVESTMENT= 44.379261% 1ST YR

GROWTH = \$17,769.46 1ST YR SELECT OTHER PERIOD FOR RETURN ON INVESTMENT HOW MANY YEARS?

HOW MANY YEARS?1
TOTAL PRINCIPLE PAID = \$607.61

Sample Run continued

PROPERTY VALUE AFTER DESIRED TIME=\$156,200.00 EQUITY GROWTH = \$14,807.61 TAX SAVINGS OVER DESIRED TIME \$5,457.28

RETURN ON INVESTMENT OVER PERIOD= 44.379263 \$

DO YOU WANT ANOTHER PERIOD Y(1) OR N(2)1
SELECT OTHER PERIOD FOR RETURN ON INVESTMENT
HOW MANY YEARS?2
TOTAL PRINCIPLE PAID = \$1,278.02

PROPERTY VALUE AFTER DESIRED TIME= \$171,820.00 EQUITY GROWTH = \$31,098.02 TAX SAVINGS OVER DESIRED TIME \$9,073.44

RETURN ON INVESTMENT OVER PERIOD= 87.863619

DO YOU WANT ANOTHER PERIOD Y(1) OR N(2)1
SELECT OTHER PERIOD FOR RETURN ON INVESTMENT
HOW MANY YEARS?3
TOTAL PRINCIPLE PAID = \$2,017.71

PROPERTY VALUE AFTER DESIRED TIME= \$189,002.00 EQUITY GROWTH = \$49,019.71 TAX SAVINGS OVER DESIRED TIME \$12,661.89

RETURN ON INVESTMENT OVER PERIOD= 135,35288 \$

DO YOU WANT ANOTHER PERIOD Y(1) OR N(2)1
SELECT OTHER PERIOD FOR RETURN ON INVESTMENT
HOW MANY YEARS?4
TOTAL PRINCIPLE PAID = \$2,833.84

PROPERTY VALUE AFTER DESIRED TIME= \$207,902.20 EQUITY GROWTH = \$68,736.04 TAX SAVINGS OVER DESIRED TIME \$15,219.76

RETURN ON INVESTMENT OVER PERIOD= 187.24791 %

DO YOU WANT ANOTHER PERIOD Y(1) OR N(2)1
SELECT OTHER PERIOD FOR RETURN ON INVESTMENT
HOW MANY YEARS?5
TOTAL PRINCIPLE PAID = \$3,734.32

PROPERTY VALUE AFTER DESIRED TIME= \$228,692.42 EQUITY GROWTH = \$90,425.74 TAX SAVINGS OVER DESIRED TIME \$19,743.89

8301=************************* ",B =",J4-(R*12)," 1ST YR" 710!"DEDUCTABLE INTEREST=",J1+C3," 1ST YR."
720!"REAL ESTATE TAXES= ",T," 1ST YR"
730!"DEPRECIATION = ",D1," 1ST YR"
740!"EXPENSES = ",G4," 1ST YR" 560INPUT"APPROX. TAX BRACKET (% OF INCOME) 570INPUT"NEW(1) OR USED(2) BUILDING ",U 770:"TOTAL DEDUCTABLE =",J4," IST YR"
780:"TOTAL INCOME =",R*12," IST YR" 560!TAB(15), "INVESTMENT TAX ADVANTAGE" =",T5," 1ST YR" = ", M2 ",R 550INPUT"APPROX. VALUE OF LAND \$", V 870:TAB(15), "NO TAX BREAK" 640 G4=(12*M2)+C1+(13*12) 490! "MONTHLY CASH FLOW 760 J4=(J1+D1+T+G4+C3) 810 T5=(J4-(R*12))*B7 420! "MONTHLY EXPENSES D1=U1*((P4-V)/20)890 I5=D1+C3+C1-C2*12 500 IF C2<0 THEN 520 800!"NET DEDUCTION 840 IF T5<0 THEN 870 IF U=1 THEN 620 440!"MONTHLY INCOME 700 C3=(C/100)*P4 690 GOSUB 1240 850!"TAX BREAK 110 M2 = (H + E + M)450 X= (P2+M2) 580 B7=B/100 GOTO 630 180 C2=(R-X) 500 Ul=1.25 510 GOTO530 860 GOTO890 580 Y4=12 U1 = 2880 T5=0 6501 450! 820! 430! 750! 540! 610 670! 1064 590 530

RETURN ON INVESTMENT OVER PERIOD= 243,98966 %

DO YOU WANT ANOTHER PERIOD Y(1) OR N(2)2 READY

Program Listing

```
30:"**********REAL ESTATE EVALUATOR********
                                                                               L & S ENTERPRISES *"
180INPUT"CLOSING COSTS-POINTS (% OF COST) ",C
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        240INPUT"WATER, MAINT., ETC. PER MONTH $", M
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             230INPUT" ELECTRICITY COSTS PER MONTH $", E
                                                                                                                                                                                                                                                                                                                                                                                                                                                                   190INPUT"MORTGAGE INTEREST (%) ",I
200INPUT"ADDITIONAL ESCROW COSTS %",C1
210INPUT"REAL ESTATE TAXES PER YEAR %",T
220INPUT"HEATING COSTS PER MONTH %",H
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          330!"DOWN PAYMENT (INCL. ESCROW) = ", D6
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       400; "MONTHLY MORTGAGE PAYMENTS=", P2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  250INPUT" INSURANCE PER MONTH $", 13
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 380:TAB(15), "CASH FLOW ANALYSIS"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      320 D6=(D*P4/100)+C1+(C*P4/100)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          250INPUT" INCOME PER MONTH S", R
                                                                                                                                                                                                                                                                                                                                                                    150INPUT"PURCHASE PRICE $",P4
160INPUT"DOWN PAYMENT (%) ",D
170INPUT"LOAN TERM (YEARS) ",L
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  350 P=(I1*V1)/(V1-1.00000)*F
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      270 F=(100.00-D)*P4/100
                                                                                                                                                                                                                                                               INPUT" ADDRESS ", B$
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 300 V1=(1,00000+11) M1
                                                                                                                                                                                    80 INPUT"FOR : ", A$
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            360 P2=P+I3+(T/12)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               280 Il=I/1200.00
                                                                                                                                                                                                                                                                                         120 DIM C$(30)
130 INPUT"
                                                                                                                                                              70 DIM A$ (30)
                                                                                                                                                                                                                                         100 DIMB$ (40)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             310!%$C#10F2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       290 M1=L*12
                                                                                                                                                                                                                  106
```

```
1140:"TAX SAVINGS OVER DESIRED TIME",W*B7
1150 R7=(P4*(1+16/100)^M5)-P4+(W*B7)/(P4*D/100)-C2+C1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          210INPUT"DO YOU WANT ANOTHER PERIOD Y(1) OR N(2)",O
                                                                                                                                                                                                            990!"GROWTH = ",E6+(C2)*12+T5," 1ST YR"
1000!"SELECT OTHER PERIOD FOR RETURN ON INVESTMENT"
1010INPUT"HOW MANY YEARS?",M5
                                                                                                                                                                                                                                                                                                                                                                                                               =",V4-(P4-J2)
=*********************************
                                                                                                                                               970:"RETURN ON INVESTMENT=", ((E6+12*(C2)+T5)/
                                                                                                                                                                                                                                                                                                                                                                                                .080!"PROPERTY VALUE AFTER DESIRED TIME=", V4
                  910INPUT"ANNUAL PROPERTY INFLATION(8) ",16
                                                                                                                                                                                                                                                                                                                                                                                                                                     1100 W= (C3+J1+C1) + (D1+T+(I3+M2-R)*12) *M5
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            1190!"RETURN ON INVESTMENT OVER PERIOD="
                                                                                                                                                                                                                                                                                                                                                       =", 32
                                          920 D6=(D*P4/100)+C1+(C*P4/100)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             ((E6+C8+T5)/(D6))*100," %"
                                                                                                                                                                                                                                                                                                                                  V4=((1+16/100)^M5)*P4
                                                                                                                                                                                                                                                                                                                                                        1060! "TOTAL PRINCIPLE PAID
                                                                                 940 V4=((1+16/100) *M5) *P4
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  1120 D6= ((D+C) *P4/100)+C1
                                                                                                                                                                  (D6))*100,"% 1ST YR"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                220 IF 0=1 THEN 1000
                                                                                                                                                                                                                                                                                                                                                                                                                 1090!" EQUITY GROWTH
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    FOR J=1 TO Y4
                                                                                                                                                                                                                                                                                                                                                                                                                                                               E6= (V4-P4+J2)
                                                                                                       950 E6=(V4-P4+J2)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  1160 C8= (R-X) *Y4
                                                                                                                                                                                                                                                                                                                 1040 GOSUB 1240
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        1200!%$C#13F2
                                                                                                                                                                                                                                                                        1020 Y4=M5*12
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      1130 B7=B/100
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      J1=J1+I2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           J2=J2+P1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         I2=I1*F
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             P1=P-12
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               J3=J3+P
                                                                                                                                                                                        980!%$C#11F2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      1170 T5=W*B7
                                                                                                                                                                                                                                                                                            1030 F=F+J2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  F=F-P1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       RETURN
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          31=0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                J3=0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           32=0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    230 END
                                                                930 M5=1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           118018#
                                                                                                                            #8:096
                                                                                                                                                                                                                                                                                                                                                                             0701
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             250
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       1230
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            290
                                                                                                                                                                                                                                                                                                                                     050
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                1250
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     1310
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                300
```

Tracking Costs in a Service Business

BY CLINT HENTZ.

When operating a small business which sells a service, you should know if the cost to render the service is in line with the price quoted to the customer. The following program, written for TRS-80 Level II, can guide you when experimenting with these figures.

One version of the listed program is working very well in an upholstering shop doing about \$400,000 per year and is also working in a major appliance and TV repair shop, where it keeps track of service contract costs by manufacture and years of customer contract ownership. With imagination you can alter the program to fit other applications such as an automobile repair shop, custom drapery shop, carpet installation service or similar types of businesses.

There are two things to do before you experiment with the program. First, obtain or determine the hourly cost to operate the business. While the hourly method is not the most professional procedure to adopt, it will be interesting to see how close the figures come out by using the hourly rate. The ratemust be factual and your employees' time on the job properly recorded.

Next, divide the work you're tracking into primary items and variations of the primary item. Chairs, sofas, hidabeds and loveseats are examples of primary items in a reupholstering shop. Tufting, nail head trim, skirts and cushions are variations of primary items.

For demonstration purposes, the listed program and related data cover only three employees, six days, three primary items and a total of seven variation items. Of course, each of the items can be changed to fit your needs by following the suggestions provided later in the article.

Data for the program can be taken directly from work tickets. You should have all the required information in a specific location and sequence on the work ticket to reduce errors when entering the information into the computer. The only information not on current work tickets would be your classification of the primary and variation numbers

A program menu gives a preview of the available reports. Report number one prints out a very detailed report of the data and requires the most time to run. Report number two gives the retail dollars completed on each specific day. The program allows the days covered in the report to be described as a working day or a non working day, such as a Sunday or a specific holiday. Report number three gives you information relative to direct labor workers. Number four is not a report but assists in locating a problem when an error occurs due to the wrong number of READs for DATA entries. I've noticed that it's easy to omit a data item or to forget a comma between entries. I suggest you run number four before any of the other reports. Number five prints out all of the labor items, along with the revised cost, which exceeded the figures on the list from which the work was priced. Report five could be changed to print out labor items which were a given percentage under the price list, thereby allowing those items to be used for a special sale.

I realize the listed program may not be the most efficient one possible. No doubt others could write a more sophisticated version. But I consider it more important to have a program work and produce desired information than to worry about program sophistication.

Suggestions

The following information, relative to the demonstration program, points out lines you'll need to change to meet your needs:

Line	20 —	Number 91-97 indicates days covered. 91 was Sunday April 1. 97 was Saturday April 7. These numbers can be taken from a small desk type calendar or can be determined from a regular calendar by using January 1 as
		number 1 through
		December 31 as
		number 365

Line 160 -	- Number of primary
	items. Change the
	number 3 to meet
	your needs.

Line 170 —	C=1	indicate	s pri-		
	mary	item n	umber		
	one.				
	J=2,	with	two		
	variat	ions.			

			variations.
Line	180	_	C=2, primary item
			number
			J1=3, with three
			variations.
			These must corre-
			spond to numbers
			in line 480 to 540.
ALCOHOLD IN	100000		

	in line 480 to 540.
Lines 240 - 50 60	Description of primary items.
Line 340 —	H=20.00. The 20.00 is the hourly rate used in the program. You must establish your own rate.

Line 350 — # is the format symbol for numbers, % for strings, for TRS- 80. Check your computer for correct format. Line 480 — U=390 is the retail labor price for primary item number one, variation number one. L=13 is the amount of material. 13 is the yards of material to be sold for primary item one, variation number one.

Line 740 — Days covered.

Must be days covered in data entries.

Line 770 — B5=91 if Sunday April 1. Change to proper day. If report was for December, the 25th could have Christmas printed on the report. The 25th is day number 359. The line would read IF B5=359 PRINT "CHRIST-MAS".

Line 950 — 3 indicates three employees. No problem to change this figure.

Line 1190 — 7 adds up to total of J1 numbers in lines 170, 180 and 190.

Line 1340

460 LPRINT USING H\$; (H*V)/X, Q/X, ((H*V)+Q)/X, G1/X

— 1=Primary number 1=Variation number 10.5=Direct labor hours 16.75=Total labor hours 12.5=Yards of material used 8.75=Price per unit (yard) at cost 590=Retail selling price on salespersons sheet 96=Day work was completed 1=Worker identification number R = Salesperson's initial Johnston=Customer's last name

Line 1470 — Sentinel to avoid out of data error.

When running report number one, set the tape cassette to record. When running report number five, rewind tape and set cassette to play position.

```
10 PRINT"TYPE IN DATE OF THIS REPORT & DAYS COVERED"
20 PRINT" EXAMPLE
                    JUNE 15 1979 91 -97"
30 INPUT D$
40 LPRINT"DATE & DAYS COVERED BY THIS REPORT
                                                   "; D$
50 LPRINT" ":LPRINT"
                                                                  Program
60 PRINT"
                       1. PRODUCTION INFORMATION"
70 PRINT"
                        2. PRODUCTION $ PER DAY"
80 PRINT"
                       3. WORKERS PRODUCTION "
                                                                  Listing
90 PRINT"
                        4. DATA ENTRY CHECK"
100 PRINT"
                         5. VERIFICATION OF LABOR/YARDAGE"
110 PRINT: PRINT
120 INPUT"
                           TYPE IN SELECTION #"; 09
130 ON 09 GOTO 140 ,730 ,930 ,1270 ,1150
140 REM C= NUMBER OF PRIMARY ITEMS
150 REM J1=NUMBER VARIATIONS
160 FOR C= 1 TO 3
170 IF C = 1 THEN J1 =2
180 IF C = 2 THEN J1 = 3
190 IF C = 3 THEN J1 = 2
200 FOR J= 1 TO J1
210 LPRINT" ": LPRINT" "
220 LPRINT"- - -
230 LPRINT" "
240 IF C= 1 LPRINT"SOFA";
250 IF C= 2 LPRINT"CHAIR";
260 IF C= 3 LPRINT"LOVESEAT";
270 LPRINT" ( CLASS"; J; ")"
280 X=0:T=0:W=0:Q=0:G=0:G1=0:Y=0:T2=0
290 LPRINT "GROUP CLASS UPH
                                TOTAL YARDS PRICE Y*P
                                                               SOLD
                                                                        CUSTOMER
                                                                                     DAY UPH #"
300 READ I. G. T. T1, Y. Y1, R. D. U. 5$, C$
310 IF I=-1 GOTO 390
320 IF (I=C) AND (J=G) THEN 340
330 GOTO 300
340 X=X+1:T2=T2+T:Y=Y+1:H=20.00:V=V+T1:I7=I7+T1
350 B$="## % % ## ###. # ###. # ###. # ###. ## ####. ##
                                                                             % ###
360 W=W+Y:Q=Q+(Y*Y1):G1=G1+R
370 LPRINT USING B$; I, S$, G, T, T2, Y, Y1, Y*Y1, R, C$, D, U
380 GOTO 300
390 GOTO 400
400 LPRINT"- -
410 L$ ="###
                    ####. # ####. # ####. ##
420 LPRINT USING L$; X, T2, V, W, Q, G1
430 IF T2=0 LPRINT" ** NO ACTIVITY THIS CLASS **":GOTO 700
450 H$="AVG LABR/COST ####. ## + YDS $ OF ###. ## = ####. ## RETAIL OF ####. ##"
```

Program Listing continued

```
470 REM U= CURRENT PRICE LIST LABOR & L=CURRENT YARDAGE OR MATERIAL LIST"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                           SOLD ##. # DIFFERENCE OF ##. #"
                                                                                                                                                                                                                                                                                            578 K$="RETAIL LABOR * #### ## DIFFERENCE OF #### ## "
580 IF<<H*V>/X>>U LPRINT" *** MARNING CHECK LABOR PRICE NEXT LINE ***"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              ₹.
                                                                                                                                                                                                                                                                                                                                                                                                               610 REM: PRINT#-1 INDICRTES DATA TO CASSETTE NUMBER ONE 620 IF A55U PRINT#-1, C, J, X, A5 ELSE PRINT#-1, C, J, X, P 630 04="RVERGE VDS CONSUMED ##, # . SOLD ##, # DIF 640 LPRINT USING 04; M/X, L, (M/X)-L 650 A4=W/X
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          LPRINT" REPORT # 2 .. DOLLARS PRODUCED PER DAY"
                                                                                                                                                                                                                                        550 Y*="DIFFERENCE OF #### ## OVER TOTAL COST"
560 LPRINT USINGY$; (G1/X)-((H*V)+Q)/X
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            LPRINT USING L14; T2/X: LPRINT USING L24; V/X
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            READ Q5, W5, R5, K7, T5, Y5, U5, I5, H4, Z$, Z9$
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  660 IF 84 > L PRINT#-1, 84 ELSE PRINT#-1, P
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               900 K6$=" ### $####. ## ###. ### HOURS"
910 LPRINT USING K6$; X5, H5, V5
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 Z5=Z5+1:N5=N5+U5:X5=X5+1:V5=V5+R5
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          870 LPRINT USING K54; Z5, U5, R5, Z4, Z94
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            678 L1$="AVERAGE UPH HOURS ### ##"
688 L2$="RVERAGE TOTAL HRS ### ##"
690 LPRINT USING L1$; T2/X:LPRINT USIN
780 RESTORE:NEXT J: NEXT C
                                                                                       500 IF (C=2)AND(J=1)THEN U=238;L=6
510 IF (C=2)AND(J=2)THEN U=275;L=8
520 IF (C=2)AND(J=3)THEN U=300;L=10
530 IF (C=3)AND(J=1)THEN U=330;L=12
                                  480 IF (C=1) RND(J=1) THEN U=390: L=13
                                                           490 IF (C=1)RND(J=2)THEN U=395:L=16
                                                                                                                                                                                                          540 IF (C=3) RND(J=2) THEN U=340:L=14
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           IF B5=91 LPRINT"SUNDAY"
IF B5=92 LPRINT "SHOP CLOSED"
                                                                                                                                                                                                                                                                                                                                                        590 LPRINT USING K4; U, U-(H*V)/X; 600 P=0;R5=H*V/X
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    790 IF B5=97 LPRINT"SATURDAY"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    X5=8:N5=8:H5=8:25=8
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         820 IF IS=-1 GOTO 890
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        880 H5=H5+U5:G0T0 810
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         830 IF 15=85 GOTO 850
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 750 V5=0:LPRINT"----760 LPRINT" DAY "; B5
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        FOR B5=91 TO 97
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 710 PRINT:PRINT
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     GOTO 818
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 890 LPRINT"--
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 728 END
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                846
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    800
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           810
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           288
```

Sample Run

	#								
	# Han	1	2						
	PRY	98	94	1					
				-					
	CUSTOMER	JOHNSTON	TOWNSEND	1 1 1 1 1 1 1	AVG. LABR/COST 352.50 + VDS \$ 0F 124.63 = 474.13 RETAIL OF 562.50 DIFFERENCE OF 88.38 OVER TOTAL COST		9.6		
	SOLD	590.00		1125.00	3 RETAIL C		SOLD 13.0 DIFFERENCE OF 0.6		
	d*h 3	13.5 8.8 118.13	125.13	243, 25	= 474.1	37.50	3. 0 DIFF		
	PRIC	8 8	9.1	QUA.	21. 63.	PP .	LD 1:		
	YARDS	13.5	13.8	27.25	\$ OF 1	ERENCE			
	TOTAL	10.5	21.8	24.8 35.3 27.25	50 + YDS 38 OVER T	390.00 DIFFERENCE OF 37.50	13.6	10.88	17.63
(1)	UPH	10.5	11.3	21.8	352.8	396.	NSUME	URS .	HRS
(CLRSS	GROUP CLASS UPH	1	1	1 1 1	BR/COST ENCE OF	RETRIL LABOR	AVERAGE YDS CONSUMED	IVERRGE UPH HOURS 10.88	HERRGE TOTAL HRS
SOFR	GROUP	1 R	1 E	2 - 2	AVG. LA DIFFER	RETRIL	RVERAG	RVERAG	RVERAG

	Hen	M	7	2									
	曼	8	96	38	1 1								
	CUSTOMER	SMITH	KEHL	KIMES			: 618.33				1.8		
	SOLD		520.00			1855.00	RVG LABR/COST 358.33 + VDS \$ OF 122.48 = 480.81 RETRIL OF 618.33				SOLD 14.0 DIFFERENCE OF 1.8		
	SICE Y*P	3 123.25	0 123.23	14.8 8.2 120.95		367. 43	18 = 480.8		INE ***	-18.33	14. 0 DIFF		
	YARDS PR	17. 8 7.	15.5 8.	14.8 8.	1 1 1 1 1	47.25	\$ OF 122.	137. 52 OVER TOTAL COST	*** MARNING CHECK LABOR PRICE NEXT LINE ***	340: 00 DIFFERENCE OF -18. 33			
	TOTAL	14.0	29.8	43.5	1 1 1 1	43.5 53.8 47.25	33 + YDS	52 OVER '	LABOR PR	BB DIF	0 15.8	14.50	17.92.
CLASS	HAN	14.0	15.0	14.5	1 1 1	43.5	358.	137.	CHECK		ONSUME	OURS	HRS
OVESERT (CLRSS 2)	SROUP CLASS UPH	2	2	2	1 1 1 1		RR/COST	IFFERENCE OF	MARNING	RETAIL LABOR	RVERAGE YDS CONSUMED	RVERAGE UPH HOURS 14, 50	PVERAGE TOTAL HRS 17.92.
LOVESI	GROUP	3 8	3 8	M E	1 1 1	M	RVG LI	DIFFE	***	RETAIL	RVERA	AVERA	RVERA

REPORT # 2 .. DOLLARS PRODUCED PER DAY

	JRS I	
	8. 88 HOURS	
	0.00	
22	*	8
DRY 91 SUNDRY	8	DAY

SHOP CLOSED

930 LPRINT" REPORT # 3 EMPLOYEE PRODUCTION "

920 RESTORE: NEXT: END

REM. J6= NUMBER OF EMPLOYEES

```
REPORT # 5 VERIFICATION OF LABOR/MATERIAL
                                                                                                                                                                                                                                                                                                                                                                                                                                 REPORT # 3 EMPLOYEE PRODUCTION
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   VARIATION
                                                                                                                                                                                                                          3 $ 1888.88
                                                                                                                                                     696.00
                                                                                                                                                                            520.00
                                                                                                                                   590.00
                                                                                                                                                                                                                                                                                                                                        * 0
               * 0
                                                                                                                                                                                                                                                                    DRY 97
                                                                                                                                                                                                                                                                                           SATURDAY
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     TEM
                                                                                                              DRY
DRY
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  ₹.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              = 2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    NEW MATERIAL"
                                                                                                                                                            CUSTOMER"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       1200 REM INPUT#-1 INDICATES DATH IN FROM CASSETTE NUMPTR ONE
                                                                                                                                                                                                                                                                                                                                                                                                                                                      1150 LPRINT" REPORT # 5 VERIFICATION OF LABOR/MATERIAL"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          DATR 1, 1, 11, 25, 18, 5, 12, 75, 9, 18, 535, 94, 2, E, TOWNSEND
                                                                                                                                                                                                                                                                                                                                                                                                             ", S4, T4, S4/T4
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 DRTR 1, 2, 15, 5, 21, 75, 12, 5, 18, 58, 758, 95, 2, E, ROBERTS
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         DATA 1, 1, 10, 5, 16, 75, 12, 5, 8, 75, 590, 96, 1, R, JOHNSTON
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 DATR 1, 2, 13, 75, 28, 12, 5, 8, 58, 698, 96, 3, E, WILKERSON
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   DATH 3, 2, 14, 5, 18, 5, 13, 75, 8, 20, 590, 95, 2, E, KIMES
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     DATR 1, 2, 14, 25, 28, 25, 13, 8, 9, 98, 738, 94, 1, E. KING
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            DRTR 1, 2, 12, 5, 18, 5, 13, 5, 18, 56, 795, 93, 3, E, MRSON
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       DRTR 1, 2, 15, 75, 26, 25, 11, 4, 75, 595, 95, 1, D, HINTON
                                                                                                                                                        1020 LPRINT" ITEMS $ PRODUCED HRS RVG $ HR.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  1170 LPRINT" ITEM VARIATION ACTIVITY NEW COST
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            DRTR 2, 2, 7, 5, 12, 5, 5, 8, 78, 356, 93, 3, R, SWEENEY
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         DRTR 2, 1, 8, 15, 25, 8, 4, 46, 329, 95, 1, D, MORELRND
                                                                                                                                                                                                                                                                                           K8$=" #### % % ##### ## ##### ## #### ##
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 DRTR 3, 2, 15, 17, 25, 14, 5, 7, 95, 528, 96, 1, R, KEHL
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         #####
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                DATA 2, 1, 15, 26, 17, 9, 50, 700, 93, 2, E, FISHER
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     DRTR 3, 2, 14, 18, 16, 7, 25, 745, 94, 3, R, SMITH
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       1310 LPRINT USING M$; R, B, C, D, E, F, G, H, I, S$, B$
                                                                                                                                                                             1030 READ R4, B4, C4, H7, D4, E4, F4, G4, H4, Z$, Z9$
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        1100 LPRINT USING K8$; X4, Z$, F4, C4, F4/C4, Z9$
                                                                                                                                                                                                                                                                                                                                                                                                           1130 LPRINT" ": LPRINT USING K8$; X4, "
                                                                                                              ID # 2"
                                                                                                                                 ID # 3"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         ####
                                                                                      ID # 1"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       RERD R. B. C. D. E. F. G. H. I. R$, B$
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              IF (R=3) RND(B=2) THEN 1260
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         1230 LPRINT USING B$; R. B. C. D. E
                                                                                                                                   JF J6=3 LPRINT"ROBERT
                                                                                                          1000 IF J6=2 LPRINT"JAMES
                                                                 DATA FOR ";
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              1270 LPRINT"DATA ... READ
                                                               980 LPRINT" DATA FOR ";
990 IF J6=1 LPRINT"BARRY
                                                                                                                                                                                                                                                                                                                                                                                                                               1140 RESTORE: NEXTJ6: END
                                                                                                                                                                                                    IF H4=-1:G0T0 1128
                                                                                                                                                                                                                            IF H4=J6 G0T0 1070
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             1210 INPUT#-1, R, B, C, D
                                                                                                                                                                                                                                                                                                                                                                                  IF T4=0 G0T0 1140
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           IF R=-1 GOTO 1338
                                                                                                                                                                                                                                                                        1878 X4=X4+1:S4=S4+F4
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             1190 FOR I= 1 TO 7
950 FOR J6= 1 TO 3
960 X4=0:54=0:T4=0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  INPUT#-1, E
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         1180 B$= " ##
                                            970 LPRINT" "
                                                                                                                                                                                                                                                   GOTO 1838
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            1328 GOTO 1288
                                                                                                                                                                                                                                                                                                                                                               GOTO 1030
                                                                                                                                                                                                                                                                                                                    T4=T4+C4
                                                                                                                                                                                                                                                                                                                                                                                                                                                                             1160 LPRINT"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     NEXT I
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             1240
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  1280
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  1330 1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        1420
                                                                                                                                   1010
                                                                                                                                                                                                    1040
                                                                                                                                                                                                                        1050
                                                                                                                                                                                                                                                 1969 (
                                                                                                                                                                                                                                                                                           1080
                                                                                                                                                                                                                                                                                                                    1898
                                                                                                                                                                                                                                                                                                                                                               1118
                                                                                                                                                                                                                                                                                                                                                                                  1120
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                1220
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    1250
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         1290
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              1350
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     1360
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         1370
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 1380
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       1390
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     1410
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 1430
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   1448
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           1260
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            1400
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            1450
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   1460
```

		JOHNSTON FISHER	
CUSTOMER JOHNSTON MORELAND HINTON KING KEHL	WILKERSON	596.66 96 1 786.60 93 2 JUNE 15 1979	
74 H 26.19 37.78 34.67	53.68 18 74.16	8. 75 9. 56 EPORT	TOO MOTE
1D # 1 HRS RVG 10.50 8.00 15.75 14.25 15.00	12.58 57.75 57.75	12.56 17.66 34. THIS R	01.10
DHTH FOR BARRY ID # 1 ITEMS \$ PRODUCED HRS RVG 2 D 329.00 8.00 3 D 595.00 15.75 4 E 730.00 15.00 5 R 520.00 15.00	6596.00 795.00 2586.00	1 1 18.50 16.75 12.50 8. 2 1 15.00 26.00 17.00 9. DATE & DAYS COVERED BY THIS REPORT	POTULITOR GOOD I TO HOTTOCTHERIN S H TOOMS
DBTR FOR BY 11EMS # PP 12 2 D 33 D 53 D 53 D 55 PP 15	шш	1 18.50 1 15.00 1 15.00	2 # TOO
0817 11E 2 2 3 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	W 4 4	DATA	

WILKERSON JOHNSTON

16.56 13.75 15.66

39, 25 HOURS

8. 88 HOURS

99

0

8. 88 HOURS

90

0

NEW MATERIAL

NEW COST


ACTIVITY

0.0 13.5 0.0 15.8

427, 96 412, 56 6, 96 358, 33

BOHM

Coin Collecting



While the basic items of information about coins remains constant between collectors, differences do occur in data use. To satisfy the various needs of coin collectors two major factors were considered in the design and development of the programs. First, the programs had to retrieve selected items/ coin identifiers from the collector's files; and second, the programs had to be written in an easy-to-read/easy-to-modify form, for simplicity in personalizing the programs for the individual's use.

Two versions of the program are provided for both serious

Reprinted with permission from BASIC Computer Programs for the Home, by Charles Sternberg, Hayden Book Company, Inc., 50 Essex Street, Rochelle Park, NJ 07662; \$7.95.

modification of both logic and input or output format.

Version one offers the user a personal "curator" for the collection. The program accepts individual items as DATA statements and then prints all, or selected, items based upon keyboard responses. Data items included for the collection's contents are coin date, denomination, mint, coin type, number minted and condition of the coin.

Version two maintains information concerning the investment value and potential of individual items in the collection. The program accepts the items from DATA statements and prints all, or selected, categories of items. If desired, a total cost and value summarization is computed and printed for the coins. Data items provided for each are coin data, denomination, mint, coin type, number minted, purchase data, quantity, purchase cost and current value.

Program Listing - Version One

```
COIN COLLECTION PROGRAM
20 REM
        ************** DATA INITIALIZATION
30 REM
                                              *******
40 M=1000
50 REM **********FROCESSING STARTS
                                       *********
60 PRINT "SHALL I PRINT ALL OF THE ENTRIES ( Y OR N )?"
70 INFUT A$
80 IF A$<>"Y" THEN 230
       ********** PRINT ROUTINE FOR "ALL" ENTRIES *******
90 REM
100 PRINT
110 PRINT
120 PRINT
130 PRINT "DATE"; TAB(8); "SIZE"; TAB(14); "MINT"; TAB(22); "TYPE"; TAB(36);
140 FRINT "NBR (MIL)"; TAB(47); "CONDITION"
150 PRINT "----";TAB(8);"----";TAB(14);"----";TAB(20);"-----------
160 FRINT TAB(36); "-----"; TAB(47); "-----"
170 FOR I = 1 TO M
180
    READ DS
190
     IF D$="END" THEN 990
    READ S$,M$,T$,N,C$
200
    PRINT D$; TAB(8); S$; TAB(15); M$; TAB(20); T$; TAB(36); N; TAB(47); C$
210
220 NEXT I
230 PRINT *WHAT SHALL I SEARCH FOR: DATE(D), DENOMINATION SIZE (S)*
240 PRINT .
                                   MINT (M), OR TYPE (T)?"
250 INPUT A$
260 IF A$="T" THEN 820
270 IF A$= "S" THEN 460
280 IF A$= "M" THEN 640
         ******** DATE SEARCH AND FRINT
                                             *******
300 PRINT "ENTER THE DATE TO SEARCH FOR"
310 INPUT X$
320 PRINT
330 PRINT
340 PRINT " ";X$;TAB(8);"SIZE";TAB(14);"MINT";TAB(22);"TYPE";
350 FRINT TAB(36); "NBR (MIL)"; TAB(47); "CONDITION"
360 FRINT TAB(8); "----"; TAB(14); "----"; TAB(20); "------";
370 PRINT TAB(36); "----"; TAB(47); "----"
380 FOR I = 1 TO M
390
    READ D$
     IF D$="END" THEN 990
    READ S$,M$,T$,N,C$
410
420
     IF D$ > X$ THEN 440
     PRINT TAB(8);5$;TAB(15);M$;TAB(20);T$;TAB(36);N;TAB(47);C$
430
440 NEXT I
450 GOTO 990
          *****
                    DENOMINATION SIZE SEARCH AND FRINT *******
460 REM
470 PRINT "ENTER THE DENOMINATION SIZE TO SEARCH FOR"
480 INFUT X$
490 PRINT
500 PRINT
510 PRINT
520 PRINT " ";X$;TAB(8);"DATE";TAB(14);"MINT";TAB(22);"TYPE";
530 FRINT TAB(36); "NBR (MIL)"; TAB(47); "CONDITION"
540 PRINT TAB(8); ---- ; TAB(14); ---- ; TAB(20); ------;
550 PRINT TAB(36); "-----"; TAB(47); "-----"
560 FOR I = 1 TO M
570
     READ DS
     IF D$="END" THEN 990
     READ S$,M$,T$,N,C$
590
     IF
        S$<> X$ THEN 620
600
     PRINT TAB(8); D$; TAB(15); M$; TAB(20); T$; TAB(36); N; TAB(45); C$
610
620 NEXT I
630 GOTO 990
          ******** MINT SEARCH AND FRINT ***********
640 REM
650 PRINT "ENTER THE MINT TO SEARCH FOR"
660 INPUT X$
670 FRINT
680 FRINT
```

```
690 PRINT
700 PRINT " ";X$;TAB(8); "DATE";TAB(15); "SIZE";TAB(22); "TYPE";
710 PRINT TAB(36); "NBR (MIL)"; TAB(47); "CONDITION"
720 PRINT TAB(8); "----"; TAB(15); "----"; TAB(20); "-----";
730 FRINT TAB(36); "-----"; TAB(47); "-----"
740 FOR I = 1 TO M
      READ D$
750
      IF D$ = "END" THEN 990
760
770
      READ S$,M$,T$,N,C$
      IF M$ > X$ THEN 800
780
      FRINT TAB(8);D$;TAB(15);S$;TAB(20);T$;TAB(36);N;TAB(47);C$
790
800 NEXT I
810 GOTO 990
          820 REM
                                               ******
830 PRINT "ENTER THE TYPE TO SEARCH FOR"
840 INFUT X$
850 PRINT
860 PRINT
870 FRINT
880 PRINT " ";X$;TAB(16); "DATE";TAB(24); "SIZE";TAB(31); "MINT";
890 PRINT TAB(36); "NBR (MIL)"; TAB(47); "CONDITION"
900 PRINT TAB(16); "----"; TAB(24); "----"TAB(31); "----"; TAB(36);
910 PRINT "-----"; TAB(47); "-----"
920 FOR I = 1 TO M
      READ D$
930
      IF D$="END" THEN 990
940
      READ S$,M$,T$,N,C$
950
960
      IF T$ > X$ THEN 980
970
      PRINT TAB(16);D$;TAB(24);S$;TAB(32);M$;TAB(36);N;TAB(45);C$
980 NEXT I
         ****** PROGRAM TERMINATION POINT *********
990 REM
1000 PRINT
1010 PRINT
1020 STOP
1030 REM
           *******
                          DATA ENTRIES FOLLOW
                                                   ******
```

Symbol Table - Version One

NAME	DESCRIPTION
м	MAXIMUM NUMBER OF DATA READS
D\$	DATE OF COIN
S\$	SIZE (DENOMINATION) OF COIN
M\$	MINT OF COIN
T\$	COIN TYPE
N	NBR MINTED (MILLIONS)
C\$	COIN CONDITION
X\$	ITEM TO SEARCH FOR
FL	UNCTIONS USED
NAME	DESCRIPTION
	FORMATS PRINT LINES






Sample Data - Version One

1040 DATA 1947,.25,D,FRANKLIN,10.00,VF
1050 DATA 1944,.05,S,SILVER,22.00,PROOF
1060 DATA 1965,.10,D,FLAW,114.1,F
1070 DATA 1978,M,S,PROOF SET,3.2,PROOF
1080 DATA 1979,M,P,MINT SET,4.50,UNC
1090 DATA 1945,.05,D,SILVER,16.47,VF
1100 DATA 1907,.01,S,,.35,G
1110 DATA 1901,.01,INDIAN,.86,G
1120 DATA 1865,1.00,CC,,65.17,G
1130 DATA 1945,.25,S,FRANKLIN,8.89,F
1140 DATA END

Sample Output - Version One

SHALL I FRINT ALL OF THE ENTRIES (Y OR N)? ? Y

DATE	SIZE	MINT	TYPE	NBR (MIL)	CONDITION
1947	.25	D	FRANKLIN	10	VF
1944	.05	S	SILVER	22	PROOF
1965	.10	D	FLAW	114.1	F
1978	M	S	PROOF SET	3.2	PROOF
1979	M	P	MINT SET	4.5	UNC
1945	.05	D	SILVER	16.47	VF
1907	.01	S		•35	G
1901	.01		INDIAN	.86	G
1865	1.00	CC		65.17	G /
1945	.25	S	FRANKLIN	8.89	F



RUN SHALL I PRINT ALL OF THE ENTRIES (Y ÓR N)? ? N

WHAT SHALL I SEARCH FOR: DATE(D), DENOMINATION SIZE (S) MINT (M), OR TYPE (T)?

? S ENTER THE DENOMINATION SIZE TO SEARCH FOR ? M



M	DATE MINT		TYPE	NBR (MIL)	CONDITION
	1978	S	PROOF SET	3.2	PROOF
	1979	P	MINT SET	4.5	UNC

Program Listing - Version Two

```
COIN INVESTMENT RECORD PROGRAM
20 REM
                        DATA INITIALIZATION
30 REM
         ********
40 M=1000
50 REM ***********PROCESSING STARTS ********************
60 PRINT "SHALL I PRINT ALL OF THE ENTRIES ( Y OR N )?"
70 INPUT A$
80 PRINT "SHALL I PRODUCE TOTAL COSTS/VALUES FOR YOU (Y OR N )?"
90 INPUT A1$
100 IF A$<>"Y" THEN 310
        ********* PRINT ROUTINE FOR "ALL" ENTRIES *******
110 REM
120 PRINT
130 PRINT
140 FRINT
150 PRINT "DATE"; TAB(8); "SIZE"; TAB(14); "COND"; TAB(22); "TYPE"; TAB(34);
160 PRINT "NBR (MIL)"; TAB(47); "PRCH"; TAB(53); "QTY"; TAB(59); "COST";
170 PRINT TAB(64); "VALUE"
180 PRINT "----";TAB(8);"----";TAB(14);"----";TAB(20);"------";
190 PRINT TAB(34); "-----"; TAB(45); "-----"; TAB(53); "---";
200 PRINT TAB(59); "----"; TAB(64); "----"
210 FOR I = 1 TO M
220
     READ D$
230
     IF D$="END" THEN 1310
     READ S$,M$,T$,N,C$,F$,Q,C,V
240
250
     PRINT D$;M$;TAB(8);S$;TAB(15);C$;TAB(20);T$;TAB(36);N;TAB(44);
260
     PRINT P$; TAB(53); Q; TAB(58); C; TAB(64); V
270
     IF A1$ (> "Y" THEN 300
      C1=C1+(C*Q)
280
290
     V1=V1+(V*Q)
300 NEXT I
310 FRINT *WHAT SHALL I SEARCH FOR: DATE(D), DENOMINATION SIZE (S)*
```

```
MINT (M), OR TYPE (T)?"
320 PRINT *
330 INPUT A$
340 IF A$="T" THEN 1080
350 IF A$= "S" THEN 600
360 IF A$="M" THEN 840
         ******* DATE SEARCH AND PRINT ***********
380 FRINT "ENTER THE DATE TO SEARCH FOR"
390 INFUT X$
400 FRINT
410 FRINT
420 PRINT " ";X$;TAB(8);"SIZE";TAB(14);"COND";TAB(22);"TYPE";TAB(34);
430 PRINT "NBR (MIL)"; TAB(47); "PRCH"; TAB(53); "QTY"; TAB(59); "COST";
440 FRINT TAB(64); "VALUE"
450 PRINT TAB(8); "----"; TAB(14); "----"; TAB(20); "------";
460 PRINT TAB(34); "------; TAB(45); "-----; TAB(53); "---";
470 PRINT TAB(59); "----"; TAB(64); "----"
480 FOR I = 1 TO M.
      READ D$
490
      IF D$="END" THEN 1310
500
      READ S$,M$,T$,N,C$,F$,Q,C,V
510
520
      IF D$<> X$ THEN 580
530
      PRINT TAB(5)M$;TAB(8);S$;TAB(15);C$;TAB(20);T$;TAB(36);N;TAB(44);
      PRINT P$; TAB(53); Q; TAB(58); C; TAB(64); V
540
     IF A1$ <> "Y" THEN 580
550
560
      C1=C1+(C*Q)
570
     V1=V1+(V*Q)
580 NEXT I
590 GOTO 1310
           ****** DENOMINATION SIZE SEARCH AND PRINT
600 REM
610 FRINT "ENTER THE DENOMINATION SIZE TO SEARCH FOR"
620 INPUT X$
630 PRINT
640 FRINT
650 PRINT
660 PRINT * *;X$;TAB(8); DATE *;TAB(14); COND *;TAB(22); TYPE *;TAB(34);
670 PRINT "NBR (MIL)";TAB(47);"PRCH";TAB(53);"QTY";TAB(59);"COST";
680 FRINT TAB(64); "VALUE"
690 PRINT TAB(8); "----"; TAB(14); "----"; TAB(20); "------";
700 PRINT TAB(34); "------; TAB(45); "-----; TAB(53); "---;
710 PRINT TAB(59); "----"; TAB(64); "----"
720 FOR I = 1 TO M
     READ D$
730
     IF D$="END" THEN 1310
740
750 READ S$,M$,T$,N,C$,P$,Q,C,V
760
     IF S$<> X$ THEN 820
      PRINT TAB(8); D$; M$; TAB(15); C$; TAB(20); T$; TAB(36); N; TAB(44);
770
      PRINT P$; TAB(53); Q; TAB(58); C; TAB(64); V
780
     IF A1$ <> "Y" THEN 820
790
800
      C1=C1+(C*Q)
      V1=V1+(V*Q)
810
820 NEXT I
830 GOTO 1310
          ******
                      MINT SEARCH AND FRINT ************
840 REM
850 PRINT "ENTER THE MINT TO SEARCH FOR"
860 INPUT X$
870 FRINT
880 FRINT
890 PRINT
900 PRINT * ";X$;TAB(5); "DATE CD"; TAB(15); "SIZE"; TAB(22); "TYPE";
910 FRINT TAB(34); "NBR (MIL)"; TAB(47); "PRCH"; TAB(53); "QTY"; TAB(59);
920 FRINT "COST"; TAB(64); "VALUE"
930 PRINT TAB(5); "---- --"; TAB(15); "----"; TAB(20); "-----";
940 FRINT TAB(34); "-----; TAB(45); "-----; ; TAB(53); "---";
950 FRINT TAB(59); "----"; TAB(64); "----"
960 FOR I = 1 TO M
970
      READ D$
980
      IF D$ = "END" THEN 1310
990
      READ S$,M$,T$,N,C$,F$,Q,C,V
1000
      IF M$<> X$ THEN 1060
       PRINT TAB(5); D$; TAB(10); C$TAB(15); S$; TAB(20); T$; TAB(36); N;
1010
1020
       PRINT TAB(44); P$; TAB(53); Q; TAB(58); C; TAB(64); V
      IF A1$ > "Y" THEN 1060
1030
```

```
1040
      C1=C1+(C*Q)
1050 V1=V1+(V*Q)
1060 NEXT I
1070 GOTO 1310
1080 REM
         1090 PRINT "ENTER THE TYPE TO SEARCH FOR"
1100 INFUT X$
1110 PRINT
1120 PRINT
1130 PRINT
1140 PRINT * ";X$;TAB(16); "DATE"; TAB(24); "SIZE"; TAB(29); "COND";
1150 PRINT TAB(34); "NBR (MIL)"; TAB(47); "PRCH"; TAB(53); "QTY"; TAB(59);
1160 PRINT "COST"; TAB(64); "VALUE"
1170 PRINT TAB(16); "----"; TAB(24); "----"TAB(29); "----"; TAB(34);
1180 PRINT "-----";TAB(45);"----";TAB(53);"---";
1190 PRINT TAB(59); "----"; TAB(64); "----"
1200 FOR I = 1 TO M
     READ DS
1210
1220
     IF D$="END" THEN 1310
1230 READ S$,M$,T$,N,C$,P$,Q,C,V
1240 IF T$<> X$ THEN 1300
      PRINT TAB(16); D$; TAB(24); S$; TAB(30); C$; TAB(34); N; TAB(44);
1250
1260
      PRINT P$; TAB(53); Q; TAB(58); C; TAB(64); V
      IF A1$ <> "Y" THEN 1300
1270
1280 C1=C1+(C*Q)
1290
     V1=V1+(V*Q)
1300 NEXT I
1310 REM ******** FROGRAM TERMINATION FOINT **********
1320 PRINT
1330 FRINT
1340 IF A1$ <> "Y" THEN 1430
1350 FRINT "*****************
1360 FRINT * TOTAL COST WAS *;C1
1370 FRINT "******************
1380 FRINT .
            TOTAL VALUE IS
                           " ; U1
1390 FRINT "*****************
1400 PRINT
1410 PRINT
1420 PRINT
1430 STOP
1440 REM
         ******** DATA ENTRIES FOLLOW ************
```

Symbol Table - Version Two

MAJOR SYMBOL TABLE - COIN INVESTMENTS T-----.. DESCRIPTION I NAME .. MAXIMUM NUMBER OF DATA READS I I .. DATE OF COIN D\$ I .. SIZE (DENOMINATION) OF COIN 5\$.. MINT OF COIN M\$.. TYPE OF COIN T\$ I .. NUMBER MINTED (MILLIONS) C\$.. CONDITION .. PURCHASE DATE P\$.. QTY OWNED I I C .. COST .. VALUE I .. TOTAL COSTS I C1 I V1 .. TOTAL VALUE .. ITEM TO SEARCH FOR I X\$

FUNCTIONS USED	т.
I NAME DESCRIPTION	I
I TAB FORMATS PRINT LINES	_I
I	I



Sample Data - Version Two

1450 DATA 1947,.25,D,WASHINGTON,10,VF,DEC 1978,1,1.50,1.50
1460 DATA 1944,.05,S,SILVER,11.1,VG,JAN 1979,50,1.50,1.75
1470 DATA 1965,.10,D,FLAW,114.1,F,FEB 1979,1,10,11.50
1480 DATA 1978,M,S,PROOF SET,3.2,PR,OCT 1978,10,7.00,17.50
1490 DATA 1978,M,S,MINT SET,4.50,BU,OCT 1978,10,4.00,14.00
1500 DATA 1945,.05,D,SILVER,16.47,VF,JUL 1978,100,.40,.55
1510 DATA 1907,.01,,INDIAN,.35,G,AUG 1979,1000,.75,.80
1520 DATA 1901,.01,,INDIAN,.86,G,SEP 1979,2000,.75,.80
1530 DATA 1875,1.00,CC,,65.17,G,SEPT 1979,1,65,75
1540 DATA 1945,.25,S,WASHINGTON,8.89,F,SEP 1979,5,1.75,2.10

Sample Output - Version Two

RUN
SHALL I PRINT ALL OF THE ENTRIES (Y OR N)?
? Y
SHALL I PRODUCE TOTAL COSTS/VALUES FOR YOU (Y OR N)?
? Y

DATE	SIZE	COND	TYPE	NBR (MIL)	PRCH	QTY	COST	VALUE
1947D	.25	VF	WASHINGTON	10	DEC 1978	1	1.5	1.5
1944S 1965D	.05	VG F	SILVER	11.1	JAN 1979 FEB 1979	50	1.5	1.75
1978S 1978S	M	PR BU	PROOF SET	3.2 4.5	OCT 1978	10	7	17.5
1945D 1907	.05	VF G	SILVER	16.47	JUL 1978 AUG 1979	100	.4	.55
1901	.01	G	INDIAN	.86	SEP 1979	2000	.75	.8
1875CC 1945S	1.00	G F	WASHINGTON	65.17 8.89	SEPT 1979 SEP 1979	5	65 1.75	75 2.1


BREAK IN 1430






RUN
SHALL I PRINT ALL OF THE ENTRIES (Y OR N)?
? N
SHALL I PRODUCE TOTAL COSTS/VALUES FOR YOU (Y OR N)?
? N
WHAT SHALL I SEARCH FOR: DATE(D), DENOMINATION SIZE (S)

? D ENTER THE DATE TO SEARCH FOR ? 1945



MINT (M), OR TYPE (T)?

BREAK IN 1430



BY LEONARD S. MAGERMAN

Play baseball when the regular season is over? You can with this compact little program written for an HP25. An accompanying flow chart shows the logic flow. Using the flow chart, the program can be converted to a T.I. or similar programmable calculator.

This is a two-player game. Each player takes a turn at bat while the other pitches. The batter has a choice of swinging or taking the pitch entered (which is automatically masked by a string of . . . 5s). The pitcher has a choice of three pitches: change up, fast or curve ball, each of which has been assigned the following probabilities:

Key	Pitch		Taken P(Strike)	Pitch Sv P(Hit) I	
1	Fast Ball	25%	75%	25%	75%
2	Curve Ball	50%	50%	50%	50%
3	Change Up	75%	25%	75%	25%

Calculations of put outs, singles, doubles, triples and home runs are based on probabilities derived from the 1972 National League statistics for those parameters. These probabilities are applied whenever a ball is "hit."

The following table lists the displays along with the probabilities associated with each parameter:

Action	Display	Probability	Storage Register
Out	0	.699	$R_4 = .699$
Single	1	.212	$R_5 = .911$
Double	11	.045	$R_6 = .956$
Triple	111	.007	$R_7 = .963$
Home Run	1111	.037	
Strike	5	Depends on Pitch	1
Ball	8	Depends on Pitch	1

Note that the probabilities in the storage registers are cumulative and can be changed to suit. In fact, for a high scoring game use the following values in registers 4, 5, 6, and 7:

$$R_4 = .4$$
; $R_5 = .7$; $R_6 = .85$; $R_7 = .90$.

To begin the play of the game, key the program into the calculator and proceed as follows:

1. Store random number seed 0 to 1 — STO0

2.	Store	random number ran	ige 4—STO1
3	Store	swing indicator	55555 ST

3. Store swing indicator	55555 — STO3	
4. Store action probabilities		Alterna
P(Out)	.699 — STO4	.40
P(Out & Single)	.911 — STO5	.70
P(Out & Single &	.956 — STO6	.85
Double)		
P(Out & Single &	.963 — STO7	.90
Double & Triple)		
5. Initialize	fFIX 0, fPI	RGM
6. Key in Pitch	1, 2 or 3 —	-R/S
	(Display show	s5s)

ate

7. Key in Swing 0 or 1 — R/S
 8. Repeat steps 6 & 7 switching batting & pitching roles after every 3 outs.


Because the program was written for the HP25, it is limited to 49 steps. However, one will find that these 49 steps have enough complexity to provide an interesting and challenging contest for two players.

Of course, with more programming steps, one can revise the game to include double plays, automatic scoring, incorrect input displays and so forth.

Baseball Program for the HP25

LINE	K E Y CODE	KEY ENTRY	COMMENTS
00			Key in pitch
01	24 01	RCL 1	
02	24 00	RCL Ø	Ran # 1 seed
03	23 51 02	STO+2	Ran # 2 = old seed
04	15 73	g Pi	Start Ran # 1 generation
05	51	+	
06	05	5 f Y^X	
Ø7 Ø8	14 Ø3 15 Ø1	g FRAC	
09	23 00	STO Ø	Store Ran # 1 seed
10	61	X	Ran # 1
11	24 03	RCL 3	Display swing indicator
12	74	R/S	Key in swing
13	21	x> <y< td=""><td>Exchange x & y</td></y<>	Exchange x & y
14	22	Roll	
15 16	15 71	g x=0 GTO 44	Mrua Maka nitah
17	13 44 22	Roll	True-Take pitch False-Swing
18	14 41	f x <y< td=""><td>raise swing</td></y<>	raise swing
19	13 47	GTO 47	True-Strike
20	24 02	RCL 2	False-Ball contact
21	15 Ø1	g FRAC	
22	24 04	RCL 4	
23	14 51	f x>=y	Maria Out
24 25	13 42 22	GTO 42 Roll	True-Out False-Single or better
26	24 05	RCL 5	raise-single of better
27	14 51	f x>=y	
28	13 40	GTO 40	True-Single
29	22	Roll	False-Double or better
30	24 06	RCL 6	
31	14 51 13 39	f x>=y GTO 39	True-Double
33	22	Roll	False-Triple or better
34	24 07	RCL 7	raise iripic or sector
35	14 51	f x >= y	
36	13 38	GTO 38	True-Triple
37	01	1	False-Display 1111=Homer
38	01	1	Display lll=Triple
39	01	1	Display 1=Double
40	01 13 00	1 GTO 00	Display 1=Single
41	00	0	Display Ø=Out
43	13 00	GTO 00	Dispin v out
44	22	Roll	
45	14 41	f x <y< td=""><td></td></y<>	
46	13 49	GTO 49	True-Ball
47	05	5	False-Display 5=Strike
48	13 00	GTO 00	Display 9-0-11
49	08	8	Display 8=Ball

"Our inventory is our existence. Think we'd trust it to anything less than Scotch Brand Diskettes?"



Don Stone, President, Mass. Auto Supply Company, Inc., Boston, Mass.

Scotch Diskettes are the diskettes you can depend upon with the information your business depends upon.


Each one is tested and certified error-free before it leaves our factory. Because we know nothing less than perfection is acceptable for your vital business data.

Scotch Diskettes are available in regular or mini sizes, compatible with almost any system.

To find out where you can purchase Scotch Diskettes, call toll free: 800-328-1300. (In Minnesota, call collect: 612-736-9625.) Ask for the Data Recording Products Division. In Canada, write 3M Canada Inc., London, Ontario, N6A 4T1.

If it's worth remembering, it's worth Scotch
Data Recording Products.





BY DAVID LAPPEN -

Most mazes lack excitement because they're too static. As long as you follow the right or left wall of a solvable maze, sooner or later you'll find yourself emerging at the exit.

But the Minotaur's Malevolent Maze is dynamic; as you proceed from start to finish new walls are added randomly to force you to change your strategy. A game of luck, skill, timing and concentration, it was designed to fit easily into a 4K TRS-80.

You start the game as a "*" in the upper left-hand corner of a box — the biggest rectangle the screen will display. A starting number of blocks or walls are put in the maze. Your job is to get to the finish box in the lower right-hand corner before all your paths are blocked. You change direction of motion by depressing one of the keyboard arrows for up, down, left and right. Hitting the space bar stops motion. You will continue moving in the same direction until you hit a wall, enter a new direction, or win the game. A new wall is added each time the * moves or could move if a wall was not in its way or the space bar (no motion) was not the last motion command entered. If you find that you have no paths left to the finish box, you can concede the game by hitting the "Q" key.

Statistics on your progress are displayed between games. If you win, the number of starting walls is increased; if you lose it is decreased. Statistics include the number of starting walls on the next game, your average number of starting walls (including the next game), the highest number of starting walls on a game you won and whether this high was set on the game you just finished. Another statistic, the number of walls added since the start of the game, is displayed in the center island during the game.

Before the first game starts, you have two options. The first is whether the game should commence as soon as the maze is set up (indicated by printing your * in the starting position) or whether the game should start only after your first move is entered. The beginner should have the game wait to allow time to evaluate the board and set an initial

strategy. A more advanced player will want the added challenge of a game with even the initial strategy formulated "on the fly".

The second option involves determining how many initial walls you want on your first game. Since the program adjusts the number of walls depending on how well you do, this option just gives the program an idea of where to start. I suggest a starting value of forty walls for beginners.

This game was designed for the Radio Shack TRS-80, but can be converted easily to other machines. The key to understanding the game is to understand the INKEY\$, PEEK and POKE commands. These commands allow the game to be played interactively (which, although not absolutely necessary, adds quite a lot), and to execute quickly in a small memory space.

INKEY\$ checks an input buffer to see if anything has been entered from the keyboard since the last time it was checked. It does not require a carriage return (enter), nor does it print anything on the screen or affect the cursor position. If nothing has been entered, the command returns a null character. Therefore, to get the regular input command, which waits for the input before continuing program execution (minus the carriage return), you would substitute

10 A\$=INKEY\$

15 IF A\$ = " " GOTO 10

for 10 INPUT A\$.


Remember that the INKEY\$ command accepts only one character.

PEEK and POKE allow you to examine or change the contents of a particular memory location. What is put in or returned is either a number, an ASCII representation of an alphabetic character, or a Radio Shack representation of a graphics character. The video display memory starts at RAM location 15360 decimal and has 64 characters per line (0-63) for 16 lines. It is therefore straightforward to calculate the memory location which corresponds to a particular position on the screen. For "*" movement we need only check the


position that the "*" will be moving to. As long as that memory location holds only a 32 or 88 (ASCII space and "X", respectively) we allow motion. In the latter case the player has won since the finish box is surrounded by "X"s. For creating new walls, all we need to do is check that there is a 32 (space) at the proposed position.

If your particular machine has no way to examine what is at a specific screen position, you may have to keep an array with an element for each video location. With proper array management, where only empty positions are kept, this can increase the speed with which new walls are added since a random array subscript which is in bounds will always map onto an available place. Unfortunately, this array management consumes considerable time and memory space and therefore should be avoided if possible.


In this program, a random location is selected and, if




1. This game has been set up, but play has not yet commenced. Note the initial walls, the starting "*" and the finish box.



2. This game has been started but is in the beginning stage. There are still paths open both over the top and under the bottom of the center island. Twenty possible moves have gone by and twenty walls have been added since the start of the game.



3. Same game — 40 moves have gone by.



4. Same game — 60 moves have gone by. Almost at the Finish.

occupied, another is selected until a vacant position is found. It's my experience that using this method gives no significant slowdown of game action until way after the point where all paths are closed off. Therefore I suggest that if direct ways of checking a memory location are not available in your BASIC, you link to the assembler for this very easy subroutine. Then all you will have to do is consult a memory map or do a one-time memory search for the location of your video screen memory.

Finally, I would like to propose a different use for this game. I think it could be used very effectively as a motivator tacked onto a teaching program. The maze could be made two lines shorter and these lines could be used for communication. If a student answers a question correctly he could be allowed perhaps five moves on the maze which is no longer interactive. Otherwise perhaps five walls could be added.

□

Program Notes

Variable Desciption

A	Current	Game —	number of	starting walls

A1 Number of walls added since start of game

B\$ Yes= First move starts game

No= Game starts when set-up complete

C Flag to indicate new high

D What is on screen at proposed position of *

GA Number of games played

GT Grand total of starting values for all games

played

HI Highest winning value

N Current position of *


NT Proposed new position for *

R ASCII value of valid input

TE What is on video screen at proposed position

of new wall

ASCII or Radio Shack Code



PEEK: Returns value of memory location specified. On Radio Shack machine, the video memory starts at location 15360 and is arranged in 16 lines of 64 characters.

POKE: Places second operand into the memory location indicated by first operand.

IF blocks: Remember that the Radio Shack machine executes instructions which follow and are on the same line as an IF statement (separated by ":") only when the IF is true.

Multi Statement lines: On the Radio Shack machine these are executed as if they had been arranged on separate lines. Statements are separated by ":".

Wait Loop, lines 8160-8170: Adjust FOR loop value to make game run faster or slower. Present value (100) seemed best to me.

Program Listing

```
10 REM MAZE- DAVID LAPPEN - NOV 24, 1978
11 DEFINT A-Z
13 CLS
14 PRINT" WELCOME TO THE GAME OF MAZE. LIKE AN ORDINARY GAME OF"
18 PRINT"MAZE, YOU MUST TRY TO GET FROM THE STARTING POINT (YOU ARE"
22 PRINT"THE '*' IN THE UPPER LEFT HAND CORNER) TO THE FINISH WHICH"
26 PRINT"IS LOCATED IN THE LOWER RIGHT HAND CORNER). YOU WIN WHEN" 30 PRINT"YOU HIT A WALL ON THE FINISH BOX. ALSO LIKE AN ORDINARY"
34 PRINT"MAZE, THE WALLS, OR BLOCKS STOP YOUR PROGRESS. BUT IN THIS" 38 PRINT"GAME, THE MAZE IS CONSTANTLY GETTING MORE DIFFICULT IN"
42 PRINT"WALLS ARE ADDED RANDOMLY AS YOU MOVE. THEREFORE PATHS"
46 PRINT"ARE CONSTANTLY BEING CLOSED OFF AND YOUR STRATEDGY MUST"
50 PRINT"CHANGE AS THE GAME PROGRESSES. "
54 PRINT""
58 PRINT"
            BEFORE THE GAME STARTS YOU WILL BE GIVEN A CHOICE"
62 PRINT"WHETHER YOU WANT THE GAME TO START IMMEADIATELY AFTER IT"
66 PRINT"IS SET UP OR IF YOU WANT TO START THE GAME BY MAKING"
70 PRINT"YOUR FIRST MOVE. IT IS EASIER TO WAIT SO THAT YOU CAN SET"
74 PRINT"A STRATEGY. <TO CONTINUE INSTURCTIONS HIT ANY KEY>";
78 A$=INKEY$
82 IFA$="" GOTO 78
86 CLS
90 PRINT" MOTION IS ACCOMPLISHED BY HITTING THE APPROPRIATE DIRECTION"
94 PRINT"ARROW. FOR EXAMPLE TO MOVE UP HIT ([/. MOTION WILL CONTINUE"
98 PRINT"IN THE DIRECTION OF THE LAST ENTRY UNTIL THE GAME IS WON,"
102 PRINT"A WALL, BOUNDRY, OR THE ISLAND IS HIT, OR YOU ENTER A NEW"
106 PRINT"DIRECTION. TO STOP THE MOTION, YOU CAN HIT THE SPACE BAR."
110 PRINT"IF YOU FIND THAT YOU HAVE NO CHANCE OF WINNING YOU CAN STOP"
114 PRINT"THE GAME BY HITTING THE 'Q' KEY. "
116 PRINT""
118 PRINT" FINALLY, IN THE MIDDLE OF THE ISLAND YOU WILL FIND A"
122 PRINT"COUNTER. IT TELLS YOU HOW MANY WALLS HAVE BEEN ADDED"
126 PRINT"SINCE THE GAME BEGAN. "
335 PRINT
336 C=0
337 GA=1
340 INPUT"DO YOU WANT TO LOOK AT THE MAZE BEFORE THE GAME STARTS"; B$
350 B$=LEFT$(B$,1)
360 IF B$="Y" PRINT "ENTER YOUR FIRST MOVE TO START GAME. "
361 FOR I=1 TO 8
362 PRINT""
363 NEXT
365 PRINT"YOU NOW GET TO SELECT HOW MANY WALLS YOU WANT TO HAVE"
366 PRINT"AT THE START OF THE GAME. BEGINNERS SHOULD START LOW (50"
367 PRINT"PERHAPS). IN LATER GAMES THE COMPUTER WILL ADJUST THIS"
368 PRINT"NUMBER ACCORDING TO WHETHER YOU HAVE BEEN WINNING OR LOOSING. "
369 PRINT"": INPUT "HOW MANY WALLS DO YOU WANT TO START WITH"; A
370 GT=A
380 CLS
385 PRINT @ 65, CHR$(128);
                                       1600 POKE 15360+I,131
390 N=65
                DRAW FINISH BOX
                                      1700 NEXT
395 REM
                                       2000 FOR I=896 TO 64 STEP -64
400 PRINT @ 886, "XXXXXXXXX";
700 PRINT @ 950, "X FINISH";
                                       2100 POKE 15360+I,191
                                       2200 NEXT
750 REM
                DRAW BOUNDRY
                                       2420 FOR I=25 TO 36
800 FOR I=0 TO 63
                                       2440 FOR J=384 TO 512 STEP 64
900 POKE 15360+I, 176
                                       2460 POKE 15360+I+J, 191
1000 NEXT
                                      2480 NEXT
1400 FOR I=127 TO 959 STEP 64
1440 POKE 15360+I,191
                                       2500 NEXT
                                       5000 REM
                                                        DRAW INITIAL WALLS
1460 NEXT
                                   5100 FOR IT=1 TO A
1500 FOR I=1023 TO 960 STEP -1
```

```
5200 GOSUB 20000
5300 NEXT IT
5340 REM
                DRAW PLAYER'S PIECE
5350 PRINT @ 65, "*";
5400 A1=0
5405 R=32
5407 REM
                WAIT IF FIRST MOVE STARTS PLAY
5410 A$=INKEY$
5430 IF B$="N" GOTO 5500
5450 A$=INKEY$:IF A$="" GOTO 5450
5470 GOTO 5510
5500 A$=INKEY$
5510 PRINT @ 477, A1;
5550 NT=0
                IF NO NEW MOVE IS ENTERED, KEEP OLD MOVE
5560 REM
          OTHERWISE UPDATE DIRECTION OF MOTION
5565 REM
5570 IF A$="" GOTO 5900
5575 R=ASC(A$)
5600 IF A$="Q" A=A*. 8: GOTO 13050
5700 IF R<>91 AND R<>10 AND R<>9 AND R<>8 AND R<>32 GOTO 5900
5900 IF R=91 NT=N-64
6000 IF R=10 NT=N+64
6100 IF R=9 NT=N+1
6200 IF R=8 NT=N-1
6220 IF R=32 GOTO 8150
                LOOK AT PLACE WANT TO MOVE TO SEE IF ANYTHING
6230 REM
                IS THERE. IF BLANK, MOVE PIECE. IF =X, HAVE WON GAME. IF IS A WALL KEEP PLAYER STILL.
6233 REM
6235 REM
6250 D=PEEK(15360+NT)
6300 IF DO88 AND DO32 GOTO 8150
6400 PRINT @ N, " ";
6500 PRINT @ NT, "*";
6600 N=NT
6700 IF D=88 GOTO 10000
8150 GOSUB 20000
8160 FOR IU=1 TO 100
8170 NEXT
8200 GOTO 5500
                PLAYER WINS SECTION
9999 REM
10000 PRINT @951, "YOU WIN";
10040 IF ADHI THEN C=1:HI=A
10100 A=A*1.2
10150 REM
                END GAME BOARD DISPLAY WAIT LOOP
10200 FOR I=1 TO 800
10300 NEXT I
                PRE-NEW-GAME STATISTICS
13000 REM
13050 CLS
13060 GA=GA+1
13070 PRINT "YOU START WITH "; A; " BLOCKS";
13080 PRINT""
13081 PRINT""
13082 GT=GT+A
13085 PRINT "YOUR AVERAGE STARTING NUMBER IS "; GT/GA
13086 PRINT""
13087 PRINT""
13088 PRINT"YOU HIGHEST STARTING VALUE IS "; HI
13093 IF C=1 PRINT"":PRINT"":PRINT"YOU HAVE JUST REACHED A NEW HIGH!"
13100 FOR I=1 TO 3000:NEXT
14000 C=0
15000 GOTO 380
                DRAW WALL SUBROUTINE
19999 REM
20000 IR=RND(950)
20100 TE=PEEK(15359+IR)
20150 IF TE<>32 GOTO 20000
20180 A1=A1+1
20200 POKE 15359+IR, 191
21300 RETURN
```

BASIC Renumbering

BY CHARLES K. BALLINGER -

Changing your program line numbers is a tedious and painful task. Unfortunately, it is often necessary to avoid a fragmented and messy final program, or to insert additional lines between consecutive line numbers. This BASIC Renumbering program will relieve you of this unpleasant chore while converting approximately 95% of your program statements.

After checking my BASIC I found that only the following statements could be followed by a statement number: GOTO, GOSUB, THEN and ON. Therefore, the program must scan for these words and convert the statement number following them.

The program passes the input file twice. On the first pass the old sequence number is read and stored and the new sequence number computed and stored in the Dimension S. On pass two, the file is read and then converted and written to the new output file.

Statements 740 to 800 convert the number to a character string with leading zeroes since Heath's HDOS BASIC will not allow a blank to appear as the first character encountered. If your BASIC does not have this restriction you may remove this code to reduce program size.

Statements 1030 to 1080 break the input line into three parts: the new sequence number; the data between the sequence number and the word scanned for; and the referenced statement number. Because the program only allows three separate character strings, multiple statements per line are not supported. You could modify the program to allow more strings at the cost of a larger program.

Statement 1030 returns the length of the BASIC statement read. Statement 1040 computes C1 to be equal to the total length of the string minus the position count where the match took place. Statement 1050 computes T1 as being equal to the total length of the string minus 6 minus the position count where the match took place — the length of "B" in Example 1. Statement 1070

converts the new sequence number to a string and places the value in variable F\$.

Statement 1080 then combines string D\$ (the new sequence number) with P\$ (equal to "B" in Example 1) and F\$ (the new referenced number) to form string variable Z\$, which is written as the new output record.

Example 1

00120 IF C = 0 THEN 820 A B C

While this program will convert approximately 95% of your statements, the following conditions must be observed:

- No multiple statements on one line.
- The ON X 120, 150, 200 statement is not supported, but you will be informed by the program of the statement number that must be hand-changed.

• The statement IF C = 0 THEN PRINT "EXAMPLE" will not convert correctly, but a minor change in program logic will correct this omission.

Not incorporating some of these features in the initial program minimizes the core requirements for people who don't have sufficient memory. The program currently requires approximately 3K of core for program text and another 5K for the dimension, file buffers and other variables. If you find you don't have sufficient memory to run this program, change the dimension by changing statements 110, 230, 980, 1410 and 1670 to whatever dimension size you choose.

When run against a 192 statement program, this program required 50 seconds to complete pass one and 7 minutes to complete pass two.

The program was written on an H-8 computer configured to 36K with dual mini-floppy drives.

Special Functions Used

STR\$(narg)

LEFT\$(sexp,iexp)

LEN(sexp)

MATCH(sexp1,sexp2,iexp)

MID\$(sexp,iexp1,iexp2)

VAL(sexp)

CIN(x)

LINE INPUT

The string function encodes the numeric argument into ASCII format.

Left string function returns the string value identified by (sexp) for the number of bytes specified by (iexp).

The length function returns a numeric value that is the number of bytes in the string.

The match function searches (sexp1) for any substring matching (sexp2) starting with the position specified by (iexp). A value of zero (0) is returned if no match is found.

The middle function returns the right-handed substring of (sexp) starting in position (iexp1) for (iexp2) characters or to the end of the string if (iexp2) is omitted.

The numeric function returns the numeric value of a number encoded in a string.

This function checks the channel specified by (x). Its purpose in this program is to detect

an end-of-file on the input file. This function allows string data to be inputted without being enclosed in quotes.

Flowchart START DISPLAY **ENTER ROST FOR** INPUT FILE INPUT FILE NAME NAME **INPUT** KEY IN FILE FILE NAME NAME REQST **ENTER** STARTING **STARTING** STMNT STMNT **NUMBER** NUMBER RQST **ENTER** INCREMENT **INCREMENT** NUMBER VALUE **OPEN** INPUT FILE **INPUT** SPECIFIED FS **ABOVE** 1 READ INPUT FILE


Program Listing


```
00010 REM
             THIS PROGRAM RENUMBERS A BASIC PROGRAM
00020 REM WRITTEN BY CHUCK BALLINGER
00030 REM FOR A HEATH H-8 COMPUTER DISK SYSTEM
00040 LINE INPUT "ENTER INPUT FILE NAME ";F$
00050 INPUT "ENTER STARTING STMNT NUMBER ";S1
00060 INPUT "ENTER INCREMENT VALUE ";I
00070 REM
             THE DIMENSION TABLE HOLDS THE OLD AND THE NEW SEQUENCE NUMBER OF THE STATEMENTS
00080 REM
00090 REM
00100 REM
             CURRENTLY SET TO HOLD UP TO A 400
       LINE PROGRAM
00110 DIM S(1,400)
00120 REM OPEN INPUT FILE NAMED ABOVE FOR READ 00130 REM FOR PASS 1
00140 OPEN F$ FOR READ AS FILE #1
00150 S1 = S1 - I
00160 REM READ FILE AND BUILD STMNT NUMBER TABLE
00170 REM
00180 X=CIN(1)
00190 \text{ IF } X = 0 \text{ THEN } 320
00200 INPUT #1,;I$
00210 X$=LEFT$(I$,5)
00220 B = B + 1
00230 IF B > 400 THEN 280
00240 S(0,B) = VAL(X$)
00250 S1=S1+I
00260 S(1,B)=S1
00270 GOTO 180
00280 REM ERROR CONDITION YOU HAVE EXCEEDED
TABLE SIZE
00290 PRINT "YOU HAVE EXCEEDED DIM SIZE FOR"
00300 PRINT "# OF INPUT STMNTS - INCREASE DIM"
00320 REM
             TABLE SHOULD BE BUILT NOW WITH THE
       OLD STMNT
00330 REM NUMBER AND THE NEW NUMBER
00340 REM
             SO CLOSE FILE AND PREPARE FOR PASS 2
00350 PRINT
00360 PRINT "END OF PASS 1 - SEQ TABLE BUILT"
00370 PRINT
00380 CLOSE #1
00390 REM OPEN OUTPUT FILE FOR WRITE
00400 REM AND START PASS 2 TO CREATE NEW FILE
00410 LINE INPUT "ENTER NEW FILE NAME FOR RENUMBERED PGM ";Y$
00420 B=0
00430 OPEN Y$ FOR WRITE AS FILE #2
00440 OPEN F$ FOR READ AS FILE #1
00450 GOSUB 550
00460 GOSUB 680
00470 GOSUB 740
00480 GOSUB 810
00490 GOSUB 910
00500 GOSUB 1140
00510 GOSUB 1340
00520 GOSUB 1600
00530 Z$=D$+N$
00540 GOTO 1490
00550 REM INITIALIZE FIELDS
00560 Y$=""
00570 D$=""
00580 P$=""
00590 F$=""
00600 Z$=""
00610 N1=0
00620 C=0
00430 Y=0
00640 L1=0
00650 C1=0
00660 T1=0
00670 RETURN
00680 REM GET INPUT RECORD
00690 X=CIN(1)
00700 IF X = 0 THEN 1550
00710 LINE INPUT #1,; I$
```

Flowchart continued 2 **END** YES OF FILE NO YES PRINT YOU HAVE **OVER ERROR EXCEEDED 400 STMNTS** MESSAGE DIM SIZE NO STOP RUN **INCREMENT** STMNT # WITH **INCREMENT** VALUE STORE OLD # IN S(0, B) STORE NEW # IN S(1, B)

Program Listing continued

```
00720 N$=MID$(I$,6)
00730 RETURN
00740 REM CONVERT STATEMENT # TO NEW #
00750 B=B+1
00760 N=100000
00770 N1=N+S(1,B)
00780 C$=STR$(N1)
00790 D$=MID$(C$,3,5)
00800 RETURN
00810 REM CHECK FOR REM- AND PRINT- STMNT
00820 C=0
00830 C=MATCH(I$, "REM ",1)
00840 IF C=0 THEN 870
00850 Z$=D$+N$
00860 GOTO 1490
00870 C=MATCH(I$, "PRINT ",1)
00880 IF C=0 THEN 900
00890 GOTO 850
00900 RETURN
00910 REM
           SCAN FOR -THEN- STATEMENT
00920 C=0
00930 C=MATCH(I$,"THEN ",1)
00940 IF C=0 THEN 1130
00950 C=C+4
00960 Y$=MID$(I$,C)
00970 Y=VAL(Y$)
00980 FOR L=1 TO 400
00990 IF Y=S(0,L) THEN 1030
01000 NEXT L
01010 PRINT "ERROR TABLE LOOKUP STMNT # ";Y$
01020 GOTO 1100
01030 L1=LEN(I$)
01040 C1=L1-C
01050 T1=(L1-6)-C1
01060 P$=MID$(I$,6,T1)
01070 F$=STR$(S(1,L))
01080 Z$=D$+P$+F$
01090 GOTO 1490
01100 CLOSE #1
01110 CLOSE #2
01120 STOP
01130 RETURN
01140 REM SCAN FOR -GOTO- STATEMENT
01150 C=0
01160 C=MATCH(I$, "GOTO ",1)
01170 IF C=0 THEN 1330
01180 C=C+4
01190 Y$=MID$(I$,C)
01200 Y=VAL(Y$)
01210 FOR L=1 TO 400
01220 IF Y=S(0,L) THEN 1260
01230 NEXT L
01240 PRINT "ERROR IN STMNT LOOKUP ON GOTO "
01250 GOTO 1100
01260 L1=LEN(I$)
01270 C1=L1-C
01280 T1=(L1-6)-C1
01290 P$=MID$(I$,6,T1)
01300 F$=STR$(S(1,L))
01310 Z$=D$+P$+F$
01320 GOTO 1490
01330 RETURN
01340 REM SCAN FOR COMBINATION -ON GOSUB-
01350 C=0
01360 C=MATCH(I$," ON ",1)
01370 IF C=0 THEN 1480
01380 PRINT "COMPUTED GOSUB CANNOT BE CONVERTED "
01390 Y$=LEFT$(I$,5)
01400 Y=VAL(Y$)
01410 FOR L=1 TO 400
01420 IF Y=S(0,L) THEN 1450
01430 NEXT L
01440 GOTO 1010
01450 PRINT "HAND CHANGE STMNT # "
      S(1,L);" IN PROGRAM '
01460 Z$=D$+N$
01470 GOTO 1490
01480 RETURN
01490 REM WRITE NEW RECORD TO DISK
```





Send for our **FREE Catalog**

WE BUY USED PET, APPLE and TRS-80 COMPUTERS



C — calculator keyboard (only version with tape deck)
B — Large Keyboard (graphics not on keys)

The new Apple II with Applesoft BASIC built-in! Eliminates the need for a \$200 Firmware Card and includes new Autostart ROM for easy operation. This combined with the FREE accessories from NCE could save you up

16K Apple II Plus — \$1195 (take \$100 in free accessories)

32K Apple II Plus — \$1345 (take \$150 in free accessories) 48K Apple II Plus — \$1495 (take \$200 in free accessories)

EVERY ITEM IN THIS ADVERTISEMENT IS IN STOCK AND READY TO SHIP, EXCEPT WHERE NOTED.

NOW Graphics printer

Now you can print high resolution graphics from your Apple using the IP-225 printer and graphics option from IDS. The IP-225 is a tractor feed printer with 96 possible characters. Line length is 80/132 col. with a speed of 50/80 cps. We include software which allows it to use either parallel or serial interface at 1200 baud, ABSO-LUTELY FREE (you save \$50)!

apple II

S200 FREE ACCESSORIES

Call for Availability . \$595

for Apple II

Call for

\$495 \$180

\$200

N — large keyboard with graphics symbols Used 8K PET with 90-day warranty

to \$400 on a 48K Apple II system!

Apple II Accessories

Disk and Controller Second Disk Drive . Parallel Printer Card

Firmware Card

\$1,098

mmunications Card Speed Serial Card

Hobby/Proto Card Microverter RF Mod. ... Sanyo M2544 Recorder

Centronics Printer Interface

Keyboard C Keyboard C Keyboard B Keyboard N

Keyboard C Keyboard B Keyboard N

8K

32K

\$100 FREE ACCESSORIES WITH 16K or 32K PET

Buy our 16K or 32K PET and we'll give you your first \$100 worth of accessories. FREE. Just indicate on your order that you have reduced the cost of your accessories by \$100.

FREE Terminal Package with PETs SAVE PET ACCESSORIES \$69

. I . ACCESCOTTIES	
Commodore Dual Floppy Disk Drive	\$1295.00
Commodore Printer (tractor feed)	\$995.00
Commodore Printer (friction feed)	\$995.00
Second Cassette — from Commodore	\$95.00
Commodore PET Service Kit	
Beeper - Tells when tape is loaded	
Petunia - Play music from PET	\$29.95
Video Buffer - Attach another CRT	\$29.95
Combo - Petunia and Video Buffer	
S-100 PET Interface was \$289.00 SALE	\$119.00
S-100 PET Interface was \$289.00 SALE	\$99.00
New Serial Printer Interface for PET	\$79.95

Call for Availability

REMOTE

TERMINAL

for

only \$69

module and program cassette enables your PET to function as a 300 baud terminal,

Supports Upper/Lower case, Rubout, Escape & all control functions.

A self-contained

Output is TTL.

PET OWNERS ...

\$ 595 \$ 795 \$ 995 \$ 995 \$1195

PET - Compatible Selectric in Desk

\$895.00

NEW! 400K DISK & MEMORY EXPANSION

You can instantly turn your PET into a speedy and efficient professional computer. Its easy with the new 400K Disk Drive and Memory Expansion from Computhink Add up to 32K internally then load 20K program in only seconds!

400K Disk

24K 32K \$615.00

Selectric Based Desktop Terminal

WITH

PURCHASE

Super bargain, while they last. A desktop terminal basd on an IBM Selectric typewriter for only \$319, including documentation. These terminals were originally designed for use with timesharing systems where top-quality printing was required. The IBM keyboard and printer are separated by a three foot cable and each has its own enclosure (great for custom installations). Serial RS-232 interface uses PTTC instead of ASCII codes so you will need to write a conversion program (we have no ASCII interface for this model). 14.8 cps, 134.5 baud, 13" line length, pica. Sold in "AS-IS" condition. Pre-sale preparations in-

- Motors checked and guaranteed before sale.
- · The machines are complete.
- · All indicator lights work
- · New ribbon & cleaned type element, on/off switches, tab & carriage return cards, & tab set

There is a 3-day return privilege on these machines and any missing parts will be replaced.

Hazeltine 1400 LIST

2350 2340

SUPER SALE PRICE TOO LOW TO ADVERTISE

Immediate Delivery — 2-Year Factory Warranty

You may have seen the Hazeltine advertised at \$850. You may have seen it sale prices at \$749 or even \$699 but our new price is so low that we can't even advertise it. Call us for a quote. Hurry, we have a limited quantity at this price. The 8048-based Hazeltine 1400 has a 12" screen. 24 x 80 display. TTY-style keyboard, addressable cursor, and RS-232 I/O from 110 to 9600 baud.

Hazeltine 1410 — \$835 Hazeltine 1500 — \$1069 Hazeltine 1510 - \$1195

FOR

PET

LOW COST PRINTER \$395

COUPLER

New 300 baud Originate/Answer Acoustic Coupler. Looks good, works great priced at \$189

IN STOCK NOW

1=3-RIGHT! **EDUCATORS** ORDER YOUR FREE PET TODAY!

Between now and Nov. 30th any educational institution which buys 2 PET's at list price will receive a 3rd PET. ABSOLUTELY FREE! That's right, FREE! For example, buy 2 8K PET's at \$795 each and get 1 8K PET, FREE, Buy 16K at \$995 and 1 32K at \$1,295 and your school will receive 1 16K PET absolutely FREE! Join the hundreds of public & private schools, colleges, and Universities who have bought from us with confidence. Look at our PET box in the upper left hand corner of this ad for descriptions and prices of the Commodore PET product line. If you need more information just call, we love questions.

SANYO MONITOR

\$169

\$279

9-inch 3240 15-inch 3480



CompuMart

SELLING COMPUTERS BY MAIL SINCE 1971

1250 North Main Street, Department PCA9 P.O. Box 8610 Ann Arbor, Michigan 48107

(313) 994-3200





IMPORTANT ORDERING INFORMATION

All orders must include 4% shipping and handling. Michigan residents add 4% for state sales tax. All foreign orders (except Canada) need an additional 10% for shipping and handling.

Phones open from 9:00 a.m. to 7:00 p.m. EST Monday-Friday, 10:00 a.m. to 5:00 p.m. Saturdays • P.O.'s accepted from D & B rated companies — shipment contingent upon receipt of signed purchase order • All prices subject to change without notice • Most items in stock for immediate shipment — call for delivery quotation • Sorry, no C.O.D.'s • In the Ann Arbor area? Retail store open 11:00 a.m. to 7:00 p.m. Tuesday-Friday, 10:00 a.m.to 5:00 p.m. Saturdays (Closed Sunday and Monday)

If not satisfied, return your purchase with-in 10 days for full refund of purchase price!

The Computer Glass Box



BY HOWARD A. PEELLE

In the Computer Glass Box approach to teaching with A Programming Language (APL), short and quickly comprehensible computer programs are given to students for their direct viewing. Each program embodies a concept, procedure or relationship written simply and clearly. Since the inner workings of the programs are visible, they become the basis for learning.

This approach utilizes a computer program more as a "glass box" than a black box. By observing the structure of a program as well as its behavior, key concepts may become transparent to the student.

In contrast to conventional computer-assisted instruction (CAI), the glass box approach allows the student significant control over his own learning processes, achieved through programming. Programs can be entered independently by the student via a computer

A version of this article first appeared in the April 1974 issue of Educational Technology, © 1974, Educational Technology Magazine, Englewood Cliffs, NJ 07632. It is reprinted here by permission of the author and Educational Technology.

terminal, and their use requires no other pre-stored curriculum material, as do most CAI applications. Indeed, making the full power of the computer accessible to the learner is 180° from the kind of CAI characterized by programmed instruction, tutorial or drill-and-test sequences.

This approach suits a wide range of educational levels — from elementary school children to university graduate students. For children who have been held powerless in lock-step educational systems, the computer glass box opens up the world of active learning — learning with power.

Using glass box computer programs, students can:

- examine the program's definition (intuitively)
- analyze the program's definition (logically)
- predict the outcomes of the program
- execute the program on a computer
- scrutinize the program's behavior
- experiment with different applications of the program
- modify or expand the program
- generalize the program
- invent new or related programs,

• discuss implications with teachers and peers.

These student-initiated, student-responsible, success-oriented activities differ dramatically from the frantic hand-waving about abstract concepts often seen in classrooms.

The ideal glass box program "speaks" to its reader, explaining concepts and procedures in concrete terms. Desirable characteristics of such a program include simplicity, comprehensibility, flexibility, generality, elegance and provocative implications.

"Simplicity" means that a single idea of modest scope is to be taught using a brief program (about 10 lines of APL coding, taking less than 5 minutes to type). "Comprehensibility" means using clear, readable commands (usually one per line) with well-chosen mnemonic identifiers. "Flexibility" includes using a program design which is easily modified and is adaptable to other programs in modular structuring (nested sub-programs with explicit resultants). "Generality" is developing mathematical models which can extend to a class of cases. "Elegance" is choosing expressions which strike one's aesthetic chords. And, finally, a

glass box program is "provocative" when its implications suggest interesting follow-up discussions.

Now, let's look at some examples of glass box programs.

Computer-Assisted Instruction

The first glass box program illustrated comes from the area of computer-assisted instruction. Instead of concealing the CAI program — usually designed to control the child's behavior - we show him the mechanism itself so that he may see how it works and ultimately control the computer.

Consider the following APL program, which exposes the essence of drill-and-practice in multiplication skills. In drill-and-practice, typically, a student is given a series of problems to solve and is asked for his answers. Then, the answers are evaluated. Indeed, the computer is an excellent vehicle for administering drill-and-practice; but a programming language can also describe this process clearly.

	♥ DRILL
[1]	NEWPROBLEM:
[2]	'MULTIPLY'
[3]	D+FIRST+?20
[4]	T+SECOND+?20
[5]	ENTER: ANSWER+
[6]	+NEWFROBLEM IF ANSWER=FIRST*SECOND
[7]	'NOPE. TRY AGAIN.
[8]	+ENTER

The DRILL program begins with a NEWPROBLEM and prints 'MULTI-PLY', a simplified message telling the student what to do with the two numbers that will follow. The FIRST number is an integer randomly chosen between 1 and 20, and the SECOND number likewise.

The student may ENTER his AN-SWER, which is then evaluated by the program. IF the ANSWER equals the FIRST number times the SECOND number, a NEWPROBLEM is given; otherwise (if ANSWER is wrong) 'NOPE. TRY AGAIN.' is printed, and the student may ENTER his answer again. Note: IF is a sub-program used to facilitate the reading of branching commands. Its definition is:

V BRANCH+LINE IF CONDITION

[1] BRANCH+CONDITION/LINE

Its syntax is: + (line number) IF (condition)

IF the condition is true (evaluates to 1), the program branches to the line number (or line label) given; IF the condition is false (evaluates to 0), the program branches to the next line.

To use the DRILL program, type in its name. The following is a sample:

DRILL MULTIPLY 19 2 0: 38 MULTIPLY 16 18 0: 248 NOPE. TRY AGAIN. 288 MULTIPLY 12 0: MULTIPLY 2 0: 12 MULTIPLY 18 0:

Students notice immediately that this program has a flaw — it doesn't stop! Scrutinizing the program's definition reveals that after getting a multiplication problem correct, one always gets a new problem, ad infinitum. Also, after getting a problem wrong, the student must answer that same problem again — another potentially endless loop. The student's first task, then, might be to build in an option to stop the program at will

DRILL is, of course, only a prototype program. With other modifications of one's choosing, DRILL may become considerably more sophisticated. Possible extensions include: (a) displaying pictorial feedback — like a "smiley face" for positive reinforcement or a "grouchy face" instead of 'NOPE. TRY AGAIN.'; (b) presenting a pre-specified total number of problems; (c) limiting the number of allowable mistakes on individual problems (or all problems); (d) generalizing the multiplicands to create a more flexible range of problems (including negative numbers, decimals, etc.); (e) gathering performance data; (f) using performance criteria to make diagnoses; (g) automatically adapting level of difficulty based on diagnoses; (h) adding personalized instructions; and (i) building in timing components, jump-ahead options and hints.

Psychology

Computer programs suitable for viewing can help students learn some fundamentals of psychology. In studying behavior, for example, consider the following APL program which models—albeit crudely—an emotional reaction. TEMPER is a program which will, under certain conditions, "get mad at you". (This program is similar to one written in a simplified Fortran by John Loehlin in *Computer Models of Personality*, Random House, NY 1968.)


▼ TEMPER [1] EMOTION+0 [2] NEW:EMOTION+□ +EMOTION+2 [3] +MAD IF EMOTION>10 [4] +NEW [5] MAD:'**!?!**?!!'

The program begins with zero EMO-TION and then encounters a series of numbers, representing "events" in the life of the program. A low number is low in emotional significance, whereas high numbers are highly emotion-producing.

Each time a number is entered, the program generates a NEW EMOTION based on a simple mathematical model: EMOTION becomes the number just entered plus one half of the previous EMOTION. (In the course of human events, this might be akin to the ameliorating effect of time on emotional burdens — "sleeping on your troubles".)

This process continues until a test condition — the "threshold" for mad behavior — is exceeded. The program goes MAD if EMOTION ever becomes greater than 10 (**!?!**?!! is the computer's programmed vernacular.)

To use the program, the child types TEMPER and enters a sequence of numbers. For example;



Here, a 4 is like "stubbing your toe", 6 is like "losing your wallet", and 8 is like "missing the last bus". This sequence produced MAD behavior. But, suppose you enter the same numbers in a different order:


	TENPER
0:	arrang o
0:	
0:	1044 10
0: 10	armsy see

Here, the program does not display MAD: '**!?!**?!!'. Apparently, (for this model) the sequence 8 6 4 is "tolerable", whereas the previous sequence 4 6 8 clearly was not to tolerable!

Again this model suggests an analogy with human behavior. Experiencing the most emotion-packed events first and then tapering off may be more tolerable than the reverse.

Other variations of input also suggest interpretation in terms of human psychology. Sandwiching a low-emotion event between two high-emotion events, say 7 2 7, can make the total sequence tolerable; by contrast, the events 7 7 2 and 2 7 7 produce mad behavior.

The mathematics underlying this TEMPER model can be exposed quickly and naturally. For example, after some experimentation with the program, you might wonder: How many 5s can the program take before it "blows its top"?



A sequence of 5s builds up EMO-TION to higher and higher values, but never reaches 10. This process parallels the well-known geometric series 1, 1/2, 1/4, 1/8, 1/16, 1/32, ..., the sum of which converges to 2. Exploring in this way, a child may gain some insight into the nature of infinite series in an active and interesting (at least less abstract) setting.

Some simple modifications of the TEMPER program students might make are to: (a) change the threshold, for example, from 10 to 25 for higher tolerance or to ?25 (a random number) for unpredictable behavior; (b) modify the model, for example, from EMOTION ÷ 2 to EMOTION ÷ 3 to express stronger "forgetting"; (c) adapt the program for use by others by inserting conversational statements such as "ENTER NUMBERS FROM 1 to 9" or even "CAUTION! THIS PROGRAM MAY BECOME EMOTIONAL . . . ", and (d) make the program dynamic by automatically resetting EMOTION to 0 after an emotional catharthis.

Possible extensions of TEMPER include: (a) writing related programs, such as a version with multiple emotional dimensions like ANGER, FEAR and LOVE; and (b) writing companion programs, such as two TEMPER-like programs which interact with each other so that one's output is the other's input.

These are but two "glass box" programs which may be used for teaching with APL. Each program illustrated can be extended further, and similar progams may be written for other topics. For more examples, see my book *Instructional Applications of Computers Using APL*, Addison-Wesley, Menlo Park, California.

Such "glass box" programs are well-suited for personal computing, as they require only a few minutes to enter and have minimal storage requirements. Micro-APL systems now available include the IBM 5100 (with full APL BASIC); IBM 5110 (with increased capabilities and more expense); Vanguard's Z80 (with nearly complete APL facilities); EMPL (a subset of APL designed for 8080 machines); Microsoft's APL (now in development); and (expected next year) APL with virtual memory and time-sharing on Z-8000 and 8086 16-bit microcomputers.

For Further Reading

Papert, S. "Teaching Children Thinking", M.I.T. LOGO Memo #2, Oct. 1971.

Iverson, K.E. "APL in Exposition", IBM Tech. Report #320-3010, Jan. 1972.

Berry, P. et.al. "APL and Insight: The Use of Programs to Represent Concepts in Teaching", IBM Tech. Report #320-3020, March 1973.

fours from Al k Operating

EFFECTIVE SEPTEMBER 1

Check these DOS 3.0 features NO KEY BOUNCE • UPWARDS COMPATABLE FROM 2.1 • CHECK EOF SEEK • RE-READ • RE-WRITE • LOC • VARABLE LENGTH RECORDS
SKIP • DISK LOGGING OF MESSAGES • BOOT • CHAIN • WRITE EOF PURGE • SET • RESET • ROUTE • RUN & LOAD FOR 1 DRIVE SYS. XFER • FORMAT W/O ERASE • DIR FROM BASIC • PATCH • LINK USER DEFINED KEYS . KEY AUTO REPEAT . UPPER AND LOWER CASE DRIVER • SHIFT LOCK • RS-232-C DRIVERS • PAUSE • USER DEVICE CONTROL BLOCKS
• MULTI PROTOCOL
COMMUNICATIONS

HARDWARE FOR TRS-80

These are 40-track Drives that are completely compatible with the TRS-80 and Radio Shack Drives. 3.0 DOS included. Will allow Turning Diskette over and Write on other side. 4-Drive Cable for Pertec Drives \$35.00 110 to 9600 band EIA tractor feed keyboard printer. This is truly the nicest printer available. (30 day delivery) ☐ 701 Centronics TRACTOR FEED Bidirectional Printer\$1500.00 21/2 times as fast as the Radio Shack 779 Printer, has full size 132 Char. Carriage Bell tone. Complete with Cable plug in and use. Shipped Freight COD. 200 ns 16K Dynamic Memory Clips for Keyboard or Expansion Interface, Lifetime Guarantee, complete \$110.00 Lifetime Guarantee. Complete with Instructions and Jumper □ 10 Key Numerical Keypad Kit\$79.95 □TRS-80[®] Level II - 16k\$750.00 Expansion Interface \$275.00

ORDER NOW AND SAVE

RS-232-C Interface\$ 89.00

Just list the items you want and mail this convenient coupon.

SOFTWARE BY ACS

- Complete Machine Language Monitor for TRS-80 features: Find, EDIT, Relocate, Symbolic Dump to Tape, etc. Monitor No. 4 All of the commands that reside in Monitor No. 3, plus: RS-232 I/O, Disk Program I/O, Symbolic Dump to Disk for Loading into Disk Editor/ASM., Track & Sec I/O for modification. PCLEND\$15.95 Will Patch ASCII files of Basic Programs or text or DATA FILES so that they may be loaded into the Disk Version of the Electric Pencil for Editing purposes comes on Cassette that will automatically create a Disk file of PCLEND. MAKE TAPE AND MAKE DISK for Cassette Dealers \$69.95 These are two programs that will allow you to take any type of Program from Disk and store it on tape for mailing purposes. When the user receives the program in the mail on cassette, it is loaded into the computer which will automatically make a Disk file of the program. □ CP/M & C BASIC for the TRS-80® CP/M Includes: MOVCPM, STAT, PIP, Dump, DDT, ASM (8080), ED, plus 6 user manuals.
 - CP/M C Basic-2 Includes: XREF2, CBAS2, and manuals.
 - ☐TELCOM Telecommunications for the TRS-80®..... \$29.95 Telecommunications for the TRS-80® allows one TRS-80® to communicate with another through the RS-232-C over the phone line.



Orders received by 6:00 p.m. shipped next day on Master Charge, Visa, Certified Check or Money Order. Personal Checks require 14 days to clear. No C.O.D. Collect calls not accepted. All Hardware warranted for 90 days except Radio Shack equipment which is warranted through Radio Shack. Software guaranteed for replacement only. Prices subject to change without notice

AUTOMATED COMPUTER SOFTWARE SERVICE

(615) 244-2798

Division of & Computer World INC.

625 Main Street • Nashville, TN 37206

Send Check or Money Order payable to -

SOFTWARE • P.O. Box 60097 • Nashville, TN 37206

Unit Price Total Quan. Description ☐ Check Money Order ■ MasterCharge Visa Card No. _ HANDLING CHARGE \$1.50
TENN. RES. ADD 6% SALES TAX TOTAL Exp. Date_

Address

Name _

_ State __ City

Word Processing

A Novel Program

BY CHARLEY WINTERBAUER

With this word processing program, you can produce flawless text easily — whether you're writing a short note, program documentation, magazine article or even a complete novel. Simply type in your text at the keyboard, just as you would use a typewriter. The Novel program then lets you make changes and corrections to the text appearing on the CRT. You can save the text and later retrieve it for more editing; and, finally, you can produce perfect copies on your printer.

Hardware

Much of the program depends on the hardware configuration. This configuration will be discussed first. My hardware is just a combination of common, commercially available home computer components.

Major components comprising my system are:

CPU — MITS Altair 8800b

Memory — 48 K static (various brands)

Cassette Interface — Dajen with read & write

Cassettes — Sears 799 21682 501, Sony TC-67

Keyboard — Southwest Technical Products

Video Monitor — Converted TV set Video Interface — Miniterm Assoc. Merlin

Printer — IBM Selectric with Escon conversion

Printer Interface — Home design

The cassette interface allows one cassette to serve as a read unit and one as a write unit — a feature necessary for the edit portion of the program. The cassettes, garden variety recorders operating at a 2500 baud, used medium priced tapes.

The power of the program relies on using routines provided in the software furnished with Miniterm's Merlin. In addition to the video signal to drive the TV, Merlin provides many software editing features resident in read only memory (ROM). And, besides the functions a programmer would want

(dump memory, modify memory, examine CPU registers, and so forth), Merlin has a text editor.

The Novel program calls on all of the edit functions. The more useful functions include:

Edit-S — Move cursor down one line
Edit-G — Move cursor up one line
Edit-D — Move cursor back one
space

Edit-F — Move cursor forward one space

Edit-W — Delete one character. The Miniterm routine automatically shifts the characters that follow.

Edit-E — Delete line

Edit-X — Enter insertion mode, letting you insert any number of characters into the middle of already written text. The Miniterm routine automatic-

Table 1 256×8 PROM for ASCII to Selectric Conversion

Page				100 7 30			PRINCE NO.
CHAR NUL SOH STX ETX EOT ENQ ACK BEL BS	ADDRESS Hex 00 01 02 03 04 05 06 07	CONTENTS Hex 00 00 00 00 00 00 00 00 00 00	CHAR 0 1 2 3 4 5 7 8 9	ADDRESS Hex 30 31 32 33 34 35 36 37 38	CONTENTS Hex B1 A9 B6 BE B9 B5 B4 BD BC	CHAR a b c d e f f g h	ADDRESS CONTENTS Hex Hex 60 95 61 9C 62 A0 63 AC 64 AD 65 A5 66 8E 67 8F 68 A1
HT LF VT FF CR SO SI DLF DC1 DC2 DC3 DC4 NAK SYN ETB	09 0A 0B 0C 0D 0F 10 11 12 13 14 15 16	08 00 10 00 20 00 00 00 00 00 00 00 00	· · · · · · · · · · · · · · · · · · ·	39 38 30 30 35 40 41 43 44 45 47	B0 CD 8D 97 86 D7 F6 DC E0 EC ED EC CE CE	i j k n n o p q r s t u w	69 94 6A 87 6B A4 6C A9 6D 9F 6E A6 6F 99 70 85 71 84 72 9D 73 91 74 A7 75 AE 76 9E 77 90
CAN EM SUB ESC FS GS RS US P #\$\$	18 19 1A 1B 1C 1D 1E 1F 20 21 22 23 24 25	00 00 00 00 00 00 00 00 40 40 97 D5 FE FF FF FF	HIJKLMNOPQRSTUV	48 49 48 40 44 45 55 55 55 55 55 55	E1 C7 E4 E9 DF E6 D9 C5 C4 DD D1 E7 EE	X y Z C DEL	78 AF 79 81 7A B7 7B FF 7C CD 7D BF 7E 00 7F 00 80 00 81 00 82 00 83 00 84 00 85 00 86 00
+ + /	27 28 29 2A 2B 2C 2D 2E 2F	95 F0 F1 C6 80 80 96	W X Y Z [¢] E∧↑	57 58 59 58 50 50 55 57	DO EF C1 F7 FF F4 BF E5		87 00 88 00 89 00 8A 00 8B 00 8C 00 8D 00 8E 00 8F 00

SP CR Indx HT BS BEL SPare - Machine Command Selectric SP SH T2 T1 R5 R2A R2 R1 - Ball Command Codes bit# 7 6 5 4 3 2 1 0

Bit 7 is Character Print

ally shifts characters to accommodate the new addition.

Edit-C — Exit insertion mode

It may sound as though the Miniterm device had done it all. Not so. For instance, the Miniterm does not have a lower case scan converter. All characters are upper case. In any article or book, upper and lower case are necessary, but you don't want to print it out to see which case it was. Somehow I had to display both upper and lower on the CRT.

Miniterm does have the capability to reverse the display of the character. That is, if you have the background dark with the letters light, then any individual letter may be reversed. You guessed it: The program uses this feature; upper case characters become black lettering surrounded by a small square of white.

Since I already had a Selectric, I naturally decided to convert it to a printer using the ESCON conversion kit. I only purchased the solenoids since I'd already designed the interface. The basic concept for the Selectric code conversion interface circuitry came from Don Lancaster's TV Typewriter Cookbook. I modified his design by including several one-shots for the character print. Capital letters need a longer delay to allow the Selectric ball to rotate the additional 180 degrees. For programming the ROM see Table 1.

Physically, the ROM and associated circuitry are located on an S-100 bus, wire-wrapped breadboard card inside the CPU mainframe. The solenoid drivers are located 20 feet away in a small box mounted under the type-writer table. A short cable connects these drivers to the solenoids mounted in the guts of the typewriter. With the delays required for reliable typing programmed in, the computer drives the Selectric at about 10 cps.


Software Organization

The Novel program is divided into three modes:

1. Input mode. The author sits at the video keyboard and types onto the screen. Errors can be corrected using the proper edit keys.

The records stored on the cassette represent paragraphs. This format (a) overcomes the problem of the CRT and the typewriter not having the same horizontal character spacing which makes line accounting difficult; and (b) speeds up the reading of the tape since fewer records are on a page.

2. Edit mode. Here, both tape units are used. The previously stored data,



recalled a paragraph at a time, is edited as appropriate. In addition to recalling each paragraph starting at one, you can recall a paragraph from anywhere. All of the preceding paragraphs are rewritten on the new tape first, but do not appear on the CRT.

You can add a new paragraph after any existing one without fouling up the paragraph numbering system. The program renumbers the paragraphs as it puts them on the new tape, allowing you to add as many paragraphs as you want without losing count in the final tape. You also have the option of deleting any paragraph requested. At the end of each edited paragraph, you can also delete the paragraph, end the chapter immediately, finish the rest of the chapter by copying the remaining paragraphs verbatim, or request another subsequent paragraph to be displayed and edited.

Chapter numbers as well as paragraph numbers are recorded as part of the record. Thus, you can put several chapters on one cassette and still sort them out. In practice, however, it becomes quite time consuming to record more than one chapter per cassette side.

3. Typing mode. This mode, which may seem the simplest, is the most sophisticated. During the input mode, I type with wild abandon, not caring where the line ends on the CRT, not caring where the Miniterm software puts the carriage return and not caring about the ultimate format of the typewritten page. Thus, the Novel program's type mode has to keep track of the words going out to the typewriter on

a line basis. The forty characters per CRT line do not map exactly to the typewritten page. The program determines when to insert carriage returns and eliminates double spaces after periods when these typewriter carriage returns are inserted. (A carriage return in the middle of a word is verboten, of course.) The program keeps track of the number of lines on a page so it can insert the proper number of carriage returns to skip past the perforation separating one printout sheet from another. Finally, the program looks at each letter to decide upper case or lower case, then determines the appropriate delay before the next character.

The keyboard has a two-position switch: (1) upper and (2) upper plus lower. The upper mode is used with the system monitor, which only understands upper case. In the upper plus lower mode, the shift key determines the state just as it does on a typewriter. In the program then, the ASCII code from the keyboard denotes either upper case or lower case, depending on the shift key position.

The input and edit modes of the program make conversions for the display. Both the input mode and edit mode converse in this converted ASCII code to provide the reversed display for capital letters. The tapes are made in this code. Thus, the type mode program must convert back to ASCII so the interface circuitry can convert to the Selectric code. I could have programmed the ROM with the modified ASCII, but it seemed better to output from the type mode program in ASCII.

Finally, a computer breakthrough that really is a breakthrough!



THE SOURCE is here... the first time-sharing information system devised for home and small business computing!

Now, for the first time in history, you can link your personal computer to a vast, powerful information system that extends to hundreds of major U.S. cities and puts you in control of more than 2,000 different information resources and programs—for just pennies a minute!

Pioneered by the Telecomputing Corporation of America, this breakthrough is called THE SOURCE Information Utility, and it is revolutionizing the world of personal computing!

Large system capability from the hardware you're using now!

Any personal computer with a modem can be hooked up to THE SOURCE quickly and easily. Just dial a local phone number and key in your private password, and you'll have the large system capability you've always wanted at a fraction of the usual cost!

THE SOURCE is yours for as little as \$2.75 an hour (4.6¢ a minute)—No CPU charges!

You can access the wealth of information resources and programs in THE SOURCE for an hourly charge of just \$2.75 during non-prime hours*, plus a one-time hookup fee of \$100.00. TCA also provides intelligent terminal software for an additional \$25.00. Your connect time will be automatically recorded by THE SOURCE in one-minute increments and billed to the major credit card account of your choice.

Thousands of new capabilities at your fingertips!

Whether you use your personal computer for business, entertainment, education or just plain fun, THE SOURCE will broaden your horizons in any category with thousands of informative, easy-to-use application programs and special system features to benefit every member of your family.

Here's just a quick look at some of the far-reaching capabilities you'll command from your home or office with THE SOURCE!

Electronic Mail

You can send point-to-point or multi-point electronic messages all over the country with THE SOURCE. Just think, now you can exchange software electronically, without regard for the lack of cassette and diskette standards. On the job, you can receive and send important messages instantly, handle information at your convenience, cut down on interruptions and save the time and money of long distance phone calls or letters. THE SOURCE's exclusive *Datapost* service lets you send hard copies of your messages for just pennies apiece—with overnight delivery.

Chatting

Use THE SOURCE to "chat" electronically with friends or business associates in a real time interactive

^{*} Non-prime hours are 6 p.m. to 7 a.m. (local time) Monday through Friday, and all day Saturday, Sunday and holidays. Non-prime connect time is \$2.75 an hour. The prime time usage charge is \$15.00 an hour. There is a minimum monthly charge of \$5.00 and disk storage charges are calculated at .033 cents/2,048 character block/day.

mode. And you can chat with other SOURCE users all over the country for considerably less than the cost of a long-distance phone call.

Easy To Use

You and THE SOURCE will easily understand each other because all programs and data bases are organized under a unique "key word" indexing system that gives you exactly the information you need in seconds.

Write your own programs . . .

You get all the advantages of timesharing, including complete programming capability in such languages as extended BASIC, FORTRAN IV, PASCAL, Assembly and many more. And you'll have at your command THE SOURCE's powerful text editor and cross assemblers for all popular micro-processors.

... Or choose from over 2,000 existing data bases and application packages!

THE SOURCE gives you instant access to an almost unlimited variety of data base information resources and programs that you and your family can use to live better, work better, study better and have more fun. You can turn to THE SOURCE for:

- News, sports, weather, financials and features from United Press International's worldwide news service.
- Major stock exchange information, including stock market averages, closing statistics, news, quotations and summaries, plus trends and extensive historical data on the market activity of 3400 publicly traded stocks.
- A library of educational courses and reviews from kindergarten to post-grad level, including the Dartmouth College educational library.
- New York Times Consumer Data Bank, an extract service of over 5,000 topical items appearing in major publications—a powerful and prestigious information and research tool!
- Entertainment and hobbies, including theatre and restaurant guides, movie and book reviews, concert and ticket information, and tips on dozens of hobbies

from auto repair to gourmet cooking, plus daily horoscope and biorhythm reports and scores of electronic games for all age levels and interests.

- Financial information, including a complete income tax guide, home financial planning, investment assistance, a national real estate buying and selling service, and much more!
- Business help, including a complete set of basic business accounting packages, a proven business data base management system, and hundreds of parameter-driven application packages for users in scientific, engineering, government and education fields.
- Personal and business travel planning, including airline schedules, reservation and ticket confirmations, plus hotel/motel and car rental reservations.

Available now in 250 major U.S. cities and growing!

When you subscribe to THE SOURCE, you get more than power, you get *reach!* THE SOURCE is now available in over 250 major U.S. cities and the network is growing!

Hook up to THE SOURCE now!

For a one-time hookup fee of just \$100.00, you will get a complete SOURCE Users Guide, a personal TCA identification number and a private password that will deliver the vast information power of THE SOURCE Information Utility to your personal computer.

Don't wait another day to discover the awesome capabilities of THE SOURCE! Complete the order form below *now*, indicating the credit card account to which you would like the service billed. MAIL IT TODAY TO:




Telecomputing Corporation of America 1616 Anderson Road McLean, Virginia 22102

Give your personal computer the large system information power and communications reach of THE SOURCE—Send this coupon today!

© 1979 Telecomputing Corporation of America

Mail to: Telecomputing Corporation of America 1616 Anderson Road, McLean, Virginia 22102	Credit Card Information (please complete) □ VISA □ MASTER CHARGE □ AMERICAN EXPRESS
Yes! Give my personal computer the power of THE SOURCE Information Utility! Please send me my personal TCA identification number, private password and complete User's Guide. I understand that my monthly connect charges (\$2.75/hr. for non-prime use, \$15/hr. for prime time use) will be billed to the account I have indicated. I also understand that I am subject to a \$5.00 minimum monthly charge.	Account #: Exp. Date: Name Address City State Zip Code
Check one: Please charge the account indicated in the amount of \$100 for hookup to THE SOURCE Information Utility.	Signature Date
☐ Please charge the account indicated in the amount of \$125, which includes hookup to THE SOURCE Information Utility and TCA's intelligent terminal software package. My system configuration is:	THE SOURCE
Manufacturer:	Information Utility
Model # and Description	The information innovation you've been waiting for!

The type mode also must accept the start of the first line in other than a fixed, predetermined place. In practice, I don't retype a whole chapter when I make a small change in the middle. Since perhaps only one or two pages end up being affected, the type mode must be capable of reading the tape and starting the typing at a designated paragraph and line number.



FND

CHAPTER

Control Ch

END

PARAGraph

Control CH

no

yes

ves

Write

END-CHAPTER

cassette

record

Write

cassette

record

Operating Illustrations

At this point you can re-execute and input more text, or edit or type the tape

structions and responses required, il-

lustrated in the sample CRT display

below. Parentheses denote operator

PROCESSOR:

The program is executed first:

responses.

E5200

BOOK

input more text, or edit or type the tape just made. I'll illustrate the edit mode next:

E5200

BOOK PROCESSOR: CHANGE KEYBOARD TO UPPER PLUS LOWER

INPUT, EDIT OR TYPE?

(E)

CHANGE

MOUNT READ AND WRITE CASSETTE (RET)

TITLE? NOVEL PG (RET)

CHAPTER? (1) (RET)

PARAGRAPH? (1) (RET)

ENTER PARAGRAPH # TO EDIT,

OR CNTL-F TO FINISH CHAPTER,

OR CNTL-C TO END CHAPTER IMMEDIATELY (1)

PARAGRAPH 1

When the called paragraph is displayed, you can edit as discussed previously. Control P again puts the paragraph out on tape. Next, the program responds with the following message:

WANT TO ENTER A NEW PARAGRAPH? Y OR N

If Y then the cursor advances and waits for the next paragraph entry. If N then the next message appears:

ENTER PARAGRAPH # TO EDIT, OR CNTL-F TO FINISH CHAPTER,

OR CNTL-C TO END CHAPTER IMMEDIATELY (2) (or whatever)

This process continues on until completion or until you end the chapter with control C or control F. Then the program returns to the system monitor:

CHAPTER DONE — CHANGE TO UPPER CASE

As illustrated, the paragraph number appears on the screen, along with the contents of the paragraph, to help keep track of where you are. If, in spite of this, you lose track or hit the wrong key for the requested paragraph, then one of the following will happen: (a) If the paragraph number is beyond the maximum paragraph number on tape, then

CHAPTER

DONE'

HALT

Update

paragraph

number

Figure 2 Input Mode

the program completes the chapter translation onto the new tape. (b) If the paragraph number exists on the tape ahead, then that paragraph will be displayed on the screen. (c) If the number of an already passed paragraph is pressed, then the next available paragraph is recalled along with an added message that it was a "BAD PARA-GRAPH ENTRY". The recalled para-

Edit Mode

graph is numbered so you can get back

I use this feature deliberately by entering a 1 when I'm well into the chapter and have lost count. The next paragraph comes up with the message and then I know where I am.

Paragraph numbers are only displayed on the screen; they are blanked from appearing on the typed output.

(The program could be modified to include the numbers on rough copies to aid in editing the text.)

The type mode begins like the others. After selecting the type mode, you get this message:

MOUNT READ CASSETTE (RET) TITLE? NOVEL PG (RET)

START TYPE PARAGRAPH (1) (or whatever) (RET)


TYPEWRITER LINE NUMBER; (1 through 29) (The program is set up for double spacing.)

The complete chapter is typed out with no indication on the screen until the program completes the chapter.

I use Moore business form paper 9510-LA, perforated, 8-1/2 by 11, 2500 sheets per box. Careful paper alignment allows a dozen or more pages to be typed without realignment. If realignment is necessary, you can stop and restart the computer without any effect on the output copy. If it is necessary, I usually realign the paper between pages so the slight margin shift doesn't show.


When finished typing, the program gives the word count of that chapter and returns control to the system monitor.

flowcharts and table, was written on the system. The listing was printed with a special routine which only outputs lower case, speeding up the output. I used a typewriter ball with all upper case characters. The symbol # looks like a backwards "h" with that ball.



assembly language. There is some room for improvement in the actual coding and room for some minor improvements such as giving the number of words typed in decimal. As now implemented, the word count, in hex, is somewhat inaccurate.

Program Listing








Figure 4B Type Mode





```
53E9 05
53EA C2 E7 53
53ED C9
                                    1025
                                                      DCR
                                    1030
                                                      JNZ
                                                              TLC
                                    1035
                                                      RET
SBEE
                                    1040 *
53EE CD 78 CL
53FL FE OD
53F3 C2 EE 53
                                    1045 WAITC
                                                      CALL
                                                              CDI
                                                      CPI
                                    1050
                                    1055
                                                      JNZ
                                                              MAITCR
53Fb C9
53F7
53F7 97
                                    7020
                                                      RET
                                    1065 *
1070 NUM
                                                      ZUB
                                                              A CA D TO NR
53F6 4F
53F9 CD 1A 54
53FC FA 18 54
53FF 4F
                                    1075
                                                      MOV
                                                              DIGI
                                    1080
                                                      CALL
                                                     JM
                                                              NUMA
CAA DA TO NR
                                    1085
                                    1090
5400 CD LA 54
5403 FA LA 54
5406 57
5407 CD 29 54
                                    1095
                                                      CALL
                                                              DIGI
                                    1700
                                                      JM
                                                              NUMA
                                                     MOV
                                    1105
                                                              D-A
TENC
                                                              D 2ND DIGIT
 54DA 82
                                                      ADD
5408 4F
540C CD 1A 54
540F FA 1A 54
                                    7750
                                                      MOV
                                    1125
                                                     CALL
                                                              DIGI
                                                              NUMA
                                    1130
 5412 57
                                    1135
                                                      MOV
                                                              DAA DC
5413 CD 29 54
                                    1140
                                                      CALL
                                                              TENC
                                                              D 10*{H0*DA+DB}+DC
5416 82
5417 C9
5418 79
                                                      ADD
                                    1145
                                                      RET
                                    1155 NUMA
                                                      MOV
                                                              A-C
                                    1160
1165 *
1170 DIGI
1175
 5419 (9
                                                      RET
541A CD 7R C1
541D CD CD 52
                                                      CALL
                                                              CDI
                                                      CALL
                                                              DUL
 5420 DE 30
                                    1180
                                                      SPI
                                                               30H
5422 F8
5423 47
                                    1190
1195
1200
                                                      RM
                                                              NEG
                                                                    IF NOT DIGIT
                                                      MOV
                                                              BAA
 5424 2F
                                                      CMA
5425 Cb OA
5427 78
5428 C9
                                    1502
                                                      ADI
                                                              10
                                    1510
                                                      MOV
                                                              A .B
                                    1215
                                                      RET
                                                                                  NEG IF NOT DIGIT
 5429
                                    1550 *MANT C*10 IN A
 5429 00
                                    1225 TENC
                                                      INR
542A 41
542B 97
                                    1230
                                                      MOV
                                                              BaC
                                                      SUB
5420 05
                                    1240 TENCA
                                                      DCR
542D CA 35 54
5430 Cb DA
5432 C3 2C 54
5435 C9
                                    1245
                                                      JZ
                                                              TENCB
                                    1520
                                                      ADI
                                                              TENCA
                                    1255
                                                      JMP
                                    15PO LENCB
                                                      RET
 5436
                                    1265 *
       OD
5436
                                    1270 MSGA
       42 4F 4F 4B 20
50 52 4F 43 45
5437
                                                               BOOK PROCESSOR '
                                    1275
                                                      ASC
           53 4F
                    52 20
5446 43 48 41 4E 47
45 20 48 45 59
                                    1590
                                                      ASC
                                                              'CHANGE KEYPOARD TO '
       42 4F 43 52 44
       20 54 4F 20
55 50 50 45 52
                                    1285
                                                      ASC
                                                              'UPPER PLUS LOWER.'
 5459 55
           50 4C 55 53
4C 4F 57 45
       50
54 4C
52 2E
546A DD FF
546C DD
541*
        50
                                                               OFFODH
                                     1290
                                                      DU
                                     1542 WZCB
                                                               DDH
                                                               "MOUNT WRITE CASSETTE"
       4D 4F 55 4E 54
20 57 52 49 54
45 20 43 41 53
 546D
                                     7300
                                                      ASC
        53 45 54 54 45
                                                               DFFH
                                     7302 W20C
5481 FF
5482 DD
                                                      DB
                                                      DB
                                                               UDH
 5483 54 49 54 46 45
                                                      ASC
                                                               'TITLE? '
                                     1315
 3F 20
548A FF
548B 0D
                                                               NFFH
                                                      DB
                                     7350
                                     1325 WZGD
                                                      DB
548C 43 48 41 50 54
45 52 3F 20
                                                               'CHAPTER? '
                                     1330
                                                      ASC
 5495 FF
                                                      DB
                                                               OFFH
                                     1335
                                     1340 WZGE
 5496 OD
                                                      DB
       43 48 43 50 54
45 52 20 44 4F
46 45 26 20 43
48 43 46 47 45
                                                               'CHAPTER DONE. CHANGE '
 5497
                                     1345
                                                      DZA
        50
54AC 54 4F 20 55 50
50 45 52 20 43
41 53 45 2E
54PA 0D FF
                                                               'TO UPPER CASE.'
                                     1350
                                                      ASC
                                                               OFFODH
                                                      DU
                                     1355
 548C DD
                                     13PU WZGŁ
                                                      DB
        49 4E 50 55 54
2C 20 45 44 49
54 20 4F 52 20
54 59 50 45 3F
                                                               'INPUT, EDIT OR TYPE? '
 SHED
                                     1365
                                                      ASC
        20
                                     1370
1375 *
1380 CDI
1385 DISO
 5402 OD FF
                                                      DU
                                                               DEFORH
 54D4
                                                      EQU
                                                               DC17BH
 54D4
                                                      EPU
                                                               DC574H
 5404
 54D4
                                                      EQU
                                                               DCILFH
                                     1395 MERLN
                                                      EPU
                                                               DCDSBH
 54D4
```

```
54D4
                                                                                 1400 DSPLA
                                                                                                                      EQU
                                                                                                                                          ОВПОВН
  54D4
                                                                                 1405
                                                                                 1411
 54D4
 54D4
                                                                                                HOME
                                                                                                                                          прппан
                                                                                                                       FOIL
 54D4
                                                                                               EOM
                                                                                                                                          пропсн
                                                                                                                      EPU
  54D4
                                                                                 1415
 54D4 A7
54D5 7D
                                                                                 1420 GETNS
                                                                                                                      ANA
                                                                                                                                         A CALLE
                                                                                                                                                  CLEAR CY
 54D5 7D
54D6 93
54D7 bf
54D8 7C
54D9 9A
54DA b7
54DB C9
                                                                                 1430
                                                                                                                       ZUB
                                                                                 1435
                                                                                                                       MOV
                                                                                 1440
                                                                                                                      MOV
                                                                                                                                         ATH
                                                                                                                       SBB
                                                                                 1445
                                                                                 1450
                                                                                                                       MOV
                                                                                                                                          HAA
                                                                                 1455
                                                                                                                       RET
                                                                                1460 *
1470 * CASSETTE
1475 CSRH MVI
 54DC
54DC
                                                                                                                                   ATOEHH CASST
 1480
                                                                                                                       OUT
                                                                                 1485
1490
1495
                                                                                                                                          CAZCO
CIN
                                                                                                                       MVI
                                                                                                                       OHT
                                                                                                                       CALL
                                                                                                                                          B-10
CIN
7FH
                                                                                 1500
                                                                                                                       MVI
                                                                                 1505 CINA
                                                                                                                      CALL
                                                                                 1510
                                                                                 1515
                                                                                                                       JNZ
                                                                                                                                          CZRH
54EE C2 DC 54

54F1 05

54F2 C2 E9 54

54F5 06 08

54F7 21 39 55

54FA CD 2F 55

54FE C3

54FE C5

5500 C2 FA 54
                                                                                 1520
                                                                                                                       DCR
                                                                                                                                          CINA
                                                                                 1525
                                                                                                                       JNZ
                                                                                 1530
                                                                                                                      MVI
                                                                                                                                          B.B
H.INT
                                                                                                                                                                                     IN TITLE
                                                                                 1535
                                                                                                                      CALL
                                                                                 1540
                                                                                                                                          CIN
                                                                                                CINB
                                                                                 1545
                                                                                                                                          MAA
                                                                                1550
1555
1560
                                                                                                                       INX
                                                                                                                                          H
                                                                                                                                          B
CINB
                                                                                                                      DCR
                                                                                                                       JNZ
  5503
                                                                                 1565
 5503 CD 2F 55
5506 32 41 55
5509 CD 2F 55
                                                                                 1570 CINC
                                                                                                                       CALL
                                                                                                                      STA
                                                                                                                                          INC
                                                                                                                                                      IN CHPT H
                                                                                 1575
                                                                                 1580
550C 32 42
550F FE EC
5511 CO
5512 3E 30
                                                                                 1585
                                                                                                                       ATZ
                                                                                                                                          PARIN
                                                                                1590
1595
1600 CF
                                                                                                                       CPI
                                                                                                                                          ECH
                                                                                                                      RNZ
                                                                                                                                          HDE A
 5514 D3
5516 C9
                                                                                 1605
                                                                                                                       OUT
                                                                                 1610
                                                                                                                       RET
5516 C9
5517 2A BD 52
551A 11 00 00
551D CD 2F 55
5520 77
5521 23
5521 23
5523 FE 10
                                                                                1615 * CA
                                                                                                * CASSETTE READ TEXT -MOVING
CSRT LHLD ADDRA
LXI D.O
                                                                                 1655
                                                                                                                                         CIN
Maa
                                                                                 TP30 CIND
                                                                                                                       CALL
                                                                                 1735
                                                                                                                       MOV
                                                                                1635
1640
                                                                                                                      INX
                                                                                                                                          HD
                                                                                                                       INX
                                                                                 1645
                                                                                                                       CPI
                                                                                                                                          EOP
  5525 C2 1D 55
                                                                                 1650
                                                                                                                       JNZ
                                                                                                                                          CIND
 8528
8528
                                                                                 1655
                                                                                 7660
                                                                                 1665
  5528
  5528 EB
                                                                                 1670
                                                                                                CE
                                                                                                                       XCHG
 5529 22 8F 52
552C C3 12 55
552F
                                                                                 1675
                                                                                                                       SHLD
                                                                                                                                          NRWDS
                                                                                1680
                                                                                                                                          CF
                                                                                                                       JMP
  552F DB 5D
                                                                                 1700 CIN
                                                                                                                       IN
                                                                                                                                          TZZAD
 5531 EL 80
5533 CA 2F 55
5536 DB 5F
                                                                                 1705
                                                                                                                       ANI
                                                                                                                                          HOB
                                                                                 1710
                                                                                                                      JZ
                                                                                                                                          CIN
                                                                                                                                          CASDI
  5538 (9
                                                                                 1712
                                                                                                                       RET
 5559 20 20 20 20 20 5543 00 5542 00
                                                                                1715 INT
                                                                                                                      ASC
                                                                                1720 INC
1725 PARIN
                                                                                                                      DB
                                                                                                                                          00
 5543
                                                                                 1885
 5543 21 5A 56
5546 CD 6F C1
5549 CD EE 53
                                                                                                                                          H-MSGG
                                                                                                                      LXI
                                                                                2000 EDIT
2005
                                                                                                                                          MSG
                                                                                 5070
                                                                                                                      CALL
                                                                                                                                          WAITCR
5549 CD EE S3
554C
554C
554C
554C
554C
554C
554F
CD bF
C1
5558 CD bF
5558 CD bF
555B
555B
77
555B
21
555B
22
555B
23
555B
24
555B
25
555B
27
5
                                                                                 2012
                                                                                2025 *
                                                                                                                      LXI
                                                                                                                                          H-MSGC
                                                                                                                      CALL
                                                                                 5030
                                                                                                                                          MZG
                                                                                2035
                                                                                                                                         TL
H-MSGD
                                                                                 2045
                                                                                                                       CALL
                                                                                                                                          MZG
                                                                                 2050
                                                                                                                       CALL
                                                                                                                                          NUM
                                                                                                                      LXI
                                                                                 2055
                                                                                                                                          H-CHPTR
                                                                                50PJ
50P0
                                                                                                                                          M-A
M-A
                                                                                                                      LXI
                                                                                 SUPS
                                                                                                                       CALL
                                                                                                                                          MZG
                                                                                 5073
                                                                                                                       CALL
                                                                                                                                          NUM
                                                                                20b4 STA PAROUT
20b5 *NEW PARA FROM CASSETTE
2070 ED MVI A-CR
  55HB 32 CC
                                   52
 55hE
55hE
                BE OD
 5570 CD CD
5573 CD CD
5574 21 78
5579 CD 6F
557C CD 78
                                   52
                                                                                 2075
                                                                                                                       CALL
                                                                                                                                          PUL
                                                                                                                                          MZC
H MZCH
DNF
                                                                                 2080
                                                                                                                       CALL
                                   5h
Cl
                                                                                 2085
                                                                                                                      LXI
                                                                                 2090
                                                                                                                       CALL
                                                                                 2095
                                                                                                                      CALL
                                                                                                                                          CDI
 557F CD CD
5582 FE D3
                                   52
                                                                                 5700
                                                                                                                       CALL
                                                                                                                                          DUL
                                                                                 2105
                                                                                                                       CPI
                                                                                                                                          EOC
 5584 CA AC 52
                                                                                                                       JZ
                                                                                 5770
                                                                                                                                          AZM
```

-Professional -

Real Estate Programs

available on cassette or diskette

for Apple & TRS-80 II

Property Management System

- · Rental Income Tracking
- Complete Expense Analysis,

System w/Manual \$125.00 Manual \$10.00

Program Modules:

- 1) Home Purchase Analysis
- 2) Income Property Cashflow/ Leverage
- 3) Construction Cost/Profit
- 4) Tax Deferred Exchange
- 5) APR Loan Analysis

Price Per Module \$20.00 Add \$5.00 for Programs on Diskette



At Computer Stores everywhere or call ompany (213) 372-9419 for C.O.D.

2045 Manhattan Ave., Hermosa Beach, CA 90254

CIRCLE 16

OUTRIGHT PURCHASE OR FULL OWNERSHIP UNDER OUR 24 MONTH 100% EQUITY RENTAL PLAN

	PURCHASE	*PER MO. 24 MOS.
LA36 DECwriter II		\$ 83
LA34 DECwriter IV		67
LA120 DECwriter III, KSR		120
LA180 DECprinter I, RO	. 2,095	109
VT100 CRT DECscope	. 1,895	99
DT80-1 CRT Terminal	. 1,795	93
TI745 Portable Terminal		98
TI765 Bubble Memory Term	. 2,795	145
TI810 RO Printer	. 1,895	99
TI820 KSR Printer	. 2,395	125
ADM3A CRT Terminal	. 875	46
QUME Letter Quality KSR	. 3,195	166
QUME Letter Quality RO	. 2,795	145
HAZELTINE 1410 CRT	. 895	47
HAZELTINE 1500 CRT	. 1,195	62
HAZELTINE 1552 CRT	. 1,495	78
DataProducts 2230	. 7,900	410
DATAMATE Mini Floppy	. 1,750	91

*FULL OWNERSHIP AFTER 24 MONTHS

12 MONTH FULL OWNERSHIP 36 MONTH LEASE AND RENTAL PLANS AVAILABLE ON ABOVE AND OTHER EQUIPMENT

MOST EQUIPMENT AND OPTIONS IN STOCK FOR IMMEDIATE SHIPMENT



RANSNET CORPORATION 201-688-7800 2005 Route 22, Union, N.J. 07083

0h 91 55 7F 99 55 E C2 EDA A-7FH EDB 5750 JNZ SSAC 5730 MVI SSAE DING OF CHPTR A 2135 * FINISH REA 5591 CD 50 ATA DATE CALL DIGI+b 51 CD 30 00 FC 2145 5594 MVI C-0 5596 NUM+5 CALL 2155 EDR LXI H-PARN 38 57P2 EDC MOV DC 42 EC CD FE CA 21 CSRH 559D CALL 55A0 55A3 55 2170 LDA ECH 5790 38 2185 LXI H-PARN DS BE 2190 SSAP CMP Cā JNC EDG 55 5500 H-BUFA 52 55 58 55B2 BD 2205 SHLD ADDRA 55R5 57 CD 1.7 5570 CALL CSRT 55P8 FO H-BUFA ADDRA 5588 5550 SHLD 52 CC 2225 CALL 55BE 53 CZM 5530 H-PAROUT 55CL 55C4 34 INR 2235 **C3** 9D 2240 JMP EDC GE PARN LXI H SHLD A 55CA 2245 *PARIN 57 2250 EDG H-BUFA 55CB FI BD 17 55CB 52 2255 ADDRA READ TEXT 5520 CALL 5525 LHLD DSPLA 55D4 BE CD CD 41 2265 MVI 55Db C4 CALL EDITM 25 5509 2275 CALL DEOM LXI LDA CMP 55DC 0855 H-PARN 42 SSDE 2855 PARIN 55E2 CD CD CY 2295 EDF 55E3 JZ 00 6F 15 2300 H-MSGJ C1 57 C1 55E9 H-MZGK 5305 CALL 55EC 2305 EDF LXI SSEF CALL 530P CD 99 57 CALL PDSP H IN ASCII 55F5 55F7 2309 MVI A - CR CD 52 52 DUL 5370 CALL 55FA 5311 CALL OF 5375 DSPLA LHLD 5600 55 BD 5373 SHLD ADDRA 5603 2314 21 FO 58 5603 2312 2320 EDH LXI H-BUFA 5606 DIZO 5607 2325 CALL SLOA 10 A-EOP 5500 BE 5500 23 550E C2 5511 21 5514 22 5517 CD 551A CD 2335 CMP 2340 INX OF 2345 JNZ LXI EDH 17 46 78 CD 2346 H-EDI DO 2347 2350 EDI CALL CDI 2355 CALL DUL FE CA 04 38 30 561D 5360 DP 561F 56 JZ CPI EDM 5622 2370 EOP 5624 C2 17 56 2375 JNZ EDI 5627 **GN3* DBES** 5627 EB BD 52 2385 2390 LHLD ADDRA 562A XCHG 2A 06 CD D4 22 BF 565B 2395 LHLD DSPLA CALL 563E 2400 2405 NRWDS 2440 * CASSETTE WRITE 5634 5637 51 CD 29 53 CC 52 2445 EDJ CALL CSW H-PAROUT 2450 LXI SE3A 2455 2460 EDM INR 51 563B **D9** 56 LXI H-MSGI 563E ЬF Cl 2465 CALL MSG CD FE 78 5641 CI 2470 CALL CDI 5644 59 2475 CPI 5646 5649 55 C5 PE 2480 JNZ 2485 * NEW PARA 2490 MVI TO BE ENTERED 5649 3E MVI A.CR CD CD 22 CD 564B 2495 CALL DUL 564E 2500 5651 DP DP DO 52 2505 LHLD DSPLA 5654 2510 ADDRA EDI ZHLD 5657 17 2515 JMP 565A OD 2520 MSGG DB DDH 565B 4F 55 45 20 54 44 52 4 D 'MOUNT READ & WRITE CASSETTES' 41 57 20 2F 50 45 50 53 54 FF 53 5677 2530 MZGH DEFH DB 5678 OD DB ПРН 45 'ENTER PARAGRAPH A TO EDITA' 4E 54 45 52 2540 ASC 41 52 41

		52 23 45		50 54						
5693 5694	50	45	52	50	43		2545		DB	DDH OR CNTL-F TO FINISH
78	49	54 4 E B	4444	2D 20 53 41	46 46 50					CHAPTER,'
2P85	54	45 4F	52	50	43		2555 2550		DB AZC	DDH OR CNTL-C TO END CHAPTER
	4E	54 44	445	20	48					IMMEDIATELY
		50 49 49 59	54470	40	52 45 45					
56D8 56D9 56D8	FF 0D 57	0D 41	48	54		- 1	2565 2570 2575	MZGI	M DB	OFFH ODODH 'WANT TO ENTER NEW PARAGRAPH?
	54 45 55	4F 45 57 43	20 52 20 47	45 50 50 52	45					Y OR N '
	50	48	3F	50	59 4E					
56FF 5700 5701	92		44	50	50		2580 2581 2582	WZGJ	V2C DB DB	OFFH ODH 'BAD PARAGRAPH ENTRY'
5714	47 45	52 50 54	48	47 20 59	52 45		9 H			OFFH
	OD			42			2583 2584 2585	WZGK	V2C DB DB	ODH 'PARAGRAPH '
	ΠD 53	54	42	52			2586 2587 2588	MZGL	AZC DB DB	OFFH ODH 'START TYPE PARAGRAPH'
30.54	20 47 20	54 50 52	59 41 41		45					
5737 5738 5739	FF					i		PARN EDITM	DB DB	OFFH O OC409H
5739 5739 5739						BASE	8P25	MRTN DEOM	EGU	000C2H
573C 573D	HF LL CD	42 64 50				i	2610 2610 2615	PDZb	LDA MOV MVI CALL	PARIN C-A D-100 DTEN
5742 5743 5744	57 78 Cb	30					2620 2625 2625		MOV MOV ADI	D-A REMAINDER A-B 30H
5746 5749 574A 574C	CD 4A 16 CD	CD DA 5D				ě	2635 2640 2645 2650		CALL MOV MVI CALL	DUL C.D DIEN
574F 5750	57 78 Cb	30	-				2655 2660 2665		MOV MOV ADI	A B B B B B B B B B B B B B B B B B B B
5756 5757	CD 7A CL CD	42 42				č	2670 2675 2677 2680		CALL MOV ADI CALL	DUL A.D 30H DUL
575C 575D 575D	čå	.,	36			800	2645		RET C BY D	ANSWER IN B
575E 5760	79 06 92 FA	00 68	57			0.33	2705	DTENA DTENA	MO NO	B ₂ D
5764 5765 5768	28 28	PO					2720	DTENB	INR JMP ADD	D DTENB B DTENA D
	57	PD P				ě		* TYPE	LXI	H-MZGM
5770 5773	57 CD	EE 82 LF	53			1	2805 2810 2815 2820		CALL LXI CALL	MSG TITLE
5779 5770 577F	51 CD	CR 21 LF	53 57 C1			35 736	2825 2826 2827		CALL LXI CALL	H-WZGL
5782 5785 5788	35 CD	F7 38 75	53 57 58				8585 P585 0685		CALL STA LXI	PARN HARSON THE TAX TORRUPTE
578E 578E 5791		F7	53 58			i	2835 2840 2845	118	CALL STA	MSG LINE IN TYPEWRTR NUM NRLN
O 12 10 10 10 10 10 10 10 10 10 10 10 10 10	PER 19 19 19 19 19 19 19 19 19 19 19 19 19	9789	1	1		Province Control	THE REAL PROPERTY.	THE RESERVE OF THE PARTY OF THE	THE RESIDENCE AND ADDRESS.	

By Netronics

ASCII/BAUDOT, STAND ALONE



Computer \$14995 **Terminal**

The Netronics ASCII/BAUDOT Computer Terminal Kit is a microprocessor-controlled, stand alone keyboard/terminal requiring no computer memory or software. It allows the use of either a 64 or 32 character by 16 line professional display format with selectable baud rate, RS232-C or 20 ma. output, full cursor control and 75 ohm composite video output.

The keyboard follows the standard typewriter configuration and generates the entire 128 character ASCII upper/lower case set with 96 printable characters. Features include onboard regulators, selectable parity, shift lock key, alpha lock jumper, a drive capability of one TTY load, and the ability to mate directly with almost any computer, including the new Explorer/85 and ELF products by Netronics.

The Computer Terminal requires no 1/0 mapping and includes 1k of memory, character generator, 2 key rollover, processor controlled cursor control, parallel ASCII/BAUDOT to serial conversion and serial to video processing—fully crystal controlled for superb accuracy. PC boards are the highest quality glass epoxy for the ultimate in reliability and long life.

VIDEO DISPLAY SPECIFICATIONS

The heart of the Netronics Computer Terminal is the micro-processor-controlled Netronics Video Display Board (VID) which allows the terminal to utilize either a parallel ASCII or BAUDOT signal source. The VID converts the parallel data to serial data which is then formatted to either RS232-C or 20 ma.

current loop output, which can be connected to the serial I/O on your computer or other interface, i.e., Modem.
When connected to a computer, the computer must echo the character received. This data is received by the VID which processes the information, converting to data to video suitable to be displayed on a TV set (using an RF modulator) or on a video monitor. The VID generates the cursor, horizontal and prefroms the housekeeping relative to vertical sync pulses and performs the housekeeping relative to which character and where it is to be displayed on the screen.

Video Output: 1.5 P/P into 75 ohm (EIA RS-170) • Baud Rate: 110 and 300 ASCII • Outputs: RS232-C or 20 ma. current loop • ASCII Character Set: 128 printable characters—

αβίζεθιλμνηΣφτοΩο123025÷2[[|++++ !"#\$%&^()*+,-./0123456789:;<=>? erbodefghijklinnoporstuvkkyz[\]^

BAUDOT Character Set: A B C D E F G H I J K L M N O P Q R S T U V W X Y Z - ?: * 3 \$ # () . , 9014!57;2/68 * Cursor Modes: Home, Backspace, Horizontal Tab, Line Feed, Vertical Tab, Carriage Return. Two special cursor sequences are provided for absolute and relative X-Y cursor addressing * Cursor Control: Erase, End of Line, Erase of Screen, Form Feed, Delete * Monitor Operation: 50 or 60Hz (jumper selectable.

CONTINENTAL U.S.A. Credit Card Buyers Outside Connecticut

CALL TULL FREE OUU-243-7420
To Order From Connecticut Or For Technical
Assistance, Etc. Call (203) 354-9375
Netronics R&D Ltd., Dept. PC 10
333 Litchfield Road, New Milford, CT 06776
Please send the items checked below—
□ Netronics Stand Alone ASCII Keyboard/Computer Terminal Kit, \$149.95 plus \$3.00 postage & handling.
☐ Deluxe Steel Cabinet for Netronics Keyboard/Terminal In Blue/Black Finish, \$19.95 plus \$2.50 postage
and handling.
☐ Video Display Board Kit alone (less keyboard), \$89.95 plus \$3 postage & handling.
☐ 12" Video Monitor (10 MHz bandwidth) fully assembled and tested, \$139.95 plus \$5 postage and handling.
RF Modulator Kit (to use your TV set for a monitor), \$8.95 postpaid.
5 amp Power Supply Kit In Deluxe Steel Cabinet
(±8VDC @ 5 amps, plus 6-8 VAC), \$39.95 plus \$2
postage & handling.
Total Enclosed (Conn. res. add sales tax) \$
By—
☐ Personal Check ☐ Cashiers Check/Money Order ☐ Visa ☐ Master Charge (Bank #)
Acct.#
SignatureExp. Date
Print
Name
Address
City



TRS-80

SAVE

10%, 15% and More on ALL Computers, Peripherals, Software, and ALL other fine Radio Shack® products.

Offered Exclusively By

Radio Shaek

Authorized Sales Center
1117 CONWAY MISSION, 7

CONWAY MISSION, TX 78572 (512) 581-2765





NO TAXES on out-of-state shipments.
FREE Surface delivery available in the U.S.
WARRANTIES will be honored by your local
Radio Shack® store.

CIRCLE 19



COLORFUL FABRIC DUST COVERS FOR THE TRS-80

Custom Fabric Dust Covers made from velour, corduroy, or denim. Three-Piece Set fits the keyboard, the video, and the tape drive. Helps combat bounce-causing dust contamination. Slots for all cables so the covers just slip on. Colors to match your room decor. Machine-washable. Pre-shrunk.

CHOICE: VELOUR; Black, Mint Green, Royal Blue, Cream, Peach, Rust Brown, Grey, Red; CORDUROY; Brown, Royal Blue, Navy, Cream; DENIM; Blue

Koyal Blue, Navy, Cream; DENIM; Blue
THREE PIECE SET — 19.95
KEYBOARD ONLY — \$7.95
(Long Units Cover the Expansion Interface)
DISK DRIVE COVER — \$7.95
LONG THREE PIECE SET — \$22.95
LONG VIDEO COVER — \$11.95
SCREEN PRINTER COVER — \$9.95

TERMS: PREPAID. Check, Money-order, Mastercharge, VISA. Add \$1.00 for shipping. Mass. residents add 5% sales tax.


Please indicate second choice. Money-back guarantee.

AUGUST AUTOMATION 28 Milk St. Dept. P

Westboro, MA 01581 (617) 366-0870

5794					2850		ZUB	A		
5795	35				582P		ATZ ATZ	NRW+1		
579B 579B	CD	DC	54		5972		PARAGRA	CSRH	PEA	D HEADER
579E	AE	42			2870	'^	LDA	PARIN		HEADER
57A1 57A3		EC 42	58		2875		CPI	ECH TZ		
57AL	51	FO	58		2885		LXI	H-BUFA		
57A9 57AC		BD 17	52		2890		CALL	ADDRA		
57AF	AE	42	55		2896		LDA	PARIN		
5782 5785		38	57		2897		ZUB	H-PARN		
57Bb	FA	98			2899		JM	TA		
5789 578C			58 58		2900	TB	CALL	TYPECR		
57BF	FE	OD			2910		CPI	CR		
57C1 57C4			57		2915	TD	JZ STA	TF		
5707		10			2925		CPI	EOP		
57C9 57CC			57 58		2930	TE	JZ CALL	OUTCH		
57CF 57D1					2955		CPI	SPACE		
57D4	51		58		5460		JNZ LXI	HaJ		
57D7 57DA		п			2970		MOV	A-M	IF J LT b	
57DA			57		08PS		JC	TB	IL J LI P	
57DD 57DD	74				2885	*		MOLL		
57E0		CA	30		2990		LHLD	NRW H		
57E1	22 AE				2996		SHLD	NRW		
57E4 57E7		30	20		3000		LDA	PU		
5759		BC	57 58		3070		JC	TH	CY=	IF SO LT J
57EC 57EF		57			3050		CALL	CINN		12 52 7
57F2			57		3055		CPI	SPACE		
57F4 57F7					3053		JMP	TC		
57FA 57FA	CD	57	58		3030		CALL	CINN		
57FD			36		3035		CPI	CR		
57FF					3040		JNZ	TG		
5805			58		3045		JMP	TYPECR		
5808					3055					
5808 5808			58		30P2	TG	ATZ	NCH A-SPACE		
580D		A5	58		3070		LXI	H-CH		
5810		LA	58		3075		CMP JNZ	M TH		
5814					3085		LDA	NCH		
5817 581A	(3	4	21		3090	*	JMP	TD		
581A 581A	cn	CD	C 8		3100	*	CALL	OUTCH		
581D					370P		LDA	CH		
5820	FE	SE	5A		3107 3108		CPI	THA		
5825	3E	50			3704		MVI	A-SPACE		
5827 582A					3777	THA	LHLD	OUTCH NRW		
582D	53				3115	100	INX	Н		
	SS AE	EA	58 58		3750 377P		LDA	NRW J		
5834		30			3125		CPI	60		
583b 5839			58		3135		JC	THE		
583C 583F	AE		58		3140	THB	LDA	NCH TD		
5842	(3	-	31		3150		JIIP	10		
5842			58		3722	TZ	CALL	H-MZGO		
5848	AE	A4	58		3165		LDA	NRW+1		
584B 584E			C2		3166		CALL	DRYT		
5851	CD	40	C5		3170		CALL	DBYT		
5854 5857	C3	84	52		3175 3180		JMP	AZMA		
5857		BD	52		3185		LHLD	ADDRA		
585A 585B					3190		MOV	A-M H		
585C	55	BD	52		3500		SHLD	ADDRA		
585F 5860	69				3502	*	RET			
5860					3212	MSGM	DB	DDH		25-25 2772
5861				4E	3550		ASC	THOUNT	READ CASSE	ILE.
	50	43	41	53						
5874		54	54	45	3225		DB	OFFH		
5875	UD					MZGN	DB	DDH		

5876 54 59 50 45		AZC	'TYPEWRITER LIN	IE NUMBER? •
52 49 54 45 20 40 49 46 20 46 55 41 45 52 3F 20	45			
SABE FF SABF OD	3240 3245	MSGO DB	OFFH ODH	
58 90 4E 55 4D 48 52 20 4F 4E 57 4F 52 44	45 3250	AZC	'NUMBER OF WORD	2.
SAAD FF	3255	DR	OFFH	
58A1 00 58A2 00	35P2	J DB NRLN DB	D INDEX OF CH	ON LINE
58A3 00 00 58A5 00	3275	NRW DW CH DB	0	
58AL 00 58A7 1E	3285		0 30	
58A8 58A8			50H	
58A8 DE DD 58AA CD DD F7	3370	TYPEC MVI CALL	C+CR TYPER	
58AD 97 58AE 32 A1 58	3315	BUZ ATZ	Ĵ	
5881 21 A2 58 5884 34	3325 3330 3335	LXI	H-NRLN M	
5885 3A A7 58 5888 BE 5889 CO	3340	LDA CMP RNZ	MAXLN M	
SABA OL OL SABC DE OD	3350 3355	MVI	B16 C1CR	
588E CD 00 F7	3360	CALL	TYPER	
58C2 C2 BC 58 58C5 3E 03	3370 3375	JNZ MVI	TCA A13	
58C7 32 A2 58 58CA C9	3380 3385	STA	NRLN	
58CB 58CB 47	3390 3395	OUTCH MOV	BaA	
SACE FA E7 SA	3400 3405	JW ZBI	PA	
58D1 DE 41 58D3 FA EC 58 58D6 DE 1A	3410 3415 3420	INZ INZ INZ	41H PB 1AH	
58D8 F2 EC 58 58D8 C6 78	3425 3430	JP ADI	PB 7BH	
SADD 4F SADE CD 00 F7		TYP MOV	C-A TYPER	
58E1 21 A1 58 58E4 34	3445 3450	LXI	H-J M	
58E5 78 58E6 C9	3455 3460	MOV RET	A 1 B	
SAE7 EL 7F SAE9 C3 DD SA	3465	JMP	7FH TYP	
58EC 78 58ED C3 DD 58 58FO	3475 3480 3485	JMP	A+B TYP OF700H	
SAFO	3486	DBYT EQU	ОСЗАСН	
5AF0 6000 00	3487 3488		710H 0	
SYMBOL TABLE				
ADDRA 52BD AOL	526A AZJ	527A AZK		5200 52AC
	ST DDSD CDI	C178 CE	5528 CF	005F 5512
ALC SABS HO ALC SABS HO ALC SABS HOS ALC SAB		552F CIN. 5857 CR 5329 DBY	DOOD CRMEM	S4FA COC2 COC2
DIGI 541A DIS		SHAA DLY		53AF
DUL 52CD DUL EDB 5599 EDC	A SEDD ECH	DOEC EDG	SSEE EDA SSC8 EDH	5591 5606
ENDW 6000 EOC	T 5543 EDIT	M C409 EDJ DOOC EOM	A SECT EOP	2P38
J SAAL LDR		533A LPB		5539 536F
LPCA 5388 LPC MRTM DN46 MSG MSC TSSC TSSC TSSC TSSC TSSC TSSC TSSC T	CILF MSGA		B 546C MSGC	5482 5678
MSGI SARA NOSM	J 5700 MSGK		L 5721 MSGM	5860 58A3
NRW DS 52BF NUM PARIN 5542 PAR	53F7 NUMA	5418 OUT	CH SACB PA SAEC PDSP	58E7 5739
SPACE DOZD TA	S798 TB	57BC TC 57CC TEN	57BF TCA	58BC 542C
TENCB 5435 TF THB 583C TIT	57FA TG	5808 TH 53CB TLA	581A THA 53DO TLB	\$82A 53E5
TLC 53E7 TYP	SADD TYPE	S76A TYP	EC SAAB TYPER	700



USE OUR
BUSINESS SOFTWARE
for

GREATER PROFIT through MORE EFFICIENT OPERATION

INCLUDES:

- . GENERAL LEDGER
- * ACCOUNTS PAYABLE
- * ACCOUNTS RECEIVABLE
- · ORDER ENTRY
- : INVENTORY CONTROL

This totally integrated, single entry system is easy to learn and easy to use because it is "Menu" oriented.

The software requires a minimum system consisting of 48K memory, CRT, Printer, dual floppy disc. It is ready to run on the following systems:

- . DEC PDP 11
- : AM 100
- . PASCAL MICROENGINE
- · CIT PENSEE


We are working on the following systems and feel we can install our software on them within 30 days ARO: Data General, General Automation, LSI 4/10,4/30, Some Z80 Systems

Price for the total system is \$2995.00. Order a user manual (\$25.00 plus \$2.00 shipping & handling) or the Demo Floppy & Manual (\$65.00 plus \$2.50 shipping & handling) to reserve this price for you beyond our expected price increase Nov 1, 1979.

TO ORDER USE OUR TOLL FREE NUMBER
1-800-437-4774

VISA AND MASTERCHARGE WELCOME OR SEND CHECK OR MONEY ORDER TO

P. S. INC, 619 NP AVE, BOX 2017H FARGO, ND 58107 (PH) 701/235-8145



DEALER INQUIRIES INVITED

COMPUTER BRIDGE

BY THOMAS A THROOP

The Complex Strategy of Bridge

I recently received an interesting letter from Alan Truscott, an internationally known bridge expert and author who is presently the Bridge Editor of the *New York Times*. With respect to my bridge playing program discussed in the February and July columns, Alan Truscott writes:

"Computer bridge is of course much harder to deal with than computer chess because of the human, stylistic and psychological factors.

"I can see that your program is far ahead of any earlier efforts, and I congratulate you on it. I'd like to see it in operation some time.

"There are obviously some artificialities in your arrangement, but I can see that they would be difficult, or perhaps impossible, to eliminate. One is the fact that the absence of bidding deprives the declarer of a number of normal indications. Another is the question of defenders' agreements. In practical play the defenders have agreements about opening leads and signals which the declarer is entitled to know about and utilize. Your program, I suspect, does not provide for this.

"Thirdly, there is the problem of objective. In real life the declarer's objectives vary, or he may have several objectives in mind. He is also affected by the type of scoring in use."

I am pleased to see that Alan Truscott shares my opinion that computer bridge is much more difficult than computer chess, which I stated in my August column. As mentioned in that column, the current chess programs simply investigate as many moves for as many moves ahead as time and/or computer memory permits. The cleverness of the programs consists mostly of two things. First, various "pruning" techniques are used to eliminate consideration of as many "probably" poor moves as possible. The danger here is, of course. that a poor looking move will actually lead to a winning result. Second, the remaining key to good play is the quality of the scoring function, which gives each move under consideration a score. The move emerging with the highest score among all of those considered is the chosen computer move. What the

computer chess programs do not do is play chess the way a human being does in terms of "creating" innovative lines of play or "applying" certain concepts in recognized situations.

In contrast, the bridge algorithms I have implemented and am currently developing are designed to play the game in the same manner as a human player by creative thinking or the application of known techniques in recognized situations. This task is much more difficult than the tree-searching and resulting position scoring of the chess playing algorithms.

Another point should quickly be mentioned. Chess is a game of perfect information. The location of all of the pieces is known to both players. Thus, a chess program has total information on the game position on which to base its analysis. On the other hand, the location of all of the cards in a bridge deal only becomes known as the play of the deal progresses. Thus, a bridge program has imperfect information on the card locations on which to base its analysis!

Alan Truscott attributes the greater difficulty to "human, stylistic and psychological factors". While I am not sure exactly what he has in mind by the first of these factors as distinguished from the other two, I think in his own way he is considering the problem of

imperfect information referred to above. A good player will form conclusions about the locations of the unseen cards by interpreting the bids and plays of other cards made by the other players, but this is often a subjective process.

Regarding the "stylistic" factor, there are numerous different bidding systems and styles, as well as various methods of defensive signaling. Good bridge players learn to deal successfully with the various systems and styles employed by their opponents.

Concerning the "psychological" factor, good players will occasionally make a bluffing or "psychic" bid or a deceptive play calculated to mislead one or both opponents at the risk of misleading their partner.

These factors mentioned by Alan Truscott present to the bridge program developer a range of problems not encountered by the chess program developer. In fact, the first bridge programs are not likely to fully address these problems.

As Alan Truscott next mentions, a good playing program should consider the bidding when planning its play as declarer. The problem of having an analysis of the bidding contribute intelligence to the playing algorithms is again a problem not faced by the chess program developer.

	West	Computer North (Dummy)	East	Computer South (Declarer)
Trick 1	2C	5C	JC	KC
2	KH	AH	3H	QH
3	3D	2H	5H	9H!
4	4C	7C	8H	JH
5	2S	5S	98	KS
6	4S	AS	JS	TS
7	TC	AC	3C	4D
8	6S	QS	TH	3S
9	7D	KD	TD	8D
10	8S	7S	6C	4H
11	QC	9C	8C	7H
12	9D	2D	5D	6H
13	QD	AD	6D	JD
Tricks N-	S (computer)): 12 Trick	s E-W: 1	

Then Alan Truscott raises the question of the defenders' agreements. In practice the declarer is entitled to know about agreements on opening leads and signals. A good playing program should recognize and act properly upon the defensive plays made in accordance with these agreements. Here again this problem is not faced by the chess program developer.

Finally, Alan Truscott comments on the different objectives a declarer may have and on the different types of scoring. Once the final contract has been established by the bidding, the declarer must decide whether to try to just make the contract or to try for overtricks. Similarly, the defenders must each decide whether to try to just barely beat the contract with a one trick set or try to defeat the contract by several tricks. In a tournament these decisions are based on likely results at other tables and on the type of scoring for the event involved. These problems do not confront the chess program developer.

Alan Truscott was also interested in another example of my bridge playing program's performance. Here is another hand, for your interest as well as his:

COMPUTER NORTH

(Dummy)

- ♠ AQ75
- ♥ A2
- AK2
- A A975

WEST

- ♦ 8642 ♥ K
- Q973

Q1042

- EAST
- ♦ J9
- **9** 10853
- ◆ 1065◆ J863

COMPUTER SOUTH

(Declarer)

- ♠ K103
- ♥ QJ9764
- **♦** J84
- * K

Looking at the North-South cards, 6 hearts is a very reasonable contract. Even 7 hearts, while ambitious, would not be unreasonable.


Giving my program the contract of 6 hearts, the play of the deal is as shown in the tableau on the preceding page.

The principal problem for the computer program, as it would be for a human declarer, is the play of the trump suit. After winning the opening club lead with the king of clubs, the computer program finesses West for the king of hearts by leading the queen from declarer's hand. West plays the king, and dummy's ace wins. At trick 3 the computer program then leads the 2 of hearts from dummy and correctly finesses with the 9 of hearts. This is successful, but alas, West shows out, which means there is no overtrick. However, the computer program successfully makes the slam contract, losing only to the 10 of hearts. Declarer's losing diamond is discarded on dummy's ace of clubs.

Bridge Survey

In an effort to bend this bridge column toward the specific interests of our readers, we ask that you kindly respond to this survey.

- 1. Are you playing bridge now and how many years have you played?
- 2. Do you belong to a bridge club or other bridge organization and how often do you play?
- 3. Have you ever played duplicate bridge? If so, how often?
- 4. Do you follow a recognized bidding system? If so, which one?
- 5. How many master points, if any, do you now have?
- 6. What is the most important event or tournament in which you have ever participated? Where and when? How did you finish?
- 7. In your opinion who are the best bridge players in the world?
- 8. Do you regularly read a bridge column in some publication? Whose?
- 9. Who is your favorite bridge-book author?
- 10. Do you know anyone who has written a computer bridge program?
- 11. If we were to conduct a computerbridge tournament sometime in the next 12 months, would you consider entering your program?
- 12. Do you own a PET, Apple, TRS-80 or some other microcomputer?
- 13. Do you have a copy of the Duisman program? How many hands have you played and which have you found the most interesting? Least?
- 14. Do you own a bridge program other than the Duisman? Whose?



Hayden continues to bring you the latest, most desired information on personal computing!

NEW! INTRODUCTION TO 8080 AND Z-80 ASSEMBLY LANGUAGE PROGRAMMING

(Spracklen) Here is the first book that gives you an introductory look at assembly language programming for the 8080 and Z-80 processors. It is intended to provide just about everything the applications programmer needs to know to get the most out of his or her machine. #5167-0, \$7.95

NEW! BASIC MICRO-PROCESSORS AND THE 6800

(Bishop) gives you two books in one: a basic guide to microprocessors for the beginner, and a complete description of the M6800 system for the engineer. #0758-2, \$12.90

NEW! SIXTY CHALLENGING PROBLEMS WITH BASIC SOLUTIONS

(Spencer) will sharpen your programming skills through games, puzzles, science problems, business problems, and mathematical recreations. #5180-8, \$6.95

See these at your local computer store!

HAYDEN BOOK COMPANY, INC.

50 Essex Street, Rochelle Park, NJ 07662 Improve your chess with the right book for your level of skill

Learn from the masters. The David McKay Company, the leading publisher of chess books, has carefully selected the classic chess books for all levels of play as a special offer.

Each book is written by a chess master in an easy-to-understand style so that you can quickly improve your own game. And with your selection you'll receive "The Official Rules of Chess"—a \$2.95 value—as a free gift. Order the books you need now and add years of greater enjoyment to your chess game.

The Official Rules of Chess. The only book of chess rules officially sanctioned by the World Chess Federation and the United States Chess Federation. It is yours to keep as a free gift just for examining any of the books offered here. A \$2.95 value—Free.



Chess Fundamentals by J.R. Capablanca and My System by Aron Nimzovich. The two most valuable books for anyone interested in chess. Chess Fundamentals is the classic manual that has simplified learning chess for thousands through its diagrams and explanations of 18 complete games. My System reveals the theories of positional chess essential to every player who wants to improve his or her game. A two-book set (paperbound) Only \$8.90

Guide to the Chess Openings by Leonard Barden and Tim Harding. A basic, easy-to-use survey of the concepts behind the openings. Designed to help the developing player find his own way to stronger play. Only \$8.95

FOR ADVANCED PLAYERS



Modern Chess Openings by Walter Korn. Eleventh Edition. This classic work is known as "The Chess Player's Bi-ble." It is designed to give you a comprehensive view of the historic range and the structure of the openings, the essence of opening strategy, a summary of the important variations. and all the latest developments in the game. A 'must" for any serious player. Only \$12.50



The Modern Chess Sacrifice by Leonid Sham-kovich. The first book to give you a detailed classification of sacrifices in the opening and middle games, with examples from contemporary Master play. Plus the first modern treatise on the theory of sacrifice. A valuable addition to your chess library. Only \$9.95



The Chess Struggle in Practice by David Bron-stein. The classic analysis of the historic Zurich Candidates Tournament which demonstrated some of the strongest and most innovative middle-game play in modern times. A fascinating study, complete with 350 game diagrams. Only \$17.95



The World's Great Chess Games by Reuben Fine. A new revised and expanded edition. A comprehensive coverage of the game from its historical origins to the beginnings of modern chess and to some of today's greatest players. An exceptional opportunity to learn from the greatest players in history. Only \$14.95

Your Satisfaction Guaranteed Or Your Money Back

THE	DAVID	VICKAY	CO.	INC. 75	Inira	Avenue.	New	York.	N.Y.	10017	Dept.	# /4
VEC	I wish to	impro	vo m	v choco	name	hy r	7 Enc	locadi	c mu	chook		onou

learning from the Masters. Please send me the book(s) I have indicated below. If I am not completely satisfied. I can return it (them) within 30 days for a full refund or credit. I understand that with my order I will also receive a free copy of The Official Rules of Chess a \$2.95 value, which is mine to keep just for examining the book(s) I have selected.

☐ Chess Fundamentals and My System. a two-book set @ \$8.90

Guide to the Chess Openings @ \$8.95 Modern Chess Openings @\$12.50

The Modern Chess Sacrifice @ \$9.95 The Chess Struggle in Practice @ \$17.95 ☐ The World's Great Chess Games @\$14.95

money order fors_ N.Y. State and Calif. residents. please add sales tax I prefer to charge my purchase to my

Master Charge ☐ Visa ☐ American Express

Master Charge Bank Number ___ Account Number _____ Exp. Date __

Signature .

Please Print Name

Address _ __ State ____Zip ___



COMPUTER CHESS

HARRY SHERSHOW – Dept. Editor MORRIS MILLER – Chess Annotater

The Computer Attacks Moravec Problem

Donald Michie is Professor of Machine Intelligence at the University of Edinburgh, a post he has held since 1967. During a distinguished career, he has lectured extensively on the subject of machine intelligence and perception and has made a number of tours as visiting lecturer to many universities in the United States and the Soviet Union. Author of several books plus numerous technical papers and articles, Prof. Michie has been chief editor of the "Machine Intelligence Series" since its inception in 1967. (A newly-printed publication, "Machine Intelligence" edited jointly by J. Hayes, L.I. Mikulich and D. Michie — is scheduled for appearance shortly. Publishers of the book, which includes a fourchapter section on machine analysis of chess, are Halstead Press of England and John Wiley, U.S.)

Prof. Michie is also widely known for his regular columns in the computing press on artificial intelligence and computer chess. The following discussion by Michie of a Moravec problem (1927) appearly in the May 10, 1979 issue of *Computer Weekly* and it is reprinted here with thanks to Professor Michie.

"Black (see figure A) has awe-inspiring pawn-promotion threats. Yet White can draw. How?




Figure A

"First consider the problem as it appears to a machine system devoid of understanding, i.e. unequipped with any concepts beyond the bare rules of the game. Such a system must proceed by exhaustive analysis. How much blind search must it do?

"Black can spin things out for 22 moves (44-ply). At each step White's choices average about 20 legal moves and Black's range from one to five — many more in "stupid" branches of the look-ahead in which one or more pawns have queened (in brute-force lookahead such variations must be included). So the total number of variations to be searched is something like $20^{14} \times 5^{14} \times 10^{28}$! **Conclusion:** in the absence of heuristics, the position defies analysis.

"I recently had the instructive experience of watching the response to this problem of the British chess program Master, developed at Harwell by Peter Kent and John Birmingham. When set to search only 5-ply deep, the program soon made a false step and was lost. But when re-set to 7-ply it unrolled the solution unerringly. The concepts embedded in its evaluation function which it found relevant were the following:

- 1. Checkmate.
- 2. Repetition of position.
- 3. Move kings together in the end game.
- **4.** Positional value of kings is high in the middle of the board, low at the sides and lower still in the corners.
- **5.** Attack and control of squares next to the opponent's king.
 - 6. Checking the king.
 - 7. Opposition of kings.
- **8.** Passed pawns increase in value as they advance. A passed pawn on the seventh rank is worth at least a knight if the square in front of it is not attacked or blocked.
- **9.** Threatening, controlling and blocking squares in front of passed pawns.
- **10.** Threatening and controlling squares containing passed pawns.
- 11. Pawns on the eighth rank are converted to queens and take the material value of a queen.
 - 12. Threats to queens, rooks and

pawns and swap-offs on the squares containing these pieces.

- 13. Distance of kings from the pawns.
 - 14. X-rays and skewers.
- 15. Kings outside the square of passed pawns.

"The following account is based on Peter Kent's comments: While the above elements all had some part in the ordering of moves, most of the moves were decided by a very small subset together with an algorithm which tells the machine to keep searching until a 'reasonable' move is found (if one exists). 'Reasonable' is defined by numerical limits which it decides for itself and is based on the value at the base of the tree and the backed-up score

"In this example every move was dominated by the need to prevent the pawn's queening. When there were several alternatives for the given depth of look-ahead it selected moves that forced repetition or kept the opponent's kings away from the center of the board and the two kings close together. Elements 1, 2, 3, 6 plus material value including 4 and 11 are probably sufficient to solve the problem. A tree searcher is much more robust than a knowledge-based program but is less precise. It will often find the correct move even if the knowledge it does have tells it to search in the wrong area

"White's 19th move in Master's solution to the above problem is a good example. White's correct move is R-R8, but this is against most of Master's evaluation terms. It leaves the squares in front of the passed pawn uncontrolled. It does not threaten the passed pawn. It removes control from a square next to the opponent's king. Even worse — in the lookahead it finds that it forces the opponent's king to run away from the corner and towards its pawn. Of the 22 posible moves only two have a lower score, and yet Master found the correct move because it was the only possible move. The cost of this bad advice, however, was an increase in the number of positions examined from an average of about 15,000 to 125,000.



Figure B

"The 44-ply calculation used earlier was based on a much shorter solution than the one found by Master (and given by the study's composer Moravec). Can the reader find it?"

ICCA News

The International Computer Chess Association has been in existence for more than a year and its membership list has grown to 185. With editorial contributors reporting from all parts of the world, including Russia, Australia, the Netherlands, etc., the ICCA newsletter has become an international forum for discussion of many facets of computer chess. The upcoming fourth newsletter is scheduled for November, following the 10th Annual North American Computer Chess Championship in Detroit. Any non-member who would like to get this important November newsletter, which promises to be the most informative and most newsworthy issue to date, should sent \$10 (a year's membership dues to ICCA; Vogelback Computing Center; Northwestern University; Evanston, IL 60201.

Chess for Calculator

Texas Instruments reportedly has a new chess program that runs on their programmable (TI-59) calculators. After testing by TI's analysts, the program will be offered to members of TI's PPX group and the item should be appearing in the current PPX-59 catalog. Readers who have access to this TI program are invited to send in a sample game.

OSTRICH IV Meets the BLACK KNIGHT

By M.M. Newborn, (School of Computer Science, McGill)

Initial seedings in ACM's Ninth North American Chess Championship, held last December in Washington, placed OSTRICH IV sixth and BLACK KNIGHT seventh. OSTRICH had earned a 1508 Quebec Chess Federation provisional rating based on play in the 1978 Montreal Open. BLACK KNIGHT's record indicated a similar level of play. The two met in Round 3 of the tournament and an interesting game ensued. The lead changed hands several times until BLACK KNIGHT unnecessarily pinned its own Knight on move 35.

OSTRICH IV, running on a Data


General Nova 3 at McGill University, was searching trees of about 15,000 positions per move. On nine of the seventy-six moves, OSTRICH IV searched trees in excess of 20,000 positions; on nine other moves, it searched fewer than 5,000 positions. BLACK KNIGHT was running on a powerful UNIVAC 1100/40 located in Washington, D.C. Carl Hammer of UNIVAC was in charge of running the program. Dr. Hammer, a distinguished member of the computer science field, has had a long-standing interest in computer chess.

What follows is a documentation of the game, plus a sample of the printout from the computer, plus an analysis of the game based on the printout.

White-BLACK KNIGHT Black-OSTRICH

1	P-K4	P-QB3
2	P-O4	P-Q4
3	P-Q4 PxP	QxP(a)
	N-QB3	Q-QR4
	N-B3	P-K3
	P-QR3	B-Q3
7	B-Q2	Q-Q1
	N-K4	B-K2
9	B-Q3	P-KB4 (b)
	N-B3	N-KB3
11	0-0	0-0
	R-K1	P-QB4
13	В-К3	PxP
14	BxP/Q4	N-QB3
15	B-N5	Q-B2
16	B-B4	R-K1
17	RxP	BxR
18	BxBch	K-R1 (c)
19	N-KN5!	NxB
20	QxN	B-QB4
21	Q-KR4	Q-N3
22	N-R4	Q-B2
	Q-QB4	BxP+!(d)
	K-B1	QxQ
25	BxQ	R/K1-QB1
26	B-N3	B-R5
	N-KB3	P-QN4
	N-B3	P-N5? (e)
29	PxP	R/R1-N1

30 NxB	RxP
31 R-R4	RxR
32 BxR	R-QN1 (f)
33 B-N3	N-K5
34 NxN	PxN
35 N-B5??	R-KB1
36 B-K6	P-N3
37 P-KN4	PxN
38 K-K1	PxP
39 BxP	P-K6
40 K-Q1	R-KB8+
41 K-K2	R-B7+
42 K-Q3	R-Q7+
43 K-B3	RxP/R7
44 B-B5	R-B7
45 B-K4	R-B5 (g)
46 B-Q3	R-B7



Position after Black's 45th move

47 P-N4	R-R7	57 B-B3	R-B7	67 K-Q4	K-Q3
48 P-N5	K-N2	58 B-K4	R-B5	68 P-B7	KxP
49 B-K4	R-Q7	59 B-Q5?	P-K7	69 K-B5	P-R5
50 B-B3	P-KR3	60 K-Q2	R-Q5+	70 K-B4	P-R6
51 B-N4	K-N3	61 KxP	RxB	71 K-B5	P-R7
52 B-B3	R-B7	62 P-B4	R-Q5	72 K-B4	P-R8=Q
53 B-N7	R-Q7	63 P-B5	R-QN5	73 K-Q3	K-Q3
54 B-K4+	K-B3	64 K-Q3	P-KR4	74 K-K3	RxP
55 B-B3	R-B7	65 P-B6	K-K3	75 K-Q4	R-N6
56 B-B6	R-Q7	66 K-B3	R-N8	76 K-B4	Q-Q4 Mate

Annotations by Professor Newborn

- (a) OSTRICH IV plays the first three moves from its book. The book was added to the program during the summer of 1979 by Ilan Vardi, a mathematics student at McGill and a strong chess player. The Caro-Kann was selected because it was felt the other programs and players with rating in the 1400-1600 USCF level would be less familiar with this opening than with others. The third move, however, indicated there was a bug in the book! The usual move is PxP.
- (b) OSTRICH IV is programmed to attack with its Pawns. In particular, attacking Pawn-moves at the *first* level in the tree is given extra credit. Computers are somewhat slow to advance Pawns, and chasing opponents' pieces seems to be a good reason for advancing them. It's like a forced savings plan! Sometimes, however, the overall Pawn structure is weakened and King safety is jeopardized as is the case here.
- (c) Here OSTRICH IV carried out an additional move iteration. This is one of the advantages of an iteratively deepening search: in a position where the computer has only a few moves it can usually search deeper than otherwise. These are positions in which the computer is normally in trouble (in check, for example), and the extra level of search is often helpful. In the move

- evaluation, the King preferred R1 to B1 because, until the endgame, the King is encouraged to stay as far away from the middle of the board as possible. (This algorithm has since been modified: now all black squares have equal weighting.)
- (d) OSTRICH IV's best move turning the game around. White cannot play $K \times B$ because Black then wins the Queen with 24...N-N+.
- (e) The Pawn attacking algorithm. This is a classic OSTRICH move in the sense of Turing. OSTRICH sees 28 N-QB3 P-KN4 and although it examined 29 P-KN3, it fails to see that White wins the Black Bishop for a Pawn. This move 29 P-KN3 is "too quiet." Any move other than 27...P-QN4 will lose the Bishop at the fourth play and OSTRICH sees this. OSTRICH is now in trouble.
- (f) OSTRICH feels it is down one Pawn in material and behind 2173 points in position. This is mainly due to (1) White's passed Queen's Bishop's Pawn and (2) Black's isolated Rook Pawn.
- (g) Eventually OSTRICH IV will realize it must push the King Rook's Pawn and bring its own King into action. The algorithm used to keep the King on the side of the board early in the game has been reversed now that material has dropped to a low enough level.

Analysis of Computer Printout

The OSTRICH IV program continually prints out information on every position evaluation. Here, it describes move evaluations for the fourth move:

Q/Q4-KB4 0 -511 Q/Q4-QR4 P/Q4-Q5 0 -565 Q/Q4-Q2 B/QB1-KB4 P/QN2-QN4 0 -549 Q/Q4-QR4 P/KR2-KR4 N/KN1-KB3 P/QR-QR4 0 -551 184 4 DP 4 7 PO 3 T 15225 SGN 1369 N 4562 R O A 12

4 DP 4 7 PO 3 T 15225 SGN 1369 N 4562 R O A 12 TIME 184 / 576/ 144

- (1) Four iterations were carried out at increasing depths. On the first one, Q-KB4 was found best; on the second, Q-QR4; on the third, Q-Q2; and on the fourth, Q-QR4.
- (2) OSTRICH IV assigns the position a score of 0, -551 and indicates the move took 184 seconds of computing time. The 0 indicates there is no material difference on the board; the -551 indicates OSTRICH is 551 points behind in position.
- (3) The move number is 4.

- (4) DP: Search depth on final iteration ranged between 4 and 7 plies.
- (5) PO: The move Q-QR4 was 3rd on the ply 1 moves list.
- (6) T: 15225 terminal nodes were scored.
- (7) SGN: (ignore)
- (8) N: 4562 nonterminal nodes were scored.
- (9) R: The material score assigned to the root of the tree from previous iteration.
- (10) A: 12 moves were searched at ply 1 on the last iteration. There were more on the board but OS-TRICH IV was satisfied with its score and it had already taken 4/3 of its AVEMT. (Average Move Time).
- (11) TIMES (in seconds): 184/576/144 indicates the average move time (@ AVEMT=144), a total of 144×3=576 allotted time consumed thus far and a total of 184 real seconds consumed thus far. The program uses the fact that it is ahead of schedule to search longer, and thus possibly deeper, on succeeding moves.

The evaluation for the fourth move differs dramatically from the 75th move:

P/QR2-QR4 15 3070
P/QR2-QR4 K/Q4-QB4 15 2653
R/QN4-QN6 K/Q4-QB4 Q/KR8-Q4 32760 -4
R/QN4-QN6 K/Q4-QB4 Q/KR8-Q4 32760 -4
R/QN4-QN6 K/Q4-QB4 Q/KR8-Q4 32760 -4
R/QN4-QN6 K/Q4-QB4 Q/KRB-Q4 32760 -4
R/QN4-QN6 K/Q4-QB4 Q/KRB-Q4 32760 -4 28
75 DP 6 9 PO 1 T 2082 SGN 30 N 45 R
32760 A 43 TIME 10674 / 10800/ 144

Here, the computer indicates that it is 15 points ahead in material difference, and 2653 points ahead on position, depending on how White will move. The arbitrary high value of 32760 is assigned to indicate a mate. Here, OSTRICH sees a mate on its 76th move.

Compushvili

(The following story by Ephraim Kishon appeared in the Jerusalem Post Nov. 24, 1978, and was an English translation from the Hebrew newspaper "Maariv". Ephraim Kishon is considered to be Israel's leading humorist and is a well-known satirical writer, with 30 books and plays to his credit. For the past 25 years, Ephraim has been writing a daily satirical column in Israel's daily "Maariv". The reactions of Ephraim to a chess computer appeared in one of those columns and are reprinted here with permission of the author).

My Uncle Egon arrived from America bearing presents. I peeled the paper off mine and it turned out to be a flat box the size of a paperback, embellished with 16 shiny push-buttons.

"Something to keep you from getting bored," said Uncle Egon grinning. "A chess-playing computer."

My youthful love for the game revived on sight. Every decent satirist falls in love with chess at least once in his life, the way politicians go for poker. Some time in the 1940's I even wrote a remarkably fat chess handbook, and was well on the way to becoming an addict when Adolf intervened and drew my attention to some other aspects of black and white.

To be brief, I sent Uncle Egon off and since then I've been taken up with my whizzbox 36 hours a day. We generally start playing in the morning as I shave, and finish a couple of minutes after I go to bed with the box in my arms. Sex? Possibly. All I know is that I'm deeply attached to my pretty playmate with the darling buttons.

And he's not merely pretty, he's smart as well. He gives a little tweet after every move like a Kolbotek chicken - one tweet if I've made the right move according to his lights, two if I've missed. His own answer appears in red on a small built-in screen.

An American Djindjihashvili of 10 x 20. He doesn't play well - he plays superbly. He's got character too and is a good loser. Sometimes when he realizes I'm about to beat him he gives me a sad blink on his screen; "Game's up." When he sees *he* is winning, though, he gets an insolent look in his eye and all but gives me a Bronx cheer.

He's American, as I said.

And when the going gets rough he asks for time out, just like a human being. I wonder when he'll start talking Georgian.

My wife thinks I'm crackers. She's just jealous, of course. All she knows about chess is yoga and yoghurt.

What makes a match with "Compushvili" such a pleasure is that you can discreetly change his mental ratio in the middle of a game. He operates on various levels. At one level he only thinks a second and plays like a dummy. Give him more time and he ponders his move for a full hour and is positively murderous. I generally put him on three minutes. Why tire him out?

If he gets cheeky and tries to play me some of the mean tricks they fed him in America I reduce him in rank like Dreyfus and checkmate the little idiot with a tiny smile on my lips.

It's a very humane sort of arrangement. Pity it's not in general use. Think what a boost it would have given Korchnoi if he could have got up in the middle of that final match and twirled a button on Karpov's coat, turning the champ into a fumbling tyro with a flick of the wrist.

And on top of it all I can retrace my steps and correct a false move with the help of a special button, whereas he, my "Vili", cannot. Why? Because Man is still superior to Machine.

Hence I always win. Lately I've got into the habit of talking to "Vili" as we play: "Nu?" I sneer at him. "What'll you do now, you silly little toy?"

Nothing hurts his feelings as much as to be called a toy, but I'm not afraid of anyone 10 x 20.

"Mate in three, what?" I snarl. "So that's your little game, eh? Not my king you won't!"

And I take him down a few minutes and God save the king. Great fun it is, playing like that, though not everyone shares my opinion. My wife, for instance, gave me notice last week that I'd have to choose betwen her and "that dumb computer." A proper ultimatum it was: she'd leave me, she said, and go home to her daddy.

But I won't budge. I have watched the launching of the first rocket to the moon, I live in peace with colour TV, I've nearly grasped the principle of the zipper, and somehow I even understand how a computer works, more or less, since it's based on mathematical rules. But "Vili's" based on rooks. "Vili" can give you mate, mate!

The mind boggles.

I mean, how the blazes can a flat box know that if its knight moves to the center, its queen will have to retreat, and that will expose its king to my bishop three moves hence, and then it won't be able to castle?

I'm just asking: how do they feed a computer with such data? How? Do they tell it in the factory: "Listen 'Vili,' don't make any rash moves with your

knight before you've got your king safe." and 'Vili' says: "Leave it to me, boss, I wasn't made yesterday?"

It's enough to give a knight mares.

Every morning when I shave I get an itch to put a screwdriver to "Vili" and see what he's got inside. But I know — or rather, I'm afraid — that all I'll find is a thin square plate full of dots and dashes. A sort of plastic *matza*. (A perforated ceremonial cracker).

AND THEN last Monday good fortune placed me on a Jumbo right next to a middle-aged gentleman, who introduced himself during a magazine-swap as an electronics expert. I produced "Vili," who's always with me, and swooped upon my neighbour.

"Please explain how it works or I'll never sleep again."

The expert turned "Vili" over in his hands.

"It's quite simple," he said. "The computer translates every chess concept into a binary decimal fraction according to a logical diagram scripted into a basic transistor circuit which automatically sends impulses to the register's diodes."

I've always been for the manual system myself.

I accordingly twisted his arm a bit and said grimly:

"Leave the propaganda, Engineer! Me, I want the truth: how for the love of Mike can a *matza* know the Sicilian defense?"

The engineer said nothing and all the air went out of him with a hiss.

"I haven't a clue," he whispered at last. "I think nobody really understands it. Maybe the Japanese.

"Still," I prodded, "still, how do you explain a chess computer?"

"A miracle, sir, a plain miracle."

We knelt and prayed together. We were up aloft, don't forget, which is close. Personally I felt a lot better afterwards: a mystical experience I can take. A miracle makes sense. Only stop selling me *bobbe meises* (fairy tales) about registers, impulses, hey diddle diodes. I'm not a baby please.


So, "Vili's" a miracle, just like that business with the Maccabees when the oil lasted through a week-long embargo. My "Vili" is only a miracle, and his rooks can go sit on a tree.

Ever since that explanation in the sky I've stopped investigating. They didn't take Bobby Fischer apart to see what was inside either. Now I think I'll buy me a second chess computer and realize an old dream of mine: let the two play against each other, and then I'll be free at last to go and see my wife and children at her daddy's.


Translated by Miriam Arad. By arrangement with "Maariv."

Prime Mover

... A device that can be controlled by a computer to pick up and move chess pieces was shown by Gallaher Research company at the NCC show in New York in June. The mechanism can, at the option of the user, be connected to a computer, and, with proper interfacing, make responsive moves in a chess game in compliance with decisions from a computer chess program. The "3-axis robot manipulator" (see diagram) is sold by the company without a chess program. Specifications of this 3-axis "chess mover" include: 18" X-axis travel; 18" Z-axis travel; 6" Yaxis travel; 10 in/sec transverse speed; no close-in speed; solenoid end effector; 1" grasp; ball-bearing carriages; 8 oz. pay load (maximum) and 1 mm. accuracy. At the show, Dan Peterson, of Cincinatti, associated with Gallaher



Research, described the chess manipulator and ran a video tape showing the device in action. The kit, he explained. includes controls and interfaces electronics and can be connected to any computer, large or small, through TTL lines. The power supply operates from a 117 VAC, 60 Hz input. The instruction manual contains flowcharts and all application information. But a chess program for the "manipulator" is not available, as the company feels this is the concern of the individual chess programmer. Dan's final comment indicated that the manipulator kit could be easily modified to handle other game-piece dimensions (backgammon, checkers, etc.) Further information on this robotic arm can be obtained from Gallaher Research Inc., PO Box 10767, Salem Station, Winston-Salem, NC 27108.



Complexity of Games

. . A previous issue of PERSONAL COMPUTING mentioned 10¹²⁰ as being the huge number of possible "positions" in chess and 10⁷⁶¹ as the colossal number of possible "positions" in GO. A letter from Gordon D. Kirchhevel, of 625 W. Deming Place, Chicago, disagrees with those numbers. "The possible positions in GO is not 10^{761} ," he writes, "but 3^{361} , because there are 361 points on a GO board with three possibilities for each point (black stone, white stone, no stone). The number of possible positions in chess is less than 2.273 x 10⁵³. calculated as follows: 123.11.102.9. 88.740.64.42.3.2. Take a chessboard and go over it one square at a time, considering how many of the pieces can actually ever occupy that square, and you will see that this is so. And because there is a limited quantity of each type of piece (for example, only eight pawns), then the number of possible positions is even smaller 2.273x10⁵³. Because of double symmetry of the boards, calculations for both GO and chess include many 'quadruplets'. For example, a certain configuration on the GO board can be rotated 90°, 180° and 270° generating four orientations with the same configuration. Roughly, then, threefourths of the possible positions are

quadruplets. So, for all practical purposes there are only about 4.352 x 10^{171} truly different configurations possible on the GO board."

Bruce Wilcox of the University of Michigan, co-author of the game-playing Reitman-Wilcox GO program, agrees with Kirchhevel: "The trouble is not with the statistics, but with the mislabeling," says Wilcox. "The number 10171 refers not to positions but to games or 'paths down the move tree'. Gordon is correct in his calculation of 3³⁶¹. All standard estimates are really over-estimates. They do not take into account symmetry or position legality. My own over-estimate of chess positions is 64 squares with 13 types of occupancy or 1364. Game estimates are always larger than position estimates because many ways lead to the same result. A game estimate is reasonable when alluding to whole-tree searching programs, to show the magnitude of the task. For comparing the 'human' complexity, Al Zobrist, in his thesis, used 'reasonable' games; that is, games in which only good moves are made (but which few of us follow). For checkers, then, the over-estimate is 3 reasonable moves 20 times a game, or 320; for chess it is 550 (from DeGroot) and for GO, Zobrist claims 10100. These estimates ignore obvious forcing moves

which hardly count as 'free will' and add nothing to the complexity if you see them. The basis for 'position estimates' is always the number of choices for occupancy per square to the number of squares power (minus illegalities and symmetrical placement). The basis for 'game estimates' is the number of legal first moves, times the number of legal second moves, etc.''

Thomas Throop, author of Computer Bridge in PERSONAL COMPUTING, suggests that differences between "games" and "positions" are similar to traveling experiences. "One person driving from New York to Chicago and another driving from New York to Miami," observes Tom, "arrive at their separate destinations according to their respective routes and schedules. The sequence of 'moves' each made represents the concept of 'games'. Their 'moves' involve such things as the specific roads followed, gas line stops, accidents encountered and the speed of driving. The destinations reached correspond to 'positions' in games, which can be achieved by many different move sequences. These different move sequences, or 'game possibilities' are, then, a better representation of difficulty than are 'position possibilities'. Thus, Al Zobrist is on the right track. However, the greater length

of a game does not make it more complex. The real difficulty of the game involves the average number of move possibilities (total moves or just reasonable-looking moves, as you wish) and the number of moves a player will plan ahead (which is not usually to the end of the game). A given skill level will require planning ahead a different number of moves for different games. What the number of moves are for different games is an interesting question. However, to play expert chess (by some objective criterion), for example, requires each player to plan ahead an average of 8 moves while considering seriously only ten choices (Zobrist's number) at each move. Then, the meaningful 'measure of complexity' at the expert level is, for chess, 1016."

Prof. I.J. Good, of Virginia Poly-

technic Institute and State University at Blacksburg, VA discussed this subject in his article "A Five-Year Plan For Automatic Chess" in MACHINE IN-TELLIGENCE II (edited by Dale and Michie, published in 1968 by Oliver and Boyd). "Consider the number of possible games of chess," wrote Prof. Good. "If 50 moves are played on each side without any captures or pawn moves, then in some sets of rules, the game is drawn, whereas, in other sets, the draw must be claimed. If the rule is taken as mandatory, then no game can last more than 6000 moves on each side. Also, in any position, even if all the pawns have been promoted to Queenhood, the number of possible moves cannot exceed 321. Therefore, the number of possible games is less than $321^{12000} < 10^{30000}$. If we restrict our attention to reasonable games we get a much lower estimate.

"Consider, also, the number of possible chess positions. In earlier works, I have already calculated that the number of positions, in which no pawn has been promoted and there are no doubled pawns, is less than 2x10³⁹. The number of positions in which no capture has occurred is about 1032. Allowing for all possibilities the number is less than 2x10⁵⁰. (A master chess player would be happy if he knew what the best move was in 99.9% of the positions with nearly level material, weighted with their probabilities of occurring, that would occur in master chess, without blunders. And the number of such positions may be less than 10²⁴, judging by some other calculations).'

At Wit's End

. . . A letter from Bruce W. Cheney, 1606 Eastus St., Dallas, TX 75208, raises an amusing point. "After reading Morris Miller's review of David Levy's three chess books in the June issue," writes Bruce, "my faith in the credibility of anything Morris may have to say has been destroyed. Not only has he neglected to do his research, but I suspect that his sense of humor will also be found deficient. In his review he referred to a statement made in a particular issue of Scientific American which claimed that a computer had, in effect, 'solved' chess openings with the move 1. P-KR4. Morris's comment was 'One need not be a master or even a strong player to realize that Scientific American has been hoaxed or the computer improperly programmed.'

"Indeed, one need only be of minimal mental stature and marginally aware of the world around oneself to realize that the APRIL issue of any western magazine is liable to contain humorous and fantastic articles and statements. Martin Gardner in his April 1975 Scientific American column on mathematical games gave us an even better clue by naming the computer in question 'MacHic' (sic), not to mention the report of an offer to Bobby Fischer for \$25 million dollars to play the machine. The five other subjects of the article included a very amusing sketch of Leonardo Da Vinci inventing the

flush toilet. I suggest you replace Mr. Miller with someone of a higher caliber, at least a 45. Get that one, Morris? No? Well, I have this bridge I'd like to show you. . ."

Morris' reply to his accuser:

"Upon rereading Levy's 'Computer Chess', I agree with Bruce Cheney that my sense of seriousness was uppermost and my sense of humor dormant when I read the last part of the book. The internal language Levy used should have warned me he was indulging in deadpan humor. All I can say is that when reading a book for review, one's normal sense of the ridiculous undergoes a sea change. But I am in good company. If you look at Mark Twain's 'Roughing It' he recounts an instance when as a newspaper reporter he perpetrated a gorgeous hoax in print which was picked up and widely reprinted in all seriousness. Western humor, you see, can take in westerners as well as easterners."

TI joins the chess club

. . .At NCC '79, David Levy announced that working with the Texas Instruments company he had written for them a new chess program. Some of the interesting features in the TI unit, not yet available in other devices are, according to Levy, the ability of TI to play simultaneous chess. The unit will be able to play as many as 9 different players at one time. Also, the new program,

according to Levy, has three levels of play; "good" for good players; "normal" for Class C or lower; and a new "worse" level. This latter level is designed to give the player confidence in his battle against the computer. No matter how poorly the player does, he cannot lose. In fact if he should blunder into a position where the computer will be able to mate him at the next move, the program simply resigns, allowing the human to win and maintain his self-esteem. "Just watch for it," exclaims David Levy who is very enthusiastic about his new TI program.

On sacrificing

... "Since Morris Miller mentions the famous positional sacrifice by CHAOS in the first World Computer Chess Championship," writes Ronald Wilcox. of 400 Second Ave., New York, "I would like to add a few notes. Another example of a sound positional piece sacrifice that I am aware of is the one made by Chess 4.7 in the first game of the match with David Levy. Both examples involved the sacrifice for 1 pawn. Actually the Knight for 2 pawns positional sacrifice is not that rare in Computer Chess. In round 1 of the third U.S. Computer Chess Championship (1972) SCHACH exchanged a Knight for 2 center pawns against TECH. The move was clearly an unsound positional sacrifice. In his comments on the sacrifice by SCHACH, Monroe New-

born suggests that this is not an unusual exchange for a computer program and is possibly due to the positional value obtained by removing 2 of the opponent's center pawns. The exchange reflects a weakness in the evaluation function. This is one reason why most programs limit the weighting of positional factors in the evaluation function so that they do not exceed the value of a pawn. A piece 'sacrifice' by a computer may be motivated by a variety of factors. It may represent a horizon effect, an improperly tuned evaluation function, a deep winning combination, or, and probably least likely, a true positional sacrifice. Since a print-out of the main continuations found during the search is not usually available, the proper understanding of the move requires knowledge of the program logic and the search parameters. Judging the move according to the actual follow-up of moves during the game can be quite misleading."

Morris Miller offers some comments concerning this opinion of positional sacrifice: "Positional sacrifices give some insight into how a program works.

"The usual positional sacrifices I have seen in the course of some computer games I would say are sound ones. I suppose there have been some unsound ones also. This suggests that deriving evaluation function is difficult and complex. Sacrificing a piece for two pawns, or some such combination, is difficult to judge. In the future I will have to try to determine if the horizon effect enters into a program's play, when annotating a game, if I can. My annotations on computer chess are meant to be useful. Hopefully, the comments might help programmers improve the performance of their programs by applying an objective (human oriented) rationale. While the horizon effect enters into consideration, the problem solving of the program is done and judged by the human level of performance, which I believe is the ultimate yardstick. Nevertheless, it is important to be aware of factors such as horizon effect which play a role, since it is only in that way that programs can be improved. The limitation isn't critical, but it helps when charting a proper course on the chessboard."

BORIS Visits the Winery

The Chafitz product, BORIS, (not the new version) participated in the last Paul Masson Tournament in California and chalked up a formidable record: 3 games won, 1 tied and only 1 lost to gain a high position in the Class B rankings there.

New Chess Machine

Master Distributors has introduced a new pocket-sized chess game called CHESS MASTER. The company, a division of Promedic, Mfg., Inc., describes its product as being "an exciting chess game programmed to present a wide range of selective *pro-*

blems that will challenge and teach any individual the finer points of chess.' The unit is available from Master Distributors at a current price of \$49.50. More information can be obtained by writing to the company at The Solar Building, 1000 16th St., NW, Washington, DC 20036. "Chess is one of the most pleasurable ways of exercising a person's thinking ability and this convenient new unit will give you endless hours of challenging enjoyment," proclaims the company. (The company could have added that computer-assisted chess lurks on the immediate horizon. Man and his computer opposite an antagonist who also is consulting a computer is an exciting concept.)



MASTERCHESS is a pocket-sized device that contains 1000 challenging problems (plus correct solutions.)

COMPUTER GAMES OF OTHER SORTS

("Intelligent" Computer games welcomed by this department. Address all correspondence to COMPUTER GAMES DEPARTMENT, Personal Computing.)

The GOMOKU Tournament

Of all the "intelligent" games being played on the computer today, chess is clearly the most popular. In second place, and climbing steadily is the game of GOMOKU. The most popular North American GOMOKU tournament is currently being run in Canada by Professor Shein Wang of Guelph University's Institute of Computer Science. The tournament has been sizzling since 1975 and it grows more popular every year. The outstanding attraction to GOMOKU is the ease with which it can be programmed, using any kind of computer and any language. It is a non-trivial, simply stated game for which a guaranteed winning strategy has not been found. Programs in GOMOKU may, like chess, profitably use book moves, look ahead and pattern recognition. In terms of complexity, however, GOMOKU is considered to be far below chess, but above checkers.

"GOMOKU is basically a game of Tic-Tac-Toe," explains Prof. Wang. "It is played on a 19×19 board similar to the GO board. Object of the game is simply to place five men in a row: vertically, horizontally or diagonally. First player to get five-in-a-row wins.

"GOMOKU's history goes back more than 2000 years. Currently it is very popular in China and Japan. Children there play it fervently. They use either a paper and pencil and draw x's and o's; or they may use an official GO board with black and white stones. As in the game of GO, black stones always move first. Usually a player's first move is around the center of the board, perferably at the K-0 position. Logic for this is that a stone placed near the center can be developed in all directions; but if it is positioned near the edge it has fewer paths to follow. The white-stone player is considered the 'defender' because he is a move behind. Strategy is aimed at blocking the opponent's pattern for a few moves. It is dangerous for defending white to stay away from the black stones. If he puts


his move at a distance from the other side, black can concentrate on the area where he already is ahead and produce a two-man advantage which usually leads to a quick win.

"The attacking side always has the advantage because he possesses the initiative and has a better chance to set the stage for a winning game.

"Computer GOMOKU programs have been written in PL/1, FORTRAN, Assembly, BASIC, ALGOL and APL. Some programs have been run on microcomputers. The micro programs rely heavily on good heuristics to lead them. However, their inability to look ahead very far puts them at a severe disadvantage when they face an opposing program that can look ahead ten moves or more. A program that placed in the 1977 tournament, by the way, was run on a Microdata 8080 and did quite well, beating out some big computers. But programs improve with age, and micro programs probably face some tough challenges to keep up with the others. But, as the size of memory chips go up, the micro programs will become more competitive. In fact, I hope to put my own program on a micro one of these days to see how it will do.

"Our current North American GOMOKU champion is a PL/I program written by Michael Compton of Ottawa, Ontario. He has been beaten for the world title by a European program but I personally don't think the European program is that good. You see, the opening is very important but hard to program and Michael lost because he ran into a few wicked opening combinations which were not familiar to his program."

Writing in the SIGART Newsletter of April 1977, Lawrence J. Mazlack, also of the University of Guelph, described the 1976 second computer GOMOKU tournament. "Eleven programs competed (up from four last year)," he wrote. "And the programs all played at a considerably higher level than last year. The struggle for the championship finally worked down to a confrontation between "PLUNC" (written by Ed Johnson and A. Coston, both of Chapel Hill, NC) and "AR-THUR" (written by M. Compton of Ottawa, Ontario). The game and final board position of this encounter follows:



COMPUTER GAMES

Black: Johnson & Coston (moves first) White: M. Compton

"The moves of the game were: 1. L-11; 2. M-11; 3. M-10; 4. N-9; 5. L-9; 6. N-10; 7. L-12; 8. L-8; 9. N-11; 10. O-12; 11. L-13; 12. L-10; 13. L-15; 14. L-14; 15. M-9; 16. O-10; 17. O-13; 18. M-8; 19. K-8; 20. J-7; 21. L-7; 22. K-9; 23. J-8; 24. N-6; 25. M-7; 26. N-7; 27. N-8; 28. P-11; 29. Q-12; 30. Q-10; 31. N-13; 32. R-9; 33. S-8; 34. P-13; 35. P-9; 36. O-6; 37. J-9; 38. P-10; 39. R-10; 40. P-5; 41. Q-4; 42. M-6; 43. M-13; 44. K-13; 45. N-14; 46. P-12; 47. P-14; 48. K-11; 49. K-10; 50. M-12; 51. N-15"

Commentary by Lawrence Mazlack

- "1) ARTHUR's L-8 at Move 8 was a mistake and would have led to a quick defeat if PLUNC had not turned defensive at Move 15.
- 2) A better sequence from Move 8 was probably 8. L-10; 9. N-11; 10. O-12; 11. K-9; 12. M-9; 13. N-8.
- 3) A better black sequence at Move 15 was probably 15. K-14 . . . 17. J-13 . . . 19. K-13 . . . 21. L-12.
- 4) At Move 26 white was trying for the win: 26. N-7 . . . 28. P-11 . . . 30. Q-10 . . . 32. P-10 . . . 34. P-9. Unfortunately this sequence does

not win as a block at N-13 forms a three. There was a larger true winning sequence which ARTHUR overlooked of 26. N-8...28. P-8...30. P-11...32. O-9...34. P-10...36. Q-9.

- 5) After Move 37. J-9, ARTHUR has no defense, but J-9 was not the best move here. A better black sequence was probably 37. M-12... 39. K-12...41. H-10.
- 6) ARTHUR resigned after Move 51 because it was forced to reply to the four with N-12; then O-15 would give its opponent a four and three leading to an unblockable win for PLUNC."

Jerry Crouch of the University of Rhode Island's Electrical Engineering Department is an active participant in the GOMOKU tournament. His following comments on GOMOKU and the tournament itself reveals the growing interest in that activity.

"If you have read recent newsletters on GOMOKU (issued by Shein Wang) you may have noticed a lot of changes in tournament rules. The original GOMOKU tournament was a roundrobin in which everybody played everybody twice. But because moves in tournament games are relayed orally by long-distance telephone, the roundrobin format was quite expensive. My own telephone expenses in 1977 were \$170. Prof. Wang is currently trying to set up a more streamlined system that will be fair to everyone.

"My original program played on a 16×16 board because of CRT limitations. The program was written in PL/M, a language similar to PL/1 that was developed by Intel for the 8080 and 8008 microprocessors. The way the program works is quite straightforward. Each space on the board belongs to a number of groups of five adjacent spaces. A space near the center of the board belongs to 20 of these groups (5 horizontal, 5 vertical, 5 right diagonal and 5 left diagonal as shown in Fig. 1).

"If a group contains both white and black stones it cannot be a site of a win or loss and is of no interest to either player. If a group contains only black stones (let black be the computer) then adding a black stone to that group moves black closer to a win. If a group contains only white stones, then adding a black stone eliminates that group as a winning site for white and, consequently, diminishes white's chance of winning. Moving a black stone into an empty group also eliminates that group as a winning site for white and lays the groundwork for future expansion by black.

"What my program does is count the number of each type of groups that each cell belongs to (groups with no stones, groups with one black stone, groups with one white stone, etc.). My evaluation consists of multiplying the number of each group type by a weighting factor (selected by the programmer), summing these products and then setting the score of the cell to that value. After doing this for the entire board, the program then selects an empty cell with the highest score and moves there.

"In the example shown in Figure 2, the empty cell marked 'X' is part of one empty horizontal group; one empty vertical group; five empty right-diagonal group; one empty left-diagonal group; two groups with 1 black stone; three groups with 2 black stones; one group with 1 white stone; one group with 2 white stones, and two groups with 3 white stones. I use the

The Final Standings after the 1976 second Gomoku Tournament were;

inish	Program	Programmers	Computer
1.	PLUNC	E. Johnson	PDP 11/45
		A. Coston	
		Chapel Hill, NC	
2.	ARTHUR	M. Compton	IBM 370/158
	COMOKII	Montreal, Quebec	Xerox 530
3.	GOMOKU	D. Walden Skokie, IL	Aerox 530
4.	SHIFTY	J. Day	IBM 370/155
4.	(SIIII-11	Cupertino, CA	IBM 570/133
4.	PHANTOM	T. Heaven	PDP 10
	31	London, Ontario	
6.	WINR	M. Ouye	Microdata
		Acamp, CA	1800
7.	FIVE-IN-A-	H. Baird	PDP 8
	ROW	Princeton, NJ	90 0 3D 90 SE
7.	GOMOKU	H. Saal	IBM 370/158
0	CHEIN	Palo Alto, CA	IBM 370/155
9.	SHEIN	S. Wang Guelph, Ontario	IBM 5/0/155
10.	DEMENTIA	P. Fleischer	IBM 370/155
10.	DEMENTIA	Guelph, Ontario	22.12.07.07.13.5
11.	FRED	J. Sturdy	IBM 370/155
		Toronto, Ontario	

COMPUTER GAMES

arbitrary weighting factor shown in the value table of Figure 3.

Then the score of cell 'X' (multiplying the above 'usable' groups by weighting factor) is:

 8×1 (empty)

 $+2\times2$ (1 black stone)

 $+3 \times 10$ (2 black stones)

 $+1\times2$ (1 white stone)

 $+ 1 \times 10$ (2 white stones)

 $+2 \times 4$ (3 white stones)


"Clearly the weight for a group with 4 black stones should be very large because that move is an instant win. The weight for 4 white stones should also be large but not quite as large as black's value. Best values for other types of groups are not so obvious.

"I never intended this program to work well. It was the third PL/M program I ever wrote and I wanted to see if my IMSAI would execute it at reasonable speeds. However, I was startled at the quality of play of such a simple program. My contest program for the tournament is based on the same technique but includes another routine to recognize certain forced-win or forcedloss situations. The original program would also claim a win with more than 5 stones in a row. That was changed by noting that a stone beyond the end of a group eliminates that group as a possible winning site for that player.

"The BASIC program shown here implements this same technique. It is written in very basic BASIC, and should run on most machines. It doesn't include any fancy cursor-control or formatted output because those functions are machine dependent. Unfortunately this BASIC program

runs slowly on my IMSAI; unlike the PL/M version which moves in about 1.5 seconds. It would be interesting to implement the BASIC program on a faster machine such as the Z-80 or the 6502. Someone with saintly patience could even try to implement it in machine language. Right now my own PL/M program is frozen because I can't get access to a PL/M compiler. I hope to be able to eventually add look-ahead. I think it would be quite a nice feat to blow away all those folks running their programs on IBM heavy iron."

(Note: Readers interested in writing a GOMOKU program and perhaps joining the continuing North American tournament are urged to write to Dr. Shein Wang; Department of Computer Science; University of Guelph; Guelph, Ontario, Canada.)



Gomoku in BASIC

```
diagonal. 11 = Left diagonal.
                                                                    N(1)
                                                                         Number of empty stones in group.
                                                                    N(2)
                                                                         Number of white stones in group.
                                                                    N(3)
                                                                         Number of black stones in group.
                                                                         Weighting factor for white group.
10 DIM B(100),N(3),V(100),F(5),G(5)
                                                                   G
                                                                         Weighting factor for black groups.
15 GOSUB 800
20 FOR I = 1 TO 100
                                                          Note: This program considers 5 or more stones in a row to be a win.
30 B(I) = 0
40 NEXT I
50 PRINT "ENTER 1 TO MOVE FIRST, O OTHERWISE."
60 INPUT M
70 IF M = 0 THEN 130
80 PRINT YOUR MOVE.
90 INPUT R.C
                                 Move is row, column.
100.T = (R-1)*10 + C
110 IF B(T) ♦ 0 THEN 80←Prevents illegal move.
120 B(T) = 1
130 FOR I = 1 TO 100
140 V(I) = 0
                                 Clear scores.
150 NEXT I
160 V(55) = 1 ←
                                 Bias this score to force initial move near center of board.
165 FOR R = 1 TO 10
170 FOR C = 1 TO 10
180 D=Q
190 I = (R-1)*10 + C
200 IF C<3 THEN 240
                                 Branch if this cell is not the center of an horizontal group.
205 IF C>8 THEN 240
210 D = 1
220 I1 = 1
230 GOSUB 360
240 IF R<3 THEN 280
                                 Branch if this cell is not the center of a vertical group.
245 IF R>8 THEN 280
250 D = D+1
260 I1 = 10
270 GOSUB 360
                                 If cell was center of horizontal and vertical groups then it is also
280 IF D<2 THEN 330
                                 center of left and right diagonal groups. Otherwise branch around.
290 I1 = 11
300 GOSUB 360
310 I2 = 9
320 GOSUB 360
330 NEXT C
340 NEXT R
350 GO TO 620
360 FOR J = 1 TO 3
                                   This code executed for very group of 5 cells.
370 N(J) = 0
                                 Initialize stone count.
380 NEXT J
390 FOR J = -2 TO 2
400 \text{ K} = B(I+J*I1) + 1
                                 Count stones.
410 N(K) = N(K) + 1
420 NEXT J
430 IF N(2) = 0 THEN 450
435 IF N(3) = 0 THEN 450
                                  If this group contains both black and white stones then forget it.
440 RETURN +
450 IF N(2) < 5 THEN 480
460 PRINT "YOU WIN."
                                 If this group contains 5 white stones, computer has lost.
470 STOP
                                  - If we get here number of black stones = 0; or number of white stones
480 IF N(3) <> 4 THEN 500€
490 B1 = 1
                                   = 0; or both. If there are 4 black stones and no white stones,
                                  computer will win on next move if white hasn't already won.
500 IF N(2) <> 0 THEN 530
510 E = G(N(3)+1)
                                 Set weighting factors for black or white group.
520 GO TO 540
530 E = F(N(2)+1)
540 FOR J = -2 TO 2
550 T = I + J*I1
555 IF B(T) <> 0 THEN 570
                                   Increment score of any empty cells. Cells with stones don't score.
560 \text{ V(T)} = \text{V(T)} + \text{E}
570 NEXT J
580 RETURN
```

Variables: B

R, C

Board. First 10 entries are row, second 10 entries are second row, etc. 0 = Empty. 1 = White (human) stone. 2 = Black (com-

Increment for subsequent calls in a group.

1 = Horizontal. 10 = Vertical. 9 = Right

Score of each board position.

Row and column for moves.

puter) stone.

Program Listing continued

```
620 I1 = 1
630 V1 = V(1)
640 FOR J = 2 TO 100
                                         Pick largest score.
650 IF V1 > V(J) THEN 680
660 I1 = J
670 V1 = V(J)
680 NEXT J
                                         If largest score is smaller than smallest weighting factor, then there are no groups without both black and white stones.
690 IF V1 >= 4 THEN 720
700 PRINT "GAME IS DRAWN"
710 STOP
720 B(I1) = 2
730 R = INT((I1 - 1)/10) + 1
                                         Make move.
740 C = I1 - 10*(R-1)
750 FRINT "MY MOVE IS";R,C
760 IF B1 = 0 THEN 80 If no win then loop.
770 PRINT "I WIN."
780 STOP
800 F(1) = 4
810 F(2) = 12
820 F(3) = 30
830 F(4) = 90
840 F(5) = 10000
                            Set weighting factors.
850 G(1) = 4
860 G(2) = 12
870 G(3) = 30
880 G(4) = 100
890 G(5) = 100000
900 RETURN
999 END
```

ATTENTION TRS-80'S


Why sit in the corner in the dark and turned off while your master is sitting by the light, turned on to this magazine?
You need a magazine of your own for Education–Enlightenment–Enjoyment and for the personal satisfaction (you're a personal computer, aren't you?) of your very own possession. A Subscription to CLOAD MAGAZINE!
Turkey your master into sending a \$36.00 check to the jive cats at CLOAD MAGAZINE. You will get 12 C-30 cassettes, one a month, each one filled with all kinds of juicy software–Games, Tutorials, Practical Programs and Impractical Trivia. All programs rated G for computers under 18 years old.

Do It! Subscribe Now!



Box 1267 Goleta, CA 93017 (805) 964-2761 MasterCharge/VISA welcome

MAGAZINE



BOOKSHELF

"How to Become a Computer in One Easy Book"

The Computer Book, by Fred Lee. Artech House, 610 Washington St., Dedham, MA 02026; 365 pp; \$22. Vellum cover.

There is a literary axiom which states that if you write a book where the reader can hardly wait to turn the page to see what next is going to happen, then you've written a hit book. On that premise, then, The Computer Book should be an instant best seller. The readers of this book no sooner turn the front cover than they're off and running - flipping pages like mad. The reason for the hectic activity, a highly unusual response in the world of literature, is that author Fred Lee transforms the reader into a human computer. On the very first page of the text, Fred performs his act of metamorphosis and starts the reader (now computer) off on a canter through every step of a simple program.

In general, the trouble with textbooks on computers is that the reader is led from an "easy first chapter" into a jungle of technical traps from which he has difficulty escaping. So, if anyone expects to read a computer book in an hour or so and become knowledgeable on that subject — he'd better forget it. He is better advised to stick to a mystery yarn. There's no such thing as an easy book on computers. (After all, you're dealing with operations taking place at the speed of light.) However, The Computer Book comes closer to qualifying in that category than other books currently available. If the reader is willing to absorb Fred Lee's easy-toread text (not just skim over it), concentrate on what his fingers are doing, and not be in too great a hurry to reach the last page, then this book is a fun place to visit. It's expensive at \$22, but well worth the price.

Computer commands, operations and instructions are stored between the pages of *The Computer Book* (functioning as registers) and a Program Counter (a scrap piece of paper used as a bookmark) steps through the routines of an elementary program. When this introductory program is finished (about a

half hour) the human computer winds up with muscle-cramped fingers and a spinning head; but he should now know how the computer actually functions. And, in the exercise, he learns what happens in response to such commands as READ, STORE, CLEAR, ADD, JUMP, WRITE, SHIFT and HALT. A typical instruction look like this:

WRITE

- Move bookmark to next location.
- Write the number from Accumulator into space X on a piece of paper.
- Put 0 into Accumulator (sheet of paper).
- · Go to bookmark.

After the reader has gone through some of the text and has been instructed on what the computer is all about, Fred then sends him off through another, more complicated program. This time the instructions become a little more technical, as:

- Advance Program Counter (PC) to next location.
- Clear Accumulator.
- · Go to PC.

Finally, the reader runs the same program from the mnemonic codes in Machine Language, such as:

- \bullet PC + 1
- •MEM→MR
- •MR →IR
- •MR → MEM
- •PC →AR

In between his role as functioning like a computer the reader is expected to spend some time with the text itself where he encounters delightful explanations of electronic intricacies such as this one:

"Consider a vacuum cleaner that has two hoses coming out of it. We stick a rubber ball into each of the two ends of the hose. Each ball is controlled by a tube from the other hose. If we cover up hose B with our hand, the air can't get in and the vacuum must appear. The ball in C, therefore, collapses, air flows into C, and the pressure there goes to normal. The ball in B then inflates and blocks B. We can now remove our hand from the tube — but nothing changes.

Hose B is blocked by the ball. Now, cover the C opening. The vacuum in C rises, collapsing the ball in B. Air is allowed in and pressure returns to normal. The ball in C inflates and blocks C even if we removed our hand. The gadget has 'flipped.' If we now cover B again, the gadget 'flops' over to the first condition and so on. This is a 'flip flop.' Notice that this device has memory. It is put into one state or another by the action of the hand and stays in that state after the action is gone. It 'remembers' or 'stores' the fact that the action occurred."

Author Lee goes on to show how substitution of electric current for vacuum cleaner creates transistors, gates and electronic circuits. He uses the method of simple analogies to explain other complex electronic functions.

Although, as the author states, this book can be used as a textbook (excellent for beginners at any level), it was intended as a self-study book for anyone with an interest in computing. It is an irony that most owners of microcomputers don't even know what a chip looks like. Latest estimates suggest that there are about 400,000 microcomputers in use today and 80% of them are run by cassette or disk interfacing. The operator of the computer sits at the keyboard and responds to the prompting that appears on the CRT. He hasn't the faintest notion of what is actually going on. This book, then, is for people like him — as well as for people who find computers a complex subject (which it is).

If any reader gets through this book without acquiring a good understanding of the computer's functions, it's only because he really doesn't know how to flip pages properly.

Other subjects that receive Fred Lee's delightful treatment are Codes, Binary Math, Circuits, Memories, Peripherals, Programming, Practice Programs, Assembly Language, Fortran, Cobol, etc., plus quizzes, pen-and-ink sketches, tables

and lots of action. As a sample of the contents, see the accompanying reprint of his Assembly Language chapter.

At various places throughout the

book the author shakes a warning finger at his reader by including a marginal note such as "Read this part five times!" Shows how concerned he is that the readers get something out of this book, and shows also, what an excellent presentation of a difficult subject Fred has constructed.

—Reviewed by Harry Shershow

Assembly Language

What we have done so far in our programming has been to write sequences of codes and instructions for the computer. We have written them in exactly the form in which we put them into the computer memory. We may have substituted octal numbers for 1's and 0's, but that's just another way of writing 1's and 0's. We have programmed in the language of the machine.

As we now know from our experience, there are two main jobs to do in writing our programs in machine language. One is deciding what instructions to use and in what order. The other is converting the instructions to codes that the machine can understand and assigning them memory locations. The first job involves ingenuity, creativity, even artistry. The second is more or less routine. It involves looking up codes, figuring out addresses, keeping track of memory locations, etc. It is tedious, dull, and, in long programs, very tricky and time-consuming. Worst of all, each time a change is made that adds just one memory location in the middle of a program, the entire coding job has to be done all over again. It is, in other words, exactly the kind of job a computer does best. Why not write a computer program in machine language and put it into the computer? Design this program to read another program written not in machine language, but using perhaps the mnemonics we used in our program list, one that does exactly what we had to do to convert symbols to machine codes. As a matter of fact, that's exactly what is done. The programs that do the coding are called assembly programs or assemblers. The system of symbols in which these programs are written is called the assembly language.

Because each different computer has

Reprinted with permission from The Computer Book by Fred Lee. Published by Artech House, 610 Washington St., Dedham, MA 02026.

its own unique instruction set and coding scheme, each also must have a unique assembly language. Commercial computers come with assembly languages and assembly programs designed by their manufacturers.

Assembly languages are called languages because that's just what they are. Their purpose is to communicate to a computer what the programmer wants it to do. They have a vocabulary of words and symbols, and they have rules of grammar and punctuation that prescribe how the words and symbols must be arranged into statements. Because the computer is a simple-minded machine, the rules must be simple and unambiguous. These rules are called the *syntax* of the language.

To represent the information that is to be put into a particular memory location, the programmer must write a *statement* which, by sheer coincidence, looks very much like a line from our program list if we leave out the locations and octal codes. Some typical program statements look like this:

(Instruction,
(Label) Operand) (Comments)

SPTS ADD, I AXFT ;ADD OLD TOTAL
STR, OPND ;STORE AGAIN
ADI, +25 ;ADD +25
HLT ;END OF TEST

The vocabulary consists of the mnemonics assigned to the instructions, labels, and numbers. Rules of various assemblers concern things like the number of letters permissible in labels; combinations that aren't permitted; the way decimal, octal, positive, or negative numbers are expressed; etc. The grammar and punctuation rules spell out in what order the words and symbols must appear, and what spaces or punctuation symbols must separate them.

What the computer actually receives when such a program is read in under control of the assembler program is more like this:

S-P-T-S-Space-Space-A-D-D-comma-Space-I-

Space-A-X-F-T-Space-Space-

Semicolon-Space-A-D-1st line D-Space----T-O-T-A-L-Carriage Return-

Line-Feed-Space-Sp

Comma-O-P-N-D-Space-Space-Space-Space-Semicolon-Space-2nd line S-T-O-R-E-Space-A-G-A-I-N-Carriage Return-Line Feed . . . etc.

You can easily see how the assembler could be designed to distinguish between labels, instructions, addresses, etc. It does it on the basis of decisions like "Is the first character of a line a letter or a blank?", and "Does the code group start with a number?" A line is usually ended with two special characters — carriage return and line feed respectively, which mean to the computer, the end of a line and, to a teletypewriter, to go to the start of a new line.

The assembler is designed to recognize all of the mnemonics of the instruction set when they appear in the instruction column. In addition, the assembler also recognizes some code groups or symbols in the instruction column that are pseudo-instructions; that is, they are instructions for the assembler itself and not to be put into the program being assembled.

These pseudo-instructions or assembler-directives tell the assembler such things as where to start the program in memory, when the end of the program occurs, to skip so many locations and leave room for a table, to assign symbols to constants, and so on.

All assemblers can assign programs to fixed locations in memory specified by the programmer. These are called *absolute* programs. There are assemblers that can also generate *relocatable* programs. These programs are assigned memory locations beginning with location 0. The assignment of actual locations is deferred until the program is loaded into memory. The loading program then takes care of assigning actual memory locations.

This feature lets the user wait until it is known what else is in memory before deciding where to put the program.

Comments and notes are also handled by the assembler. They have nothing at all to do with the assembly process. They are merely stored so that they can be printed out again when the assembled program is printed out. Since comments are preceded by some symbol that the assembler can recognize, one can use an entire line for notes or comments as long as the symbol (a semicolon, in our example) is first.

Example:

TELETYPE DRIVER

THIS ROUTINE IS TO BE USED

WITH ASR33

:TELETYPE ONLY

;PART 1

STRT, LCA (etc.)

:PREPARE ACCUMULATOR

Characters that control the paper feeding and spacing of the teletype can also be put into the program. These too are ignored during assembly, and played back when the program is printed out.

To use an assembler, then, you would do the following.

First, learn the rules of grammar and punctuation for the assembler you are going to use, along with the pseudo instructions. Write the program in just about the way you have already written some, leaving out actual locations and codes, and adding the necessary pseudo-instructions. The program is then typed on a teletypewriter with the paper tape punch turned on (or on a card

punching machine). The main result is to produce a tape with the program on it in serial form — one character at a time. The characters are in the standard (ASCII) teletype code. This tape is called the *source tape*. The program, in this pre-assembled form, is the *source program*.

The next step is to load the assembler program into a computer (from a tape or other storage medium), or to find a computer with the assembler in memory. This computer must have a peripheral capable of reading the source tape (or cards). Set the computer to the starting location of the assembler, load the source tape into the tape reader (or cards into the card reader), and push the run button.

Many assemblers can't do the assembly with a single reading of the source program. They require two or three passes. On the first pass, the assembler picks outs all labels, assigns locations to them, and makes a symbol table. On the second pass it does the coding. A binary code is generated for each location of the program. At the same time, the teletype's paper tape punch can punch these codes onto a tape. This tape differs from the source tape in that it has on it the actual binary codes that are to be loaded into memory. This tape is called the *object tape*. It is this tape that loads the assembled program into a computer. Pass number three can be used to produce a printout of the assembled program. This printout looks very much like the program lists we made earlier except that the machine

codes (in octal) are printed right after the memory locations. All titles and notes also appear on the printout, as does the symbol table. This printout is officially called the *program listing*.

While we're discussing assemblers, it is a good time to bring up the distinctions among hardware, software, firmware, and just plain programs:

- The term hardware applies to all of the physical things in the computer system — the circuits, cables, machines, etc.
- Software is what we call the programs designed by the computer maker and sold along with the computer. They are the programs that have to do with running the computer, as opposed to programs designed to solve the problems of whoever buys the computer. Software includes programs like loaders, peripheral drivers, teletype editing programs, "diagnostic" programs designed to detect troubles in the computer, assemblers, and compilers. These programs are usually supplied as individual tapes.
- Firmware is a relatively new term that has been given to programs that have been stored in Read-Only Memories (ROMs). Computers designed with ROM firmware have the advantage of having these programs resident in the computer. Other computers have to have them put into the working memory before they can be used.
- Just plain programs or application programs are the programs written usually by the users of the computer to solve a problem or do a job.



PRODUCT CLOSE-UP

BASIC-1P

Now you can run all your Level I programs on your Level II TRS-80 – without troublesome conversion.

BY WILLIAM L. COLSHER-

Upgrading your TRS-80 to Level II does not have to mean you loose access to your accumulated library of Level I programs. BASIC-1P turns your 16K Level II TRS-80 into a 12K Level I simply by loading the tape.

To load the program, use the SYS-TEM command just like you would with any other machine language tape. The screen will display the message in Figure 1. You answer the question about your printer (if you have one). If you're using an RS-232-C interface from Radio Shack or the Small System Hardware TRS-232, more questions will come up about nulls after carriage return, baud rate, and so forth. When you've answered all the questions, READY appears and you've got a Level I computer again.

Level I users are probably wondering about the printer talk. Level I can't use a printer, right? Right — Level I TRS-80s can't; but a Level II using BASIC-1P can. Table 1 shows a list of commands added to Level I by this program. You not only get LLIST and LPRINT to use in your programs, but you can use the LP.ON command to

LPRINT

BASIC1P V-2.0 (C) 1979 R.H. SHUBERT SYSTEM SOFTWARE

PRINTER INTERFACE OPTIONS:

PRESS

R FOR RS-232-C T FOR TRS232 "ENTER" FOR CENTRONICS (OR NO PRINTER)

PRINTER SELECTION?

Figure 1

make the old PRINT statements actually print on your printer. You don't even have to change your programs since it can be entered as a direct command.

Sooner or later you'll want to go back to Level II. A quick look at Table 1 shows that typing CMD "S" and an enter will return you to Level II and the "MEMORY SIZE?" message. Now, if you want to preserve BASIC-1P for later use just type 28327 and it wll be protected. To go back to it later, type

SYSTEM followed by a /28327 and you're running Level I again.

Included in the four pages of documentation are instructions for converting the tape to disk (in the event you're lucky enough to have a disk system) and some tips on loading the tape. I haven't had any problems loading my copy, though. The tape my copy came on is a Scotch Highlander Low Noise tape — the very brand I've been using for almost three years on my Digital Group system, recording without any serious problems at 1200 bps. These tapes should sure work at 500!

BASIC-1P, written by R.H. Schubert System Software, is sold by Small System Software for \$19.95. The company also sells other TRS-80 products, including three machine language versions of Adventure, CP/M operating system, several action games and a program to convert system programs to disk files. Contact Small System Software, P.O.Box 366, Newbury Park, CA 91320.

Table 1 - Added Commands

LLIST Abbreviated LL. This command is identical to the Level II LLIST command. It lists your program on the printer instead of screen.

Abbreviated LP. This command is the same as the Level II

LPRINT command. It prints to the printer instead of screen.

LPRINT ON Abbreviated LP.ON. This statement makes all the ordinary PRINT statements in your Level I programs act like LPRINTs.

LPRINT OFF Abbreviated LP.OFF. This command reverses the action of the LPRINT ON command, restoring your old PRINTs to their normal Level I action.

CMD "S" This command returns you to the start of Level II, that is, the "MEMORY SIZE?" message.

WHAT'S COMING UP

SYSTEMS


Desk-Top Computer/Word Processors

Konix International introduced its System 80 and System 81 microcomputers designed to handle small business management and professional applications as well as word processing functions. Each self-contained system incorporates video display, keyboard and dual minifloppies in one small integrated cabinet. System 80 uses the North Star operating system and BASIC language, while System 81 incorporates CP/M and CBASIC.

The S-100 compatible systems feature 32K RAM, dual Z-80 processors, dual density minifloppies and 9" CRT as well as RS-232 and parallel I/O ports.

For information highlighting and forms design, several character attributes may be defined by the user to differentiate portions of the displayed text. Programmable reverse video, underlining, blinking reverse video, blinking underlining and protected fields provide video display flexibility.

Light weight (26 lbs) and small in size (11" H x 21" D x 19" W), the systems are brown out protected and completely modular for ease of servicing. Built-in hardware diagnostics in ROM promote easy service.



The sculptured keyboard is identical in layout to an IBM selectric typewriter so that little time is spent in adapting to the keyboard in word processing applications. Numeric pad and cursor controls are standard.

Options include up to 56K RAM, battery operation and battery back-up. International options include 220 volt/50 Hz operation and Spanish keyboard.

Software available includes Fortran, Cobol and Pascal in addition to Konix application software: Executive Letter Writer word processing package and Transparent Office Manager business software.

Suggested list price is \$4880. Delivery is stock to 90 days ARO. For further information contact Konix International Corp., PO Box 11666, Ft. Lauderdale, FL 33339. *Circle 108*

Computer with Hard Disk Drive

Cromemco's new Z-2H offers an integral 11-megabyte hard disk drive plus additional features including a fast Z-80A, 4 MHz processor; two floppy disk drives; 64K of RAM memory; an RS-232 serial interface; a printer interface; and a 12-slot motherboard. According to Cromemco, the system is suitable for professional work in many fields, especially business applications, word processing and data base management.



The hard-disk drive provides storage for eleven megabytes of unformatted data or over 10 megabytes of formatted data. File transfers to and from the hard disk take place six to ten times faster than in floppy disk systems, Cromemco said.

Information transfer rate to and from the disk is 5.6 megabits/second using the fast DMA controller supplied in the Z-2H computer.

Z-2H's hard disk is also designed to be reliable. The disks and drive are housed in a sealed chamber so that the user has no need to provide filtered air for the unit. Head positioning is maintained precisely despite temperature or humidity variations by using a servo track follower. Servo track following also permits the system to operate in various orientations — there is no need to level the unit before using.

Head tracking pressure is very light — just 10 grams — thereby eliminating the source of "head crashes" common with other disk drives, the company said.

With the Z-2H you also receive a copy of Cromemco's extended CDOS operating system. This CDOS has been extended to support both the system floppy disks as well as the integral hard disk. With extended CDOS you have access to Cromemco software including Fortran IV, Extended BASIC, Cobol, Ratfor, Z80 Macro Assembler, Word Processing System and Data Base Management System.

Model Z-2H comes with 64K of high speed RAM memory using Cromemco's 64KZ RAM memory cards. You can add additional RAM to give you as much as 512 bytes of RAM.

Every Z-2H is also supplied with a Cromemco Model PRI printer interface card. This card supports the Cromemco dot-matrix printers as well as the company's fully-formed character printer.

Model Z-2H computer is available for \$9995. For more information, contact Cromemco, Inc., 280 Bernardo Avenue, Mountain View, CA 94043. *Circle 109*

Turnkey Business System

C.D.S., Inc., offers The Versatile Business Manager, a complete turnkey system which includes a Versatile 4 Dual Drive computer, a Texas Instruments 810 RO Tractor Feed Printer, application business software and a Formica table on rollaway casters for convenient moving.

The business software includes a General Ledger which sets up a chart of accounts and general journal, and produces a trial balance, income statement and balance sheet. It automatically posts transactions to the Ledger and produces an audit trial of transactions. Accounts Payable programs produce accounts payable statements by vendor, date or range of dates, and project the cash necessary to fulfill these obligations. Accounts Payable also prints checks and mailing stubs and journalizes transactions so they will be processed by the Ledger. Accounts Receivable produces accounts receivable statements by customer, date or range of dates as well as aged accounts receivable reports. It reports cash projections from collections and journalizes transactions for processing in the Ledger. Inventory programs produce a stock status report, and also provide materials, job cost analysis and year-to-date usage. The programs compute average and LIFO costs and EOQ'S, and also journalize transactions for the Ledger.



Personnel/Payroll programs maintain personnel records and compute payroll register for hourly and salaried employees. The programs compute and print paychecks, Quarterly 941s and yearly W-2 forms. Also, they compute labor job cost analysis and journalize payroll transactions for the Ledger.

Users can have their system in operation the first day for business applications, the company said. Price for the entire package is under \$8500.

For more information, contact C.D.S., Inc., Building #3, Drummond Plaza, Newark, DE 19711. Circle 110

Nationwide Personal Computer Network

MicroNet merges the power and capabilities of Compu-Serve's large mainframe computer systems with smaller personal computer systems in homes and businesses. The MicroNet service enables customers to use CompuServe's Personal Computing Division computer system in Columbus, Ohio, from 25 major metropolitan areas in the U.S. by connecting their personal computer systems through local telephone systems.

Users can communicate nationwide with each other through a "community bulletin board" which uses Compu-Serve's computers and nationwide telecommunications network. Also, users can create, edit and store database files on all types of subjects, use a library of programs, and sell personally-authored programs to other customers.

For entertainment, a wide assortment of games are available such as Space War, Star Trek, blackjack, chess, golf, football and craps.

In addition, the MicroNet library contains practical, personal programs, time-saving business applications, educational aids, easy-to-use programming languages and advanced programming and diagnostic tools.

MicroNet requires modem, which allows a customer's personal computer to communicate with CompuServe's computer via telephone.

The MicroNet personal computing service is available now. Customers pay \$5 per hour for the service through Master Charge or Visa bank cards.

For more information contact CompuServe, Personal Computing Division, 5000 Arlington Centre Blvd., Columbus, OH 43220; (614) 457-8600. *Circle 111*

Low-Cost System With Disk Storage

Incorporating a 2-MHz hybrid 6502 microcomputer with 64 user-definable opcodes, the Minimax system from Compu/Think provides 108,544 characters of internal memory and offers a choice of 800K bytes or 2.4M bytes of online disk storage.

With its 1920character CRT screen and resident Microsoft BASIC, Minimax is suitable for business, scientific or engineering applications, according to the manufacturer. Available software development tools and languages include a source editor program, a 6502 assembler, Autolink, a Fifth (combination of Forth and Pascal) language assembler and a PLM language compiler.

Minimax's CRT permits word or character insertion or deletion, provides a split screen mode and allows individual field editing with field protect and automatic skip to next field. Users can also produce high-resolution graphics on the 240-by-512 dot screen.

The minicomputer system stores or retrieves disk information at up to 15,000 cps. Aside from the disk port, Minimax includes a serial port that provides modem control signals and supports RS232 drivers and receivers; a printer port that supports the industry standard parallel printer interface; and a user port that contains 24 I/O ports for any required applications.

Minimax I, the version with 800K bytes of disk storage, sells for \$4495. The high-end Minimax II, with its 2.4M bytes of disk storage, costs \$5995.

For more information, contact Compu/Think, 3260 Alpine Rd., Menlo Park, CA 94025. Circle 112

Modified Pet Computer Operates as Terminal

NEC/CompuMart offers a computer and a terminal in one low-cost unit. The TC 2001 is available at an introductory price of \$795 with 8K RAM.

TC 2001 combins the Pet computer, manufactured by Commodore Business Machines, and NCE's own design in a spinoff from Pet technology. The unit functions as a full duplex, dumb terminal which can be used in conjunction with remote timesharing services, and also as a personal computer. It incorporates the MOS 6502, and is available with 8K or 16K of RAM memory. The ROM memory size is 14K. THe system uses BASIC language (level II), and is expandable through IEEE, TTL parallel, second cassette and memory ports. Versions are available with either full industry standard or calculator types keyboard. Each unit includes a cassette drive.


As a terminal, the TC 2001 works at a 300 baud rate. It accepts RS-232 and puts out TTL voltage. The TC 2001 has both upper and lower case characters, as well as graphics, on the 40 character by 25 lines CRT display.

A Pet computer can be converted to obtain the same terminal capabilities by plugging a module, sold through NCE for \$69, into user port. NCE also offers an acoustic coupler and cable for both originate and answer mode.

NCE offers printers, plotters, disk drives, tape drives, memory expansions and other peripherals for the TC 2001. It comes with a 10-day free trial and a 90-day factory warranty. For more information contact NCE/CompuMart, PO Box 8610, Dept. P1, Ann Arbor, MI 48107; (313) 994-3200. Circle 101

Desk-top Computer System

The Compucorp 655 is a low-cost, desk-top computer system comprised of a large screen CRT, an electronics package and a separate keyboard.



The 12-inch, 80-character by 20-line CRT screen can be positioned in any location desired by each user, said the company. The screen also tilts. The CRT has been placed

behind a contrast enhancing filter to allow ease of viewing in very brightly lit rooms.

The system comes with a full international character set as well as graphics capability.

The 655 incorporates a compact, quiet electronics package containing the CPU, 48 to 60 KBytes of user memory, one or two diskette drives, each storing 163,840 characters, the power supply, input/output and expansion facilities. It can be placed on a desk directly under the viewing screen, or can be positioned out of the way.

The keyboard contains 20 program-definable keys to make system operation easy, and a full numeric cluster to allow rapid entry of numeric data.

Software for the 655 includes a library of Compucorp application programs featuring a sophisticated word processor, an auto finance and insurance package, and a variety of business applications.

The computer is also programmable in an extended BASIC language for those who want to write theirown programs. A library of programming aids and utilities includes extended BASIC; full file management system (FMS) that provides for direct and sequential files as well as a Random Sequential Access Method (RSAM); Sort; Assembler; Text Editor; Debugger; Linking Editor; and various device drivers.

Compucorp extended BASIC provides interpretive or compiled operation; 12-digit precision floating point; variable string length; multi-dimensioned arrays; logical operators; assembly language calls; FMS interface; word processing file interface; program chaining; access to the 20 program-defined keys; and full CRT data manipulation, said Compucorp. Available peripherals include a choice of high speed typewriter-quality and dot-matrix printers; and a hard disk.

Plug-in interface modules available include EIA RS-232C controllers; IEEE-488 Instrumentation Bus Adapter; and 32-line parallel interface. A Compucorp bus extender brings the 655 bus outside the module.

Suggested retail prices start at \$5400. Availability is 30 days ARO.

For further information contact Compucorp, 1901 South Bundy Drive, Los Angeles, CA 90025 Circle 102

PERIPHERALS

Remote Control System for Commodore Computers

Honders, Inc., offers a complete home or office AC remote control system for the Commodore Pet or CBM. Virtually any electrical device can be switched on or off and lamps can be dimmed or brightened under computer control. Uses include security and energy control systems.

The basic package includes a plug-in module to the Commodore's IEEE bus interface, two remote power controllers and a complete cassette software package for demonstrations and applications.

Package price is \$179. Contact Honders, Inc., Kennel Road, Cuddebackville, NY 12729; (914) 754-7106 or (212) 765-0815. *Circle 103*

77-Track Mini Disk Drive for TRS-80

Microcomputer Technology added a large capacity mini drive to its family of disk systems for the Radio Shack TRS-80 computer. Model TF-7 mini disk system features 77 tracks offering 195 Kbytes of on-line storage as compared to 80 Kbytes available on 35-track models and 100 Kbytes found on most 40-track versions. A new, 77-track version of the MTI/Apparat DOS+ disk operating system is also available.

The unit provides additional features normally found in the larger 8-inch disk drives such as door lock and automatic diskette ejection. The system comes with power supply and enclosure for \$625.


For more information contact Microcomputer Technology, Inc., 2080 South Grand Ave., Santa Ana, CA 92705; (714) 979-9923. *Circle 104*

Video Printer

A compact, low-cost video printer that reproduces any monotone graphic or alpha-numeric display in any language and character font without hardware or software interface to the CRT is available from Axiom Corp.

The EX-850 Video Printer's video controller connects directly to the video signal of any raster scan CRT display and samples information on the screen at high speed.

Using this technique eliminates the need for conventional interfacing and standard codes. The printer prints whatever is on the screen.



A 24-wire matrix printhead with overlapping print wires yields permanent reproductions on inexpensive electrosensitive paper.

The EX-850 will accept any standard video input (composite or separate video and sync) from the user's CRT terminal, TV, video monitor or computer. Front panel con-

trols select normal or high resolution and positive or negative image. Print operation is initiated either by a front panel button or an external command.

Applications include hardcopy graphics for medical and chemical analysis; generation of maps, logos, histograms and charts; ticket printing; and printing for all foreign language character fonts and special characters.

The printer comes as a complete, stand-alone package including case, power supply, video printer controller, low paper detector, bell and paper roll holder. Price is \$1250. Delivery is 45 days from receipt of order. For more information contact Axiom Corporation, 5932 San Fernando Road, Glendale, CA 91202; (213) 245-9244. Circle 105

Typewriter/Printer for TRS-80, Apple

A low-cost, letter-quality terminal/printer with IBM Selectric II typewriter capability and designed for the TRS-80, Apple, Sol and other personal computers is offered by Micro Computer Devices, manufacturers of compatible



peripherals for the personal computer market.

Called Selectra-Print, the combination output terminal/ printer is a computer version of the IBM Selectric II incorporating customized actuator solenoids for print commands. It also retains the typewriter capability.

Standard features include 31 changeable type fonts and sizes, 15 cps speed, full upper and lower case alphanumeric display, tab commands, and backspace and index keys. Options include dual 10 or 12 pitch, correction key, tractor and pin feed, noise reduction feature and RS-232 interface.

Selectra-Print comes with an IBM factory warranty and service agreement, with a delivery time of 1 to 2 weeks.

Retail price is \$1925 for TRS-80 version and \$1850 for other computers. For more information, contact Micro Computer Devices, 3156 East LaPalma Avenue, Department H, Anaheim, CA 92806; (714) 630-8206. *Circle 106*

Beeping Signal for TRS-80

TBEEP, a signalling device designed for the TRS-80 Level II/Disk system or any RS-232C latched port, can be used in business systems to alert the operator that an error has occurred or that some additional action must be taken to con-



tinue processing. The device produces a clear, distinct tone, similar to that of a pocket pager, and may be easily programmed using Level II/Disk BASIC.

Powered by a 9 volt transistor battery (not included), it simply plugs in line with the AUX cable to the cassette recorder, not interfering with or making any sound during cassette operations. Disk users plug the AUX plug of their cassette cable into TBEEP's jack. In this case, the TBEEP plug is left disconnected.

While suitable for games and other applications, the device also helps eliminate the frustration of continually watching the monitor while your computer is working on such things as sorts, searches, saves or loads. Programming an "ON ERROR GOSUB" lets TBEEP signal you when an error has occurred.

TBEEP retails for \$19.95. Contact Web Associates, P.O. Box 60PA, Monrovia, CA 91016; (714) 559-6249. Circle 113

Low-Cost Graphics Thermal Printer

A graphic option for the microprocessor-controlled Dataproducts T-80 thermal matrix printer permits interspersed graphics and text at low cost. The graphic printer can be used for quick-look evaluation of engineering, scientific, medical and industrial data or for other applications where immediate examination of plotted information is desired.

The T-80 is a five-by-seven dot matrix printer which operates at 80 characters per second. Both vertical and horizontal spacing is 70 dots per inch giving 4900 points per square inch. Distance between points is 0.014 inch.



Headings, legends, values and other text may be printed simultaneously with graphing. A standard 96-character ASCII character set is contained in ROM. Character spacing is ten per inch with six horizontal lines per inch.

An operator-replaceable print head permits printing on the fly without stopping or lifting the head between characters. This feature gives the T-80 a throughput two times greater than conventional thermal printers, the company said. Head life is 20 million characters. The printer uses conventional 8-3/4" wide thermal-paper rolls.

Standard interfaces include 8-bit Dataproducts or Centronics-type parallel interfaces and an RS-232 20 mA current loop serial interface. On-board switches permit data rates from 110 baud to 9600 baud. Other switches select even, odd or no parity.

Printer with the plotting option costs \$1330. Delivery is 30 days after receipt of order. For more information contact Dataproducts Corp., 6219 DeSoto Ave., Woodland Hills, CA 91364; (213) 887-8451. Circle 114

SOFTWARE

Sorcerer Software

Exidy Incorporated has added a Development Pac and the Word Processing ROM Pac to their Sorcerer computer product line.

The Development Pac software allows for Z80 microprocessor assemblies, program editing and debugging. The Z80 Assembler is a two pass Assembler whose I/O can be vectored to any device driver within the Sorcerer computer, said the company. Source and object code can be spooled to accommodate programs of infinite length. Absolute assemblies and pseudo operators are also supplied.

The Development Pac has a line oriented Editor that allows forward cursor positioning, line delete and insert, input and output of source code to any device driver and spooling. The edit buffer is left intact for immediate use by the Assembler.

The debugger can display and/or modify any RAM location or Z80 program register. It will execute a program with breakpoints and generally prove useful in isolating programming problems, Exidy said.

Development Pac retails for \$99 and is available 30 days ARO.

The Word Processing ROM Pac cartridge transforms the Sorcerer computer into a dedicated word processing system, said the company. You simply insert the Word Processor Pac into the program cartridge slot, rather than the Standard BASIC or Development Pac cartridge; the Sorcerer computer will respond as a word processing machine for home or business. The software will support a modified Selectric typewriter or the high performance Diablo/Qume proportional spaced output printers.

For data storage of your printed word, either an inexpensive cassette audio recorder or mini-floppy disk may be used. A 32K Sorcerer will hold eight pages of test before saving to tape or disk is necessary. The Edit mode includes standard functions of cursor control, Insert/Delete, Scan, Tab, Indent, Hyphen, Macros, pagination and titling. The Command mode has the usual word processor functions, as well as tape merge with memory, line length set (15 to 120 characters), printer option set, string search and display of unused space. File names may have up to eight characters.

The Word Processor Pac retails for \$99.

For more information on these products contact Exidy Data Products, 390 Java Drive, Sunnyvale, CA 94086. Circle 115

Earned Income Payroll Software

A new small business software package from California Business Computers can handle full-measure payroll activities for firms of up to 80 employees. The package incorporates earned income credit provisions and pre-programmed federal and state tax tables.

The software allows small business operators to streamline record-keeping and payroll accountability as well as cost accounting, the company said. The system utilizes CP/M and C-BASIC 2 and is available in 8" or 5-1/4" formats.

Price is \$595. For more information contact California Business Computers Corp., 825 West Hamilton Ave., Campbell, CA 95008; (408) 866-6306. *Circle 117*

Graphics Programs for TRS-80

Microsketch II is written in Radio Shack TRS-80 BASIC (16K Level II or 32K disk). When loaded under Disk Basic, it takes advantage of random access files for rapid screen or command string storage and retrieval. In addition to the main system, Microsketch contains five subsystems: Automatic Pattern Designer, Typewriter, Big Print, Graphic String Creation and Command String Creation.


The main system includes 58 commands and can create a variety of graphics. Horizontal, vertical and diagonal lines may be drawn by holding down the arrow keys or the "1", "Z", "/" and "-" keys. The cursor may be moved to any position on the screen without disturbing the graphics already drawn. Either white lines on a black background or black lines on a white background may be drawn. This feature may also be used to erase lines previously drawn. The user has a choice of drawing either normal width or double width lines. The entire screen may be reversed at any time (white areas become black and vice versa). The top half of the screen may be folded down (the bottom half is replaced by a mirror image of the top) and the left half may be folded to the right. The entire screen may be cleared; but in addition, any single quadrant may be cleared independently. Two screens may be added together (merged). The entire screen may be "rotated" up, down, left or right. The screen may be saved or loaded from tape, disk or main memory.

The Automatic Pattern Designer subsystem produces a variety of intricate patterns.

In the Typewriter subsystem, the computer works exactly like an electric typewriter. Holding down any key causes it to repeat.

The Big Print subsystem features ten different character sizes. Oversized characters are produced simply by pressing keys on the keyboard. The characters must be typed on a black background, but may be reversed by returning to the main system.

The Graphic String Creation subsystem aids program development, producing graphic strings automatically. The user simply moves a special cursor over the portion of the screen to be converted. For disk users, a mergeable ASCII file may be produced. For non-disk users, the string assignment



statements may be produced within the Microsketch II program itself. After the strings have been produced, the remainder of the program may be deleted and the string statements may then be saved on tape and merged into an existing program or a new program may be built around them.

An auxiliary program called Screen Save Utility may be merged with any existing program to save that program's graphics on tape or disk. The graphics may then be converted into strings by Microsketch II for inclusion in the same or other programs. Both Level II and disk versions of this program are available.

Microsketch II includes 10 pages of documentation. The programs are distributed on Maxell low-noise cassettes. Price for each program is \$3.95. Contact International Data Services, P.O. Box 4908, Philadelphia, PA 19119. Circle 118

North Star Software

California Digital Engineering announced the availability of Bowling Secretary, Edit/Sort-I and Format-I for North Star Horizon microcomputers.

Edit/Sort-I provides editing and basic word processing functions plus a versatile and powerful sort which allows sorting on any combination of variable length fields in each record. It also offers selective printing, which lists only records with a specified key. Applications include phone, record, appointment and data lists.

Format-I, a word processor and text editor combined, handles word processing applications ranging from letter writing to manuscript or document preparation. A text file created by the text editor is formatted and printed according to commands embedded in the text file. Functions include page numbering, heading, centering, underlining and right justification.

Bowling Secretary keeps track of all scores for any size league and prints complete weekly results.

These programs require a minimum of 24K bytes (starting at 0) of RAM and one floppy disk (single or double density). Each program can be contained in ROM from 0 to 1FFF hex. Bowling costs \$55; Edit/Sort, \$65; Format-I, \$120. For more information contact California Digital Engineering, 1537 Shenandoah, Los Angeles, CA 90035. Circle 119

Computer Program Tapes

Hayden Book Company's line of computer program tapes includes Backgammon, Crossbow, The First Book of KIM (Tape 3), Mayday, and Batter Up.

Personal Computing If you're missing any of these you have gaps in your data bank.

Update your files with Personal Computing back issues. Past issues contain articles on computer basics and getting acquainted with your personal system, programs for business and home use, educational applications, programming tips and programs are actives the most from your computer when much

Com	NO PE		d suggestions on getting the most from your computer – plus much, more.			
		Personal Cor limited supp	for each issue*; or \$15 for a complete set of six mputing. Use the coupon below to place your ordely lasts. * Canada and Mexico, \$4; all	ler while our		
□ Send me the	se back issues of Perso	onal Computing for \$3 each:	☐ My check is enclosed.			
□Janua	ry/February 1977	* August 1978	☐ Charge to my ☐ Master Charge ☐ Visa			
* March	/April 1977	* September 1978	□ Account No.			
* May/J	une 1977	October 1978	Card Expiration Date			
□July/A	August 1977	□ November 1978				
□Nover	mber/October 1977 mber/December 1977	* December 1978 * January 1979	Name	0. (9.) (9.00)		
	ry 1978	□ February 1979	Address			
	ary 1978	* March 1979	Addioss			
* March		* April 1979	City State	ZIP		
□ April		* May 1979		the property of the property o		
□ May 1		□ June 1979				
□ June :	1978	□ July 1979	Mail to: Personal Computing			
* July 1	978	* August 1979	1050 Commonwealth Av	ve.		
*	out of print	□ September 1979	Boston MA 02215	more statements.		

Backgammon, a game involving skill and luck, lets you play against your TRS-80. A player can develop and add new strategies and use an optional dice roll control. A guide includes the complete rules of the game as well as loading instructions and a brief program description broken down by line numbers. The program is available for TRS-80 Level II and for Pet for \$10.95.

Crossbow teaches fractions while engaging up to 9 players in a competitive target game. Three levels of play are available for ages 7 to adult. Level I teaches recognition of fractional quantities and allows the player to use a ruler to help determine the position of the target on the screen. Level II increases judgment of fractional quantities since the ruler is not displayed until after 4 misses. Level III generates both a target and a fraction. The player must then add or subtract a fraction. The resulting sum or difference is the position the arrow will strike — hopefully, that position will also be the target!

The program is available for the Pet for \$9.95.

The First Book of KIM, Tape 3, consists of 13 utility and diagnostic programs to help you test your KIM-1 system and expand its capabilities. The programs are: Branch, Browse, Directory, Hypertape, Memory Test, Mini Dis, Movit, PLL Set, Relocate, Sort, Super Dup, Verify Tape and Vu Tape. The program is available for KIM-1 for \$9.95.

Mayday is an airplane flight simulation. Imagine you're

the pilot of a private plane. Three miles from your destination you run out of gas. One thing is certain; you are going down! Can you save yourself? Or will you crash? The player learns the basic principles of flight: how to control lift, drag and weight; to flare at the proper moment; to control vertical speed and recognize ground effect; and to use the ILS and VASI landing aids. And every flight is different because you start at a different altitude.

Mayday is available for the Pet for \$9.95.

Batter Up, a microbaseball game by Karl Savon, tests a player's batting skill through three levels of play: a duel between pitcher and batter; fielding; and advancing base runners. Display includes an updated scoreboard showing number of pitches, bases on balls, hits, runs, strikeouts and ERA. The program is available for Pet or TRS-80 Level II for \$10.95.

For more information contact Hayden Book Company, 50 Essex St., Rochelle Park, NJ 07662. Circle 120

Level II BASIC Shorthand

Web Associate's TSHORT, a Level II BASIC shorthand, gives you single shifted key stroke entry for 32 difficult to type, long and/or repetitive commands. TSHORT saves pro-

RELOCATABLE MODULES FOR THE TRS LEVEL II AND DOS SYSTEMS LOAD ANY OR ALL MODULES. FOR \$49.95 THE CORE PACKAGE INCLUDES:

∞ MATRIX PACKAGE ∞

Over 30 BASIC commands including:

- ∞ Matrix Read, Inverse, Transpose, and Identity. Simultaneous Equations!!
- Add, Subtract, or Multiply Scalars, Vectors, or Multidimension arrays!!!
- ∞ Dynamically Reshape, Expand, Delete Arrays, Change arrays in mid-program.
- ∞ Copy array elements, set arrays to scalar, zero arrays, move arrays.
- ▼ Tape array read and write including string arrays.

FOR \$29.95 more get the ∞ BUSINESS PACKAGE ∞

- ∞ Eliminate round-off error!! Multiple precision packed decimal arithmetic. 127-digit max. accuracy
- ∞ Binary search or sorted arrays. Insert new elements in sorted arrays!!!
- Automatic page headings, footings, and pagination. Includes forced end-of-page.
- Automatic hash for record retrieval!! And more for your professional packages.

COMMAND PROCESSOR 'COMPROC' for \$19.95 (DOS only)

Extend DOS-AUTO command to perform multiple steps either at power-up or as a user command. Execute a script consisting of a sequence of commands or data from a BASIC command file.

REMODEL + PROLOAD for \$34.95 (Specify 16, 32, or 48K version)
REnumber any section of a program, MOve program segments, DElete program lines. Combine programs with renumber and merge. Load or save any portion of program from tape.

DISK SORT PROGRAM 'DOSORT' for \$34.95 (Specify 32 or 48K, minimum 2 disk system) SORT/MERGE multi-diskette sequential files. Multiple variables and keys Includes machine language in-memory sorts, comparators and string handling.

COPY SYSTEM TAPES with 'COPSYS' for \$14.95 (Non-DOS)

∞ STRING PACKAGE ∞

Over 40 BASIC commands including:

- ∞ Left and right justify, truncate, rotate. Text justification. String centering.
- ∞ Delete or insert substring, Pack strings, Convert to upper or lower case.
- ∞ Translate characters, Reverse strings, Verify function, Number of occurrences.
- ∞ Masked string searches for simple or array variables. Encrypt or decrypt strings.
- ∞ Compress/uncompress character string arrays to 6 bits or less per character.
- ∞ AND the famous RACET machine language SORTS. Multikey multivariable and string. Sort 1000 elements in 9 sec!!

FUTURE ∞ ADD-ON PACKAGES ∞ will include ∞ STATISTICS ∞ INPUT/OUTPUT ∞ GRAPHICS ∞

Attn: TRS Add-On OEM's: We can support your special hardware add-ons with direct BASIC commands. System Houses: We license System House usage of ∞ INFINITE BASIC ∞ modules.

Check, VISA, M/C C.O.D. Calif. residents add 6%

Telephone Orders Accepted (714) 637-5016

WHEN ORDERING PLEASE ADVISE PUBLICATION SOURCE

RACET COMPUTES

702 Palmdale, Orange CA 92665

DISK DRIVE WOES? PRINTER INTERACTION? MEMORY LOSS? ERRATIC OPERATION? DON'T BLAME THE SOFTWARE!





except double filtering & Suppression . . . \$79.95
*ISOLATOR (ISO-4), similar to ISO-1A except
unit has 6 individually filtered sockets \$93.95

*ISOLATOR (ISO-5), similar to ISO-2 except unit has 3 socket banks, 9 sockets total . . . \$76.95 *CIRCUIT BREAKER, any model (add-CB) Add \$ 6.00

*CKT BRKR/SWITCH/PILOT any model (-CBS) Add \$11.00

PHONE ORDERS 1-617-655-1532

Electronic Specialists, Inc.

171 South Main Street, Natick, Mass. 01760

Dept. PC

VISA

CIRCLE 27

NSBASIC is CP/M* executable!



Convert BASIC SAVE files to source

BASIC Packed form
BASIC Packed form
BASIC Packed form
BASIC Packed form
Release 3 programs to Release
Convert Release 3 programs
Convert Release 3 programs

*(CDOS and TSA/OS, too)



39 WILLIAMS DR. MONROE CT 06468

203-261-7963

* CP/M is a trademark of Digital Research Corp

WHAT'S COMING UP

gramming time, and, helps eliminate syntax errors. Immediately after each single key stroke entry, the entire command is spelled out in its normal format (letter for letter) on the monitor and/or listing. A Kustom key provides user-defined functions up to 64 characters of instruction as well as a self-executing "GoTo 10" function (line 10 may contain "RUN").

TSHORT includes commands such as RIGHT\$(, LEFT\$(, INPUT, CLOAD, USING, GOSUB, LIST, EDIT, RETURN and CSAVE"A.

The program comes on cassette — one side for Level II BASIC and the other TRSDOS/NEWDOS. Pressure sensitive decals (white letters on clear), which come with each cassette, are easily placed on the front surface of each key on your keyboard, to identify each shorthand key function.

TSHORT runs in 580 bytes of low memory, thus not interfacing with BASIC, DOS or user machine language routines.

Price is \$9.95. Contact Web Associates, P.O. Box 60 PA, Monrovia, CA 91016; (714) 559-6249. *Circle 121*

TRS-80 BASIC Enhancements

Infinite BASIC adds over 70 non-trivial BASIC commands to TRS-80 BASIC. Any combination of these commands can be packaged and loaded into any selected memory location to minimize memory requirements.

Matrix functions added by Infintie BASIC include: matrix read, inverse, transpose, identity and simultaneous equations; add, subtract or multiply scalars, vectors or multidimensioned arrays; dynamically reshape, expand, delete arrays; change arrays in mid-program; copy array elements, set arrays to scalar, zero arrays, move arrays; tape array read and write including string arrays.

String functions include: left and right justify, truncate, rotate, text justification, string centering; deletion or insertion of substrings, pack strings, convert to upper or lower case; translate characters, reverse strings, verify function, test number of occurences; masked string searches for simple or array variables; encrypt or decrypt strings; compress/uncompress character string arrays to six bits or less per character. Also, you get machine language sorts — multikey multivariable and string — which sort 1000 elements in nine seconds.

Infinite Business, an add-on package to Infinite BASIC, helps you develop business applications packages. Infinite Business includes multiple precision packed decimal arithmetic to eliminate round-off error with 127-digit maximum accuracy; binary search of sorted arrays, insertion of new elements in sorted arrays; automatic page headings, footings and pagination including forced end-of-page; and automatic hash for record retrieval.

Future Infinite BASIC add-on packages will include Infinite Statistics, Infinite Input/Output and Infinite Graphics.

Infinite BASIC costs \$49.95; Infinite Business is \$29.95. For more information contact Racet Computes, 702 Palmdale, Orange, CA 92665; (714) 637-5016. *Circle 122*

WHAT'S COMING UP

Hardcopy Graphics for Pet

West Coast Consulants announced software which provides Pet users with full graphics capability for Houston Instrument's Hiplot plotter. The program, available on tape cassette, drives the plotter through an RS-232 interface. Priced at \$50, the program is written in BASIC and offers sophisticated plot control by means of several subroutines. Minimum memory requirement is 16K bytes. Similar programs are in the works for both TRS-80 and Apple II computers.



For more information contact West Coast Consultants, 1775 Lincoln Blvd., Tracy, CA 95376. Circle 123

Pet Word Processor

Textcast turns Pet/CBM microcomputers into word processors for preparing rough drafts, finished manuscripts, letters, invoices and data files. The program consists of 29,800 bytes of machine language subroutines plus an executive routine in BASIC. It works with first or second generation machines in 8K, creates files with one recorder, edits files with two recorders or a Commodore disk, and prints formatted documents with a printer at the IEEE port.

The keyboard provides caps and lower case as on a regular typewriter, and the program makes conversions for obtaining caps and lower case on a printer.

Features include easy flow typing without hitting return and screen editing functions on the keyboard — line deletion and insertion, shifting blocks of text, paragraph reformatting for word deletions and insertions, and two extra cursor keys.

Printing options include right justification, line centering and underlining (or letter enhancement and reversal with Commodore printers).

Machine language subroutines speed writing and reading of files. Files are reviewed a screen at a time with file names displayed at the beginning and end of review. Lines from the last screen can be reviewed. Fast-Forward and Reverse can be used while reading tapes.

The program deletes, inserts or changes characters, words or lines during editing. A file may be extended at its end, or

ANNOUNCING

TRS-80* PEOPLE'S PASCAL

"Tiny" Pascal, runs on any 16K Level II system, includes the programming structuring capabilities of full Pascal, but not data structuring.

Compiled People's Pascal programs run about five-times faster than Level II Basic — graphics run eight-times faster.

People's Software Tape 3\$15.00

Add 50¢ each tape for postage and handling. CA residents add 6% tax. Dealer inquiries invited.

nonprofit
COMPUTER INFORMATION
EXCHANGE
BOX 158
SAN LUIS REY, CA 92068

CIRCLE 29

Verbatim The FLOPPY DISKETTES 51/4" ONLY \$265 ea. 10 FOR \$3.25 ea. 50 FOR \$3.00 ea.

8" ONLY \$330 ea


10 FOR \$3.80 ea. 50 FOR \$3.55 ea.

SEND FOR OUR FREE ELECTRONIC & COMPUTER PRODUCTS CATALOG

SPECIFY DISKETTE TYPE & COMPUTER 51/4" Soft Sector, 10 sector, 16 sector

1/4" Soft Sector, 10 sector, 16 sector 8" IBM Compatible, Hard Sector

CALL 24 HRS. TOLL FREE TO ORDER
NATIONAL 800-824-7888



ASK FOR OPERATOR 702

VISA, MASTERCHARGE OR C.O.D. SEND CHECK, SAVE C.O.D. FEES



SOFTWARE & COMPUTER PRODUCTS
A subsidiary of DataComm Interface Systems

POST OFFICE BOX 503 SAN BRUNO, CA 94066 (415) 348-2387

dilithium Press new Educates

ARE YOU COMPUTER LITERATE?

by Karen Billings and David Moursund

Two professional educators with a firm belief in the necessity of computer literacy lead the reader through an enjoyable and informative exploration of the world of the computer. Chapter quizzes and a final exam help the reader chart his or her progress in the self-instruction course.

ISBN 0-918398-20-0

\$6.95 paper

INSTANT BASIC

by Jerald R. Brown

Acclaimed by educators and users alike, this easy-toread, informal approach to DEC's BASIC PLUS language is the painless way to learn BASIC.

ISBN 0-918387-21-5

\$9.95 paper

To order these books, or for more information write: dilithium Press, Box 92, Forest Grove, Oregon 97116. Add 50¢ postage & handling for each book you order.

DEALERS: WRITE FOR INFORMATION ON PLACING dP TITLES IN YOUR STORE

CIRCLE 31

PLANNING TO MOVE?

Let us know 8 weeks in advance so that you won't miss a single issue of PERSONAL COMPUTING.

Attach old label where indicated and print new address in space provided. Also include your mailing label whenever you write concerning your subscription. It helps us serve you promptly.

Affix Label

City__

If you have no label handy, print OLD address here.

Name		00 no 101
Company	387 900 1	NAME OF STREET
Address		AND
City	_State	_Zip Code
Print NEW address here		
Name	KETAN:	200 (All 1995)
Company	HER ANER	UA WHEN THE
Address	PARTIES	CARL ACT

MAIL COMPLETED FORM TO:

Personal Computing Magazine 1050 Commonwealth Ave. Boston, MA 02215 (617) 232-5470

_State____Zip Code

WHAT'S COMING UP

other files may be concatenated to it.

Files can be edited on a single disk, or from disk to disk, disk to tape, tape to disk and tape to tape. Textcast files can be read by other programs using GET or INPUT statements. A special command inserts variable delimiters in data files.

Line length for printed output may be set between 30 and 80 characters. The program will indent paragraphs or block paragraphs with blank lines between. Any number of lines per page can be printed on any size page, on separate sheets or on continuous forms. Pagination is provided when printing continuously. Printer commands for tab, backspace and line feed allow creation of tables and forms, forms may be composed visually on the screen using a special spacing character.

Textcast comes with a manual containing illustrations, figures and tables. The program is available on tape (early ROM version on one side; current ROM version on the other side) or on diskette. Tape plus manual is \$60. Diskette plus manual is \$65. Manual separately costs \$20. Contact Textcast, Cognitive Products, P.O. Box 2592, Chapel Hill, NC 27514. Circle 124

Mail List for TRS-80

Mail-V, a mailing list system for 32 K TRS-80 DOS systems, can be used with other Series V systems, such as Word-V, which will get the mailing list infomation and produce personalized letters. INV-V will get the name and address information for printing purchase orders.

Screen input and edit features let you move the cursor, delete character, line and replace characters by typing over.

Mail-V includes a report writer, which allows you to specify the report or label formats on-line. Selection criteria, field calculations and multiple-sort keys are supported. One or more labels across a line can be selected.

Fields include new Zip code extensions, last reference date and remark field. A selection code ranging from 0 to 32,000 is used to classify labels.

Unlike many programs, you do not have to sort the entire data base everytime you add records. You can use the entire diskette for storing data; sorting the entire file takes only minutes. The system provides a separate module to handle sorting numeric Zip codes. Any fields can be sorted or searched.

The program on diskette costs \$59 with full documentation. Manual alone is \$5. CP/M version will be available soon. For more information, write to Micro Architect. 96 Dothan St., Arlington, MA 02174. Circle 125

General Ledger Package

Improved user flexibility and speed are among the enhancements in Ecosoft's new General Ledger. A Skip Sequential file structure performs disk write operations with the speed of random access files, but is not limited to fixed file

WHAT'S COMING UP

lengths, resulting in increased speed and simultaneous conservation of disk space, the company said. Other features include direct cursor control for popular video terminals, monthly financial reports for either manufacturing or service firms, and a version that permits CPAs to service clients on a "one-disk-per-client" basis.

The 75K General Ledger package is divided into 18 subprograms, reducing hardware requirements to 12K of user memory, one or more disk drives and optional printer. Price is \$99.95.

Ecosoft also offers other business, scientific and educational software packages. Each package uses Release 4 or later North Star DOS and BASIC, single or double density. Programs are shipped on diskette with comprehensive operator's manuals. Delivery is from stock to 10 days. Contact Ecosoft, P.O. Box 68602, Indianapolis, IN 46268. Circle 126

Multi User-Operating System

Ohio Scientific has announced its new multi-user operating system, the OS-65U Level 3, for its C3-C computer system. The C3-C utilizes a 29 megabyte Shugart Winchester disk, which, in conjunction with OS-65U Level 3, supports up to 16 independent users via dedicated memory partitions of up to 48K each.

The Level 3 operating system is also available for the C3-B, which incorporates a 74 megabyte Winchester disk and Ohio Scientifics's line of floppy disk based computers.

This operating system supports both dumb and intelligent terminals via direct connection to the computer or via telecommunications links, and allows Ohio Scientific business applications packages to be expanded to multiple users and timeshare operations.

Available packages include OS-AMCAP, a fully integrated small business accounting package and OS-DMS, information management system. Together, these packages provide accounts receivable and payable, general ledger, inventory control and general information capabilities for Ohio Scientific computers, said the company.

For more information contact Ohio Scientific, 1333 Chillicothe Rd., Aurora, OH 44202; (216) 562-3101. Circle 127

TRS-80 Level II Telephone Dialer

Software Exchange now offers a TRS-80 Level II version of its Telephone Dialer Program. The new program is identical to the original except it runs in Level II instead of Level I. Using the program, your TRS-80 can dial the telephone. Applications include aiding the handicapped or assisting your baby sitter. For example, in case of emergency, the sitter could type "P" to dial the police or "F" for the fire department.

No internal connections are made to the computer, but the program requires a \$4 interface made from Radio Shack parts. Twenty phone numbers can be stored and used with

It's in the bag

The biggest and best selection of microcomputer software anywhere. And the list grows bigger daily. CP/M configured for the most popular 8080/Z-80 microcomputer systems and other terrific software. Full support for disk computer systems such as North Star, Vector MZ, Heath H17/H89, Exidy, Altair, Imsai, iCom, Helios, OSI-C3, TRS-80 and many others. Languages such as FORTRAN, Algol, C, COBOL and BASIC. Word Processing and Accounting systems. Call, write for latest literature.

Lifeboat Associates, Suite 507, 2248 Broadway New York, N.Y. 10024/(212) 580-0082



DR. DALEY'S SOFTWARE FOR THE PET

DR. DALEY's software continues to expand offerings. Listed below are our newest business offerings. With the new PET disk and printer these programs make sense for the small businessman. Dealers you should be able to increase your sales to the businessman by giving a demonstration of these programs. These programs are available NOW for the Compu/Think disk and will be converted to the Commodore Disk as soon as DR. DALEY's gets one.

INVENTORY

This program will maintain a complete inven-Inis program will maintain a complete inventory for the small business. Functions include entering and editing of the new inventory, modifying individual records, closing out files for the end of the year inventory report, printing the current inventory and displaying the individual record. This consists of three programs capable of maintaining a complete inventory. With complete documentation. documentation.

\$99.95

ESTIMATE

This set of four programs will build a file for use, in conjunction with the above inventory files, to prepare accurate estimates for an in-dividual job. Small businessmen have told us that the preparation of an accurate estimate for a job is the most time consuming and in-accurate operation he has to perform. This program can eliminate the difficulties and in-accuracies of this operation. With complete documentation.

\$99.95

MAIL LIST

This program will maintain a mailing list and will allow sorting of the list into subgroups using up to three search parameters. The program maintains the files in zip code sequence. The initial entries are sorted into the proper zip code order and all subsequent entries are entered into the proper place in the file. Will display the lists on the screen or will print it on labels (three wide). Will allow about 6000 names.

Remember that we GUARANTEE that your order will be shipped within four business days from receipt or you will receive a coupon for a discount on a future

Charge your order to MC/VISA

DR. DALEY, 425 Grove Avenue, Berrien Springs, Michigan 49103 Phone (616) 471-5514 Sun. to Thurs. noon to 9 p.m. eastern time

WANTED:

BUSINESS PROGRAMS

Personal Computing readers want your business applications programs. Chances are, the software you've developed to solve your business problems will also help someone else faced with a similar problem.

Consider how your business benefits from your microcomputer — not only in the obvious areas of inventory, accounting and payroll, but in all departments and levels right up to the president's desk. Financial and marketing analysis, time management, planning, materials handling, product design and cost accounting are areas ripe for creative programming. Readers want help with all of these problems.

So why not share your solutions with our readers? Send us an article describing the problem you faced and how you used your microcomputer to solve it. Be sure to include a program description, program listing and sample

Remember, readers aren't familiar with your program. So explain in detail what the program does and how it does it. Include here the overall structure of your program as well as any special algorithms or routines you've used. Give suggestions for modifying or expanding the program for other applications, other businesses or other situations.

All submissions should be original, typed (not all CAPS), double-spaced and neat. Include your name and address on the first page of the article and enclose a self-addressed, stamped envelope for return of material. Also, please use a fresh ribbon on your printer for program listings and sample runs.

Feel free to call us at (617) 232-5470 if you have any questions or want to discuss specific article ideas.

Mail your manuscript to:

Editor Personal Computing 1050 Commonwealth Ave. Boston, MA 02215

WHAT'S COMINGUP

either dial or pushbutton telephones.

Price is \$7.95, including the program on cassette and instructions with interface circuit diagram and parts list. For more information contact Software Exchange, 2681 Peterboro, W. Bloomfield, MI 48033. Circle 128

CP/M Software

Lifeboat Associates offers two new compilers for CP/M-based microcomputer systems.

C Compiler supports most major features of the "C" language including structures, arrays, pointers and recursive function evaluation. Linkable with library to 8080 binary output, it lacks data initialization (long and float type) and static and register class specifiers. Price is \$110 (\$15 for manual alone).

BASIC Compiler is compatible with Version 5 Microsoft ANSI BASIC interpreter but has 3 to 10 times faster execution, said the company. Standard Microsoft relocatable binary output is produced. The compiler is supplied with a Macro Assembler which produces compatible linkable modules. In addition, Lifeboat Associates also supplies ANSI COBOL and ANSI FORTRAN compilers which generate compatible load modules. Price is \$350. (\$25 for manual alone).

Lifeboat also offers CP/M for the Altair disk system, making CP/M-based software available to Altair users. The basic CP/M package includes text editor, assembler, debugger and various other system utilities plus six users manuals. Lifeboat's CP/M operates directly with systems configured for Altair Disk BASIC, and offers over 20% more storage than standard soft-sectored disk systems, the Company said. All programs designed to run under CP/M will operate with this system. Price is \$145.

For more information contact Lifeboat Associates, 2248 Broadway, New York, NY 10024. Circle 129

TRS-80 Disk Operating System

Microcomputer Technology, Inc., offers a powerful Disk Operating System, DOS+, in 35 or 40 track versions for TRS-80.

DOS+ was developed by Apparat, Inc., to fill the need for an easy-to-use, bug-free way to access disk from user programs. The system includes over 200 modifications, corrections and enhancements to Radio Shack's TRS DOS 2.1, according to MTI.

The MTI/Apparat DOS+ enables any program to execute all TRS-80 commands. It also works with assembler language programs or high level languages that use DOS routines for character input and output.

Some of the added features of the new DOS+ include:

- Basic reference command for variables and numbers
- Fast machine language RENUM program executable under BASIC
- Built-in keyboard debounce routine

WHAT'S COMING UP

- Print screen option under DOS or BASIC to a line printer
- New copy commands for back-up, allows copying from drive to drive while keeping the same filespec
- Execution of DOS commands while in BASIC
- New BASIC scrolling and invocation commands
- Apparat's "Superzap", a hexdump utility to examine or modify disk or memory locations
- Modified Editor/Assembler with disk I/O and new cross reference feature
- Fast machine language Diassembler program
- Load Module for transferring machine tapes to disk
- Faster disk access
- Level 1 ROM relocated in Level II RAM.
- Capability of storing and retrieving Level I programs on
- Improved Diskdump program
- DIRCHECK program to test a directory and List/Display the contents in alphabetical order, with extensions

Available for immediate delivery, DOS+ comes with manual, diskette and several APPARAT disk utility programs for \$99 for the 35 track version, and \$110 for the 40 track version.

For more information contact Jerry Washburn, Microcomputer Technology, Inc., 2080 S. Grand Ave., Santa Ana, CA 92705; (714) 979-9923. Circle 130

Sort/Merge Utility

Better Programming Systems has announced a new, highspeed Sort/Merge utility designed for the Ohio Scientific OS-65U operating system (minimum 32KB main memory), BPSORT features full-disk sorting (floppies or up to 74 megabyte hard disk storage) with five ascending or descending keys. Maximum record or field size is 255 bytes. Fixed or variable length fields are permitted. Sorting parameters are established using a simple, interactive BASIC program.

BPSORT allows OSI users to sort hundreds of records in just seconds, said the company. BPSORT and documentation are supplied on an eight-inch floppy diskette or \$99 and are available at local Ohio Scientific dealers or from Better Programming Systems. For more information contact Better Programming Systems, Inc., 322 West 57th Street, Suite 9C, New York, NY 10019; (212) 765-0815. Circle 131

Disk Operating and File Management Software

Flex 2.0, a disk operating and file management software package for the 6800, is now available for Tano Outpost 11 computers. Originally developed by Technical Systems Consultants, Flex 2.0 was adapted by Great Plains Computer Co. for the Tano system, making the system compatible with Flex business software already available. Flex software currently available from Great Plains Computer Co. includes mailing list, word processing and business accounting.

Price for Flex is \$150, including documentation, Flex 2.0 disk with utilities and boot loader ROM. Contact Great Plains Computer Co., Inc., 3460 Taylor View Lane, Ammon, ID 83401; (208) 529-3210. Circle 116

Personal Computing

For the "Plug-in" Professional

We don't tell you how to build a computer. We don't tell you how to test it or repair it. We don't even tell you how a computer works.

But we do show you how to use computers to make money, save time and have fun at your business, office, school and home. Each month, our informative, easy-to-read articles bring you ready-to-use application programs; just type them in and tell your computer to RUN.

In addition, we feature tutorial articles showing you how to plan and write your own programs, using professional methods and the latest programming techniques.

Each monthly issue also includes new products, computer chess and bridge, and news and happenings in the microcomputing world.


If you're a "plug-in" professional interested in using computers in your daily life, we'll show you how. Use this coupon to order your subscription today.

> Mail to: Circulation Personal Computing 1050 Commonwealth Ave. Boston, MA 02115

I'm a "plug-in" professional. Enter my subscription today!

	The second secon
ADDRESS	A Transfer of the Park
CITY	STATEZIP
USA	□ Bill me
☐ 1 year (12 issues) \$14	☐ Check enclosed
☐ 2 years (24 issues) \$26	(you'll receive one extra
☐ 3 years (36 issues) \$38	issue for each year!)
Charge my:	
	nt #
□VISA Card e	xpiration date

(Please remit in US funds)





Home Video Game/Compute ofessional Arcade



Bally BASIC-

10 INPUT 20 FOR N = 30 LINE-N 40 GOTO 10,



3 popular games, plus calculator, built-in.

Cassette Interface	\$49	Football	\$25
Bally Pinball	\$25	Bingo Math/Speed Math	\$20
Zzzap/Dodgem	\$20	Amazin Maze/Tic-Tac-Toe	\$20
Seawolf/Missile	\$20	Black Jack/Poker/Acey-Duscey	\$25
Panzer/Att/Red Baron	\$25	Toranado Baseball/Tennis	
Clowns/Brickyard	\$25	Handball/Hockey	\$25
Star Battle	\$20	Letter Match/Spell N Score/	
Space Invaders	\$20	Crosswords	\$25



Tues - Fri 10 am to 6 pm Sat 9 am to 5 pm Closed Sun & Mon

FACTORY DIRECT SALES Dept. 103 1317 E. Colorado St. Giendale, Ca. 91205

TELEPHONE ORDERS (213) 245-1417

20% deposit required on C.O.D. orders

TO ORDER ...

Send full amount plus \$4.00 Shipping & hdlg. For Air Shipment \$8.00. Orders outside continental USA add 10% of total order. Cash, Check, Money Order VISA, Master Charge include card number, exp. date & signature. CA residents add 6% sales tax.

SATISFACTION GUARANTEED OR YOUR MONEY BACK!

Copyright ©1979 Factory Direct Sale

CIRCLE 34

Word Processing System

ADD HIGH SPEED LETTER QUALITY PRINT OUT TO YOUR COMPUTER FOR AS LOW AS \$2679.00 Introducing the NEC Spinwriter: 55cps, combined friction & tractor feed in the same unit, interchangeable print thimbles.

COMPLETE SYSTEM with Spinwriter and 32K TRS-80, lower case mod, disk drive, and Electric Pencil word processor. \$4500.00

This ad was composed on the above system.



PROFESSIONAL BUSINESS SOFTWARE FOR THE TRS-80 Field tested by Accountants A/R A/P G/L \$294. The CPU Shop

Dept P9, 39 Pleasant St, Charlestown, Mass. 02129 TO ORDER CALL TOLL FREE1-800-343-6522 Mass. residents call617-242-3350 Dealer inquiries welcome.

WHAT'S COMING UP

COMPLEMENTS

System Enhancements for your Computer

The Bottom Shelf offers two devices to enhance your computer system.

Their Disk Drive Head Cleaner for the TRS-80 comes in mini diskette form and is reusable on both sides. In addition, a program is included that does the cleaning thoroughly and automatically. Cleaning solution is also provided. The Disk Head Cleaner will allow more reliable disk drive operation and save the user the cost of head cleaning maintenance, TBS said. price is \$12.95. TBS says they are in the process of developing the cleaner for other computers.

Lightning Buster is a device guaranteed to protect your computer from power surges up to 1000 amps. A threeplug adapter goes into any three prong 125V, 15A wall outlet. The device is guaranteed for one major surge. Price is \$14.50. For more information see your local TBS dealer or contact The Bottom Shelf, Inc., P.O. Box 49104, Atlanta, GA 30359; (404) 939-6031. Circle 144

TRS-80 Cassette Hang-Up Fix


TRS-80 cassette drive hang-up often occurs when the user is running a lot of data saves or loads, during which the cassette recorder is turned on and off several times a minute. The failure, caused by a phenomenon known as microwelding, occurs as a result of excessive current and heat build-up in the TRS-80 cassette control reed relay. The microwelding is further aided by a slight, self-holding, electro-magnetic force induced by the high recorder current. This added electro-magnetic force is why, in most cases, the hang-up goes away when the cassette recorder is manually turned off.

To provide a simple, inexpensive, permanent fix, Web Associates developed their TBUFF module. TBUFF, no larger than an ice cube, simply plugs in line with the Remote cable between the TRS-80 and the cassette recorder.

WHAT'S COMINGUP

TBUFF reduces the current passed through the reed relay. At the same time, TBUFF delivers full power to the recorder, thus maintaining proper tape speed and volume levels.

The device is available in two models: TBUFF-N and TBUFF-R. N is designed for the CTR 33, 41, 43 and 46 or any recorder whose REM jack polarity has negative at the center (tip) and positive at the shell (ring). R is designed for CTR 21, 40, 47 and 80 or any recorder whose polarity is opposite to N.



Web requests the CTR model number or REM jack polarity (in the case of non-Radio Shack recorders) accompany each order. TBUFF retails for \$9.95.Contact Web Associates, P.O. Box 60PA, Monrovia, CA 91016; (714) 559-6249. Circle 143

P.C.BOARDS

Permanent Memory Intelligence for Peripheral Interfaces

Microproducts announced the Interface Brain, a device that plugs directly into your Apple II computer to provide permanent memory intelligence for versatile, flexible and inexpensive socalled "dumb" peripheral interfaces. It supplies permanent full-time availability of firmware drivers for the Centronics 779, PR-40 and Okidata printers as well as the Microproducts EPROM Programmer the instant your computer is switched on. The device allows the flexibility of a user changeable EPROM where situations of software or hardware update indicate a change is desirable or necessary. The Interface Brain is supplied on an EPROM, set in a Microproducts EPROM Adapter Socket, to permit direct insertion into the D8 ROM slot on your

Word Processor + Business System



FEATURES

- Full-Sized Disk Drive (Standard)
- Up To Four Disk Drives
- Z-80®* Micro-Processor
- CP/M®** Disk Operating System
- Printer Interface
- Full Word Processing Capability
- Designed for Business Use

AVAILABLE SOFTWARE

- · Accounts Receivable/Payable
- Payroll
- General Ledger
- Inventory
- Mailing List
- Text Processor
- Plus 500 More!

AVAILABLE LANGUAGES

- BASIC Compiler (Included)
- FORTRAN
- · Pascal
- · COBOL
- And Many More!

CALL OR WRITE NOW!


MicroDaSys

POST OFFICE BOX 36051 LOS ANGELES, CA 90036


(213) 935-4555

CIRCLE 36






New! Computerized burglar alarm requires no installation. Protect your home or business with a professional quality system.



So loud it can actually cause pain

The Midex Blasthorn. Use two blast horns, one inside your home to startle the intruder and drive him out of your home, the other outside to alert neighbors to call police. The blasthorn is specially de signed to provide maximum alarms up to 120 dB, the threshold of pain.



Low cost professional protection.

The Midex is a complete central control system with provision for adding panic switches, window and door contacts and blasthorn speakers

Midex Never Misses a Moving Target. Simply place the Midex 55 where its invisible microwave beam strategically protects access area and valuables. Midex protects a Deam through more than 5000 cu. ft. of your home, responding only to physical motion. Anti-nuisance feature the alarm continues until one minute after the intruder has left. Then it automatically resets, ready to detect further intrusion

The Midex Breakthrough. For the first time a professional quality security system that you can install quickly and privately. The same detection system used to protect currency for the U.S. treasury, jewelry stores and other high risk premises. It is immune to false alarms Fall safe, it operates on its own power during brown outs. Computerized to provide more protection than many permanently installed systems costing

- FEATURES
 Microwave transceiver
 Processing and signalling electronics
 Precision die cast antenna
 Four-hour rechargeable standby battery
 Timing circuits permitting exit and entry
 Automatic alarm reset
- Automatic alarm reset
 On-Off switching with coded electronic
- Fast sweep siren for connection to standard
- 8 ohm speakers
 Inputs for easy connection of external sensors such as door and window contacts and panic switches

FACTORY DIRECT SALES Dept. 1 0 4 1317 E. Colorado St. Glendale, CA 91205 Phone: (213) 245-1417

ORDER TODAY

I want the MIDEX 55 protection for my Computer! MIDEX ALARM(S) @ \$199.95 each

- MIDEX ALAMIN(3) @ 3199 59 each
 Full papuraPhid(N)(3) @ 3399 59 each
 full papuraPhid(N)(3) @ 3399 56 each
 full papuraPhid(N)(3) @ 3399 56 each
 full papuraPhid(N)(3) @ 3399 56 each
 full papuraPhid(N)(3) @ 3399 66 each
 full papuraPhid(N

outside continental U.S.A.)

FREE SHIPPING on all prepaid orders!

| VISA | Master Charge Your Phone Number (

SATISFACTION GUARANTEED OR YOUR

Copyright ©1979 Factory Direct Sales

CIRCLE 38

THE LEADER IN QUALITY SOFTWARE announces new APPLE-II software

MICRO INFORMATION SYSTEM (48k) \$99.95 is a breakthrough in effective information systems of any size. This one system handles accounts payable/receivable, inventories, appointment calendars, cost estimating, real estate listings, sales solicitations, manpower accounting, selective mailings and label printing, dietary information, phone directories and more! On diskette,

U-DRAW II tm (32k) \$39.95, a complete graphics package for the Apple II with disk. You can create a figure and rotate, expand, contract or move it anywhere on your video screen with a few simple keystrokes. Save individual figures or complete drawings on disk and recall them later. U-DRAW II automatically builds and edits multifigure shape tables that are directly transferable to your BASIC programs. You won't find better graphics capabilities at 100 times the price!

DR. MEMORY (32k) Disk Word Processor \$49.95 includes UPPER and lower case plus complete printer controls. Variable page size, left and right margins, automatic paragraphing and more. On diskette with documentation.

APPILOT EDU-DISK (32k) \$49.95 A complete multi-program C.A.I. system for the APPLE II. Includes program editor and APPLOT interpretor on diskette with extensive on-line HELP lessons plus documentation manual.

THREE MILE ISLAND (48k) \$39.95 - 1s the technology of a nuclear reactor too complex to handle? Now you have the opportunity to decide for yourself, with THREE MILE ISLAND, a realistic simulation of a pressurized nuclear reactor. Four spectacular displays monitor the containment building, turbines, filters, condenser, reactor core and the pump house. Valves, pumps, turbines, filters and control rods are individually activated by keyboard command. The comprehensive documentation describes in detail the operating mechanisms and component interactions.

SUPER-LOAD CASSETTES

U-DRAW (16k) \$17.95 ELECTRIC CRAYON (8k) \$17.95 MAZE GAME (8k) \$12.95 ESCAPE (16k) \$12.95 SIDE SHOWS (8k) \$12.95 TANK WAR (16k) \$12.95 MUSIC BOX (8k) \$12.95 BASEBALL (16k) * \$14.95 UNCLE SAM'S JIGSAW (32k)* \$12.95 GLOBAL WAR (32k)* \$17.95 *Plus APPLESOFT Board

Available from dealers or write today to the MUSE CO., 7112 Darlington Drive, Baltimore, MD 21234

Order by phone (301) 661-8531 MASTERCHARGE and VISA welcome

VISA

WHAT'S COMING UP


Apple II, along with documentation. Price is \$59.95.

Apple II Interface Brain is available from local computer stores or from Microproducts, 2107 Artesia Blvd., Redondo Beach, CA 90278; (213) 374-1673. Circle 133

Apple Firmware Card

Mountain Hardware's Romplus+ board for Apple computers offers six individually addressable sockets for 2K ROMs or EPROMs plus scratchpad RAM. On-board firmware allows two or more 2K ROMs to operate simultaneously for programs longer than 2K.

Included in the \$169 price of the



Romplus+ board is a 2K ROM program, "Keyboard Filter", which offers upper/lower case for the Apple, multiple user-defined character sets, colored or inverse-colored letters, keyboard macros, improved cursor control, and other improved control functions. The program works with Integer BASIC, RAM or ROM Applesoft and DOS.

Software support, provided on disk, includes demonstration programs and two Editors that allow users to define their own characters and keyboard macros, including BASIC and DOS commands.

For more information, contact Avery Dee, Mountain Hardware, Inc., 300 Harvey West Blvd., Santa Cruz, CA 95060. Circle 134

LITERATURE

TRS-80 Business Software

TRS Yellow Pages, issue 1.4, is a

twelve-page guide for selecting business software for the TRS-80. It describes all the software produced by Micro Architect. This issue features a sophisticated data base manager for the TRS-80. For a free copy, send two stamped, long, self-addressed envelopes to Micro Architect, 96 Dothan St., Arlington, MA 02174. Circle 135

Free Apple Software Catalog

A new Apple Software Catalog has been released by Rainbow Computing. The new 45-page book includes over 100 games, business applications and software development programs.

San Clemente, CA 92672.

Rainbow Computing developed several of the programs contained in the catalog.

For a free copy, write or phone Rainbow Computing, 9719 Reseda Blvd., Northridge, CA 91324; (213) 349-5560. *Circle 138*

Guide to Business and Personal Microcomputers

MicroShopper, guide to business and personal microcomputers, is available from The Phoenix Group. The 72-page reference book features 150 detailed photographs plus over 500 products from more than 100 manufacturers.

The book's introduction offers a common sense approach to computer jargon, and business systems and software are discussed in non-technical terms. Pictures and a concise glossary of terms aid understanding.

The latest edition of *MicroShopper* is available from MicroAge and local computer dealers as well as through retail electronics stores, bookstores and other retail outlets.

Price is \$3.95 retail, or direct from P.G.I. Publishing for \$5, which includes postage and handling.

For more information contact P.G.I. Publishing, 1425 West 12th Place, #106, Tempe, AZ 85281; (602) 894-9247. Circle 136

TRS-80 Publication

Systems Extensions is a 128-page publication consisting of one half text material and one half catalog. Seventeen articles give a general overview of data processing with particular points of interest for TRS-80 owners. The second half is a catalog listing over three hundred items useful for all microcomputers. The software section features twelve programs for the TRS-80.

Price is \$3. For more information see your local TBS dealer or contact The Bottom Shelf, Inc., P.O. Box 49104, Atlanta, GA 30359. Circle 137

Some software sellers are reported to be playing "games" with business customers, and we don't mean "Star Trek". To Aaron Associates, on the other hand, business software is serious business. Our Businessmaster[™] packages do exactly what we claim they will. And if you need any help, just give us a call. We'll make sure you get your money's worth. They're not cheap and they're not expensive. They're strictly professional programs at reasonable prices. Complete business packages include General Ledger, Accounts Receivable, Accounts Payable, Inventory, Capital Goods, Payroll System, Mailing List System, and a comprehensive Tax Preparation Package. For detailed information fast, call us at (714) 492-7633, or attach your business card to this advertisement and send to: Aaron Associates, Inc., 102 Avenue de la Estrella,

AARON ASSOCIATES

ADVERTISERS' INDEX

Circle	
Number	Page
20	August Automation 68
26	Addmaster 88
1	Anadex
37 14	Advance Access Group. 107 Automated Computer
KR smurin	Software Service 53
util she	The Bottom Shelf 2
22	Cload 85
35	Cload
33	Dr. Daley's Software 103
25	Data/Print Publishing 97
-	David McKay 72
30	DC Software & Computer
21	Products 101
31	Dilithum Press 102
27	Electronics Specialists . 100
34,38	Factory Direct Sales 106,108
6	H&E Computronics 6
23	Hayden Book Company . 71
41	Information Technology 110
12	3M/Data Processing 39
8	Mad Hatter Software 10
36	MicroDaSys 107
7	Micro Data Base Systems 9
39	M.U.S.E 108
4,10,18	Netronics R&D 4,21,67
13	Newman Computer
	Exchange 49

5	NRI Schools/	24	Racet Computes 99
36	Electonic Div 5	19	Radio Shack 68
47	Ohio Scientific	16	Realty Software 66
gois	Personal Computing	9	Simutek 17
	72,98,112,C-3	15	Telecomputing Corp. of
3	Personal Software 1		America 56,57
21	P.S. Inc 69	17	Transnet 66
		28	TSA Software 100

SALES OFFICES

Arlene Joseph National Sales Coordinator 1050 Commonwealth Ave. Boston, MA 02215 (617) 22-5470

Midwest: Pat Bosecke, P.O. Box 56089, Harwood Heights, IL 60656; (312) 631-7319 ● Northern California: Ralph Petersen, 1380 Oak Creek Dr., #212, Palo Alto, CA 94034; (415) 328-4392 ● California: Joanna Spiro, Mike Reynolds, 924 Westwood Blvd., Los Angeles, CA 90024; (213) 478-3017 ● Japan: Hiro H. Irie, International Business Corp., 11-8, Narita-Higashi 1-chome, Suginami-ku, Tokyo 166; (03) 311-1746.



CLASSIFIEDS

TRS-80 Quality Software

Diskette: word processor	\$39
mailing list	\$35
data base	\$49
inventory	\$39
key random-access util	\$19
Level II. word processor	\$29
sort & list access util	\$16
Level I or II: inventory	\$20
cassette data base	\$20
check balance & security	\$15

Poi Pow 96 Dothan St. Arlington, MA 02174



MICAD MANAGEMENT SYSTEMS

LARRY OWENS

 UP TO 15% DISCOUNT - TRS-80's ● ALSO BUSINESS SOFTWARE

RADIO SHACK DEALER - MINI MALL DOWNTOWN SHOPPING CENTER CAIRO, GA. 31728

912-377-7120

NORTH STAR — INTERTUBE THINKER TOYS — HUH

The smartest computers at the smartest price DOUBLE DENSITY HORIZON-1-16K Kit, list \$1599 \$12/4 Assembled & tested, list \$1899 \$1519 HORIZON-2-32K kits, list \$2249 \$1799 \$2039 Assembled & tested, list 2549 HORIZON-2-32K Quad density Assembled & tested, \$2999 \$2399 MEASUREMENT SYSTEMS Asm memory 64K \$640 THINKER TOYS Discus/2D, \$1149 \$949 \$780 INTERTUBE II Smart terminal, \$995 TRS-80[®] to S-100 Huh Asm, \$350 kit \$260 HUH Mini 8100 Asm \$139 MARYELLEN Word processor kit \$103 \$38 VERBATIM Disks

Which computers are best? BROCHUREFREE AMERICAN SQUARE COMPUTERS KIVETT DR. JAMESTOWN NC 27282 919-883-1105

Master's Program in Science Communication

Leading to M.S. Degree in Journalism

Graduates of this program qualify for positions as:

□ reporters, writers and editors for computer, scientific, engineering, technical or business magazines or journals. □ science editors and writers for newspapers and publishing houses.

communication specialists or administrators for information programs in science-based or research-oriented agencies.

 scientific liaison officers for technology assessment or trend monitoring in research and development

public relations specialists and advisors for information campaigns dealing with scientific subjects.

 managers for professional society seminars, conferences and university continuing education programs in science and technology.

For further information and applications forms, address inquiries to:

Harold G. Buchbinder
School of Public
Communication
Boston University
640 Commonwealth Avenue
Boston, Massachusetts 02215

Looking to buy or sell your software?

Try
Personal
Computing
Classifieds.

Rates:

	Per	col. inch
Up to 29 column inches		\$40.00
30-59 column inches		\$36.00
60-99 column inches		\$33.00
100-299 column inches		\$30.00
300-599 column inches		\$27.00
More than 599 column inche	es	\$24.00

For more information:

Call


Personal Computing

(617) 232-5470

MEMOREX Floppy Discs

Lowest prices. WE WILL NOT BE UNDERSOLD!! Buy any quantity 1-1000. Visa, Mastercharge accepted. Call free (800)235-4137 for prices and information. All orders sent postage paid.





You get more than 20 programs, including:

The Computer Checks Into the Balancing Act. This check register accounting system does much more than just balance your checkbook. A single entry for each transaction produces many specialized outputs.

Investment Analysis. Let your computer analyze the facts to help you determine which investment will bring you the greatest profits.

Printing Contract Forms. This program lets you print contracts for your own business or sell custom-made contracts to other small businesses.

Contract Fulfillment. Monitor your customer's contract performance with this program, saving your business hours of time and complex record-keeping. **Keeping Tabs on Contract Labor.** With this program, small businesses working on a contract basis can keep track of labor costs, saving money and helping to make accurate bids for future jobs.

I'll Put You on Hold and Check. This simple inventory program lets you recall information about your inventory by stock number or item name. The computer prints out the item's location, cost per unit, cost per case, number per case and arrival date of the next shipment.

Amortization Schedules. Computer-generated amortization tables can help your own business or provide you with a little extra income if marketed properly.

Calculating Seasonal Indices. Predict next year's business, analyze last year's sales and understand seasonal influences on our family budget with this simple program to calculate monthly seasonal indices.

Wall Street Wallop. Now you can compete with the corporate analysts in the investment game using this stock market analysis program.

Phone Directory. This simple filing system keeps up to 199 names and phone numbers on hand.

Conferee. This program can keep track of conference attendees by name, title, organization and conference address, aiding conference staffs, hotel managers, telephone operators and desk clerks to quickly identify and locate attendees.

Lemonade Planning Service. This article shows you how to use your computer in the business of designing businesses.

Small Business Systems: To Buy or Not to Buy? The author takes you through all the questions (and answers) involved in buying a small business computer system.

Techno Turkey and the Haunted House. While turning his home into a computerized haunted house, Turkey realized the sensing and control devices he used could also control real-world devices for practical applications.

Bob-Up Program. This program never lets you forget any important dates or appointments.

If It's Tuesday This Must Be Seattle. Plan your next vacation, including cost and travel time, with this program.

Computing on the Rocks. Your computer, as bartender, will provide lists of specific drink recipes, drinks with preferred ingredients, party planning hints and a shopping list of needed ingredients.

Techno Turkey's Home Security System. Use Turkey's computerized security system to protect your family, your home and your property.

Recursive Budgeting. Control your personal budget or help others get a grip on their finances with this program.

Dots Break the Ice. Here's a business opportunity that can be used at conventions, conferences and meetings of all types.

For less than 25¢ per program

In one convenient volume, *The Best of Personal Computing* presents more than 20 practical, ready-to-run home and business programs from the magazine's first two years.

Cover price will be \$7.50. But by ordering now, you can take advantage of the special pre-publication price of \$5 per copy; payment must accompany your order.

We'll mail *The Best of PC* to you on publication in October.

P.S. – Makes a great gift for your friends, too.



Please reserve copies My payment is enclosed.	of The Best of Personal Computing at	the pre-publication price of \$5 each	:h.*
Name			
Address			
City	State	Zip	
	sent as a gift directly to a friend, please gift copy, please make copies of this f		W.
Name			
Address			
City	State	Zip	383

Mail to: Circulation Department Personal Computing Magaz

Personal Computing Magazine 1050 Commonwealth Ave. Boston, MA 02215

* Canada and Mexico add \$2 per copy Other foreign add \$5 per copy.

Don't take our word for it.

"We can heartily recommend the Superboard II computer system for the beginner who wants to get into microcomputers with a minimum of cost. Moreover, this is a 'real' computer with full expandability."

Popular Electronics March, 1979

"(Their) new Challenger 1P weighs in at \$349 and provides a remarkable amount of computing for this incredible price."

Kilobaud Microcomputing February, 1979

"Over the past four years we have taken delivery on over 25 computer systems. Only two have worked totally glitch free and without adjustment as they came out of the carton: The Tektronic 4051 (at \$7,000 the most expensive computer we tested) and the Ohio Scientific Superboard II (at \$279 the least expensive) . . . The Superboard II and companion C1P deserve your serious consideration."

Creative Computing January, 1979

"The Superboard II and its fully dressed companion the Challenger 1P series incorporate all the fundamental necessities of a personal computer at a very attractive price. With the expansion capabilities provided, this series becomes a very formidable competitor in the home computer area."


Interface Age April, 1979

"The graphics available permit some really dramatic effects and are relatively simple to program . . . The fact that the system can be easily expanded to include a floppy means that while you are starting out with a low-cost minimal system, you don't have to throw it away when you are ready to go on to more complex computer functions. Everything is there that you need; you simply build on to what you already have. You don't have to worry about trading off existing equipment to get the system that will really do what you want it to do. At \$279, Superboard II is a tough act to follow."

Radio Electronics June, 1979

"The Superboard II is an excellent choice for the personal computer enthusiast on a budget."

Byte May, 1979



SUPERBOARD II \$279.00

The world's first complete computer system on a board including full keyboard, video display, audio cassette interface, 8K BASIC-in-ROM and 4K RAM. Expandable. Requires +5V at 3 amp power supply.



Complete with enclosure and power supply. All features of Superboard II. Easy to expand to more memory and floppy disk.

C1P MF \$995.00

The first floppy disk based computer system the world has ever seen for under \$1,000. 8K BASIC-in-ROM, 12K RAM. Expandable to 32K RAM.



See your Ohio Scientific dealer for full details.

